Skill Sheet No. OLR C - 100 01-29-			
Skill Title: RECOGNITION AND IDENTIFICATION			
NEPA 470-2022 EDITION Objective: 5.2.1, 5.3.1, 5.4.1, Minimur		imum to Pass: of 10; O=5 of 7	
		E: P / F per Level of Awareness (A) and Operational (O)	
		t successfully pass Awareness Skills to be certified to Operational* 1 point each	A O
1.		izes the presence of hazardous materials/WMD.	
2.	Identify and verba	alize the suitability of approved PPE available.	
3.	Verbalize safe and	d correct approach.	
4.	Appropriate PPE i	s worn properly.	
5.		alize the identification of potential hazards using any of the ner shape, placards / labels, UNNA#, SDS sheet, ERG, marking	<b>2</b> 5).
6.	Utilizing available resources correctly, identify and verbalize the material by name and / or UNNA#.		
7.	Utilizing available	e resources, identify and verbalize the material's ERG Guide#.	
8.	Verbalize initial isolation distance, demonstrate isolating the hazard area with materials supplied.		
9.		n of required notifications including the notification of ined personnel per SOP / SOG's.	
10.	Makes necessary notifications to responsible authorities.		
11.	Identify and verbalize potential fire explosion and / or health hazards of		
12.	Identify and verbalize potential safety procedures, hazard avoidance and minimization of exposure to the material.		
13.	Identify and verbalize incompatibilities and reactivities of material.		
14.	Identify and verbalize tactical action options for the material given.		
15.	Verbalizes PPE re	quirements for control options.	
16.	Verbalizes decontamination requirements.		
17. Completes the skill as directed.			
TOTAL POINTS: Per Level of Awareness and Operational			

FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.			
Examiner Print and Sign:	Date://	A - Pass Fail O- Pass Fail	
Coordinator Review:	Date://	Circle if Retest RETEST A - Pass Fail O- Pass Fail	

Skill No.	Description of Failure

Skill Sheet No. OLR C – 100A 01-			01-29	9-25		
	Skill	Title:	DETECTION, MONITORING and SAMPLING			
	NFP/	FPA 470-2022 Objective: 5.2.1, 5.3.1, 5.4.1, M		Minimur	n to I	Pass
	EDIT	ION	7.2.1, 7.4.1, 7.6.1	A=4 of 5; O=10	) of 1	.3
			RMANCE: P / F per Level of Awareness (A) and Operational (C		А	0
		*Cand	idate must successfully pass Awareness Skills to be certified to Operational*	1 point each		
	1.	Selects and don	s appropriate PPE correctly			
	2.	Identifies the sc	ope of the incident and verbalizes safe position / approach.			
	3.	Verbalizes imple	ementing scene control procedures per SOP / SOG's.			
	4.	Appropriate PPE	is worn properly.			
	5.	Selects appropri	ate equipment.			
	6.	Verbalizes prope	er condition and operation of equipment provided.			
	7.	Utilizing availab	e resources, identify and verbalize the material's ERG Guide	<b>#</b> .		
	8.	3. Indicates the proper preservation of any / all possible evidence.				
	9.	Correctly interp	rets and communicates results to supervisor.			
	10.	0. Makes necessary notifications to responsible authorities.				
	11.	Identify and ver	balize potential fire, explosion, and / or health hazards of ma	terial.		
	12.	Identify and ver exposure to the	balize potential safety procedures, hazard avoidance and mir material.	nimization of		
	13.	Identify and ver	balize incompatibilities and reactivities of material.			
	14.	Identify and ver	balize tactical action options for the material given.			
	15.	Verbalizes PPE r	equirements for control options.			
	16.	Verbalizes the d	econtamination of equipment and return to operational stat	e.		
	17.	Properly remove	es PPE.			
	18.	Completes the s	kill as directed.			
				TOTAL POINTS		

FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.		
Examiner Print and Sign:	Date://	A - Pass Fail O- Pass Fail
Coordinator Review:	Date://	Circle if Retest RETEST A - Pass Fail O- Pass Fail

Skill No.	Description of Failure

Skill Sheet No. OLR C - 101 01-2				9-25
Skill Title: DON PERSONAL PROTECTIVE CLOTHING			NG	
NFPA 4	70-2022 EDITION	Objective: 9.2.1	Minimum to Pass:	
			A= NA; O= 10 of 13	
PE		evel of Awareness (A), Operational (O) and Missie		
	*Candidate must s	uccessfully pass Awareness Skills to be certified to Operationa	I* 1 point each	
1.	Dons pants/boot con	hbination		
2.	Assures the suspend	ers are attached to pants		
3.	Pants are pulled on a	nd fastened to the waist		
4.	Suspenders are adjust	ted over the shoulder		
5.	Dons protective hood, pulling down around the neck and shoulders			
6.	Dons turnout coat			
7.	Assures all closures are fastened			
8.	Assures collar is turned up and secured around neck			
9.	Dons helmet with ear flaps down			
10.	Adjust chin strap under chin			
11.	Dons PASS device, if not integrated			
12.	Dons gloves and assu	res no skin is exposed between cuff of coat and g	loves	
13.	13. Completes within one minute			
TOTAL POINTS: Per Level of Awareness and Operational				

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.		
	MS - Pass Fail	
Examiner Print and Sign:Date://		
	Circle if Retest RETEST	
Coordinator Review: Date:/	MS - Pass Fail	

Skill No.	Description of Failure

Skill Sheet No. OLR C - 102     01-29-25				
Skill Title: DAILY IN-SERVICE INSPECTION OF SCBA				
NFPA 470-2022 Objective: 7.4.1 (NFPA 1852-2019, 3.3.6) Minimu		Minimum to Pass	s:	
	A=NA; O=1			
	PERFORMANCE: P / F per Level of Awareness (A) and Operational (O)	A	0	
	*Candidate must successfully pass Awareness Skills to be certified to Operational* 1 point each			
1.	Candidate verbalizes all components of SCBA are present and checked for integrity: har	ness		
1.	assembly, cylinder, facepiece, hoses, end of service indicators, regulators, PASS device.			
2.	Candidate verbalizes removing cylinder from harness and verbalizes process while inspe	ecting all		
2.	components of SCBA for cleanliness and damage.			
	Identifies and verbalizes the need to clean dirty components. If damage is found, candid			
3.	should verbalize which component is damaged and that they would remove a damaged	d unit		
	from service.		_	
4.	Verbalizes while checking integrity of facepiece (damage, wear) and that straps are fully	У		
-	extended.		_	
5.	Checks backpack and cylinder assembly for unusual wear or damage.	tah	_	
6.	Demonstrates and verbalizes the operation of the purge valve and the don/doffing swit Checks and verbalizes cylinder hydrostatic test date and reinstalls cylinder.		_	
7.	Checks position of mainline, bypass, don/doffing switch and positive pressure valves.		-	
8.	(Manufacturer dependent)			
	Checks cylinder pressure and determine if it is full.			
9.	(90% or above-2216 psi = 1994psi/4500 psi = 4050/5500 psi = 4950 psi)			
	Opens cylinder valve fully, checking for low air audible alarm.			
10	(Note: on some SCBA, the audible alarm does not sound when the cylinder valve is ope	ned.)		
11	Verifies that the Integrated PASS device turns on and sounds, if equipped.	-		
12	Verbalizes comparison of cylinder gauge to remote pressure gauge.			
13	Verbalizes that unit would be taken out of service if cylinder gauge and remote pressur	e gauge		
15	discrepancy exceeds 100psi. (5500psi systems not to exceed 250psi).			
14	Checks operation of PASS device by allowing passive activation/alarm, and then manua	1		
14	activation, then reset.			
15	Connects facepiece to regulator and inhales to inspect operation of the regulator.			
16				
17		).		
18	Deactivates PASS device, if integrated.			
19. Detaches the facepiece and returns SCBA to original area ready for donning.				
TOTAL POINTS: Per Level of Awareness and Operational				
<u>.</u>				

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.			
Examiner Print and Sign:Date://	A - Pass Fail O- Pass Fail		
Coordinator Review:Date://	Circle if Retest RETEST A - Pass Fail O- Pass Fail		

Skill No.	Description of Failure

Skill	Sheet No. OLR C - 103 01	-29-25		
Skill Title: DON SCBA – OVER THE HEAD METHOD				
Minimum to Pass				
NFPA	A 470-2022 Objective: 7.4.1 (NFPA 1852-2019, 3.3.6) A=NA; O=1			
	PERFORMANCE: P / F per Level of Awareness (A) and Operational (O)	A O		
	*Candidate must successfully pass Awareness Skills to be certified to Operational* 1 point each			
1.	Candidate appropriately wears full protective clothing.			
2.	Crouches or kneels at end of SCBA opposite cylinder valve.			
3.	Verbalizes while checking cylinder gauge and determines if full. (90% or above-2216 psi =			
5.	1994/4500 psi = 4050/5500 psi = 4950)			
4.	Opens cylinder valve to its maximum. Low air alarm must sound, and PASS device must turn on.			
	Compares cylinder gauge to remote pressure gauge.			
5.	(Difference between cylinder and remote gauge shall not exceed 100 psi. 5500 psi systems not			
to exceed 250 psi.)				
6.	6. Grasps backplate/harness assembly with both hands.			
7.	7. Raises backplate/harness assembly overhead.			
8.	8. Places and balances backplate/cylinder assembly on upper back.			
9.	Connects necessary buckles and adjusts underarm straps until snug.			
10	. Connects waist strap and adjusts until snug.			
11.	. Dons facepiece.			
12	Performs facepiece fit test. Adjusts straps if needed.			
13	Properly dons protective hood, ensuring no gaps/exposed skin.			
14	. Dons helmet with ear covers down.			
15	Connects and adjusts chinstrap under chin and not facepiece.			
16	16. Turns on PASS device, if not integrated.			
17	17. Dons gloves and ensures no gaps/exposed skin between gloves and coat sleeves.			
18	. Connects facepiece to regulator. (activate positive pressure)			
19	Declares colors present on heads up display, if equipped. (ex. 2 green, no red)			
20	. All Personal Protective Equipment is properly worn.			
21	. Completes within one minute and fifteen seconds.			
	TOTAL POINTS: Per Level of Awareness and Operational			

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.			
Examiner Print and Sign:	Date://	A - Pass Fail O- Pass Fail	
Coordinator Review:	Date://	Circle if Retest RETEST A - Pass Fail O- Pass Fail	

Skill No.	Description of Failure

	neet No. OLR - 104	0	7-01	24
Skill Li	tle: DON SCBA-OVER COAT METHOD	Minimum	+ 0 D	2001
NFPA 470-2022     Objective: 7.4.1 (NFPA 1852-2019, 3.3.6)     Minimum to P       A=NA; O=15 or     A=NA; O=15 or				
	PERFORMANCE: P / F per Level of Awareness (A) and Operational (O)	A-NA, 0-	A	0
	*Candidate must successfully pass Awareness Skills to be certified to Operational* 1 poi	nt each		•
1.	Candidate appropriately wears full protective clothing.			
2.	Crouches or kneels at end of SCBA with cylinder valve.			
3.	Verbalizes while checking cylinder gauge and determines if full. (90% or above- 1994/4500 psi = 4050/5500 psi = 4950)	2216 psi =		
4.	Opens cylinder valve to its maximum. Low air alarm must sound, and PASS dev	ice must turn on.		
5.	Compares cylinder gauge to remote pressure gauge. (Difference between cylin gauge shall not exceed 100 psi. 5500 psi systems not to exceed 250 psi.)	der and remote		
6.				
7.	Raises backplate/harness assembly overhead.			
8.	Places and balances backplate/cylinder assembly on upper back.			
9.	Connects necessary buckles and adjusts underarm straps until snug.			
10.	D. Connects waist strap and adjusts until snug.			
11.				
12.				
13. Properly dons protective hood, ensuring no gaps/exposed skin.				
14.	Dons helmet with ear covers down.			
15.	Connects and adjusts chinstrap under chin and not facepiece.			
16.	Turns on PASS device, if not integrated.			
17.	Dons gloves and ensures no gaps/exposed skin between gloves and coat sleeve	S.		
18.	Connects facepiece to regulator. (activate positive pressure)			
19.	Declares colors present on heads up display, if equipped. (ex. 2 green, no red)			
20.	All Personal Protective Equipment is properly worn.			
21.	Completes within one minute and fifteen seconds.			
	TOTAL POINTS: Per Level of Awareness	and Operational		

FAILURE OF A CRITICAL PORTION IS CAUSE	FOR ENTIRE SKILL FA	ILURE.
Examiner Print and Sign:	Date:///	A - Pass Fail O- Pass Fail
Coordinator Review:	_Date://	Circle if Retest RETEST A - Pass Fail O- Pass Fail

Skill No.	Description of Failure

Skill Sheet No. OLR C – 201 A					01-	29-25
Sł	Skill Title: DEFENSIVE CONTROL - DAMMING					
N	NFPA 470-2022 EDITION     Objective: 7.3.1, 7.4.1, 9.6.1     Minimum 1       O=7 of 10; N     0					
			/ F per Level of Operational (O) and Mission Specific (N		0	MS
		*Candidate mus	t successfully pass Operational skills prior to passing Mission Specific	c skills* 1 point eac	:h	
	1.	Verbalizes and descri	pes the suitability of PPE provided.			
	2.	Wears full protective	clothing and utilizes positive pressure SCBA			
	3.		te product control tactics to control / confine the releas	e with		
	1	limited risk of person		/ cofoly		
-	4. 5.		ocation to perform product control operation efficiently opriate equipment to complete control assignment.	/ Salely.		
	5. 6.			olinos		
-	7.					
-	7. 8.					
	9.					
	10.					
-	11.					
	12.	Verhalizes and demonstrate the maintenance of scene control measures with materials				
	13.	3. Communicates mission outcome to supervisor				
	14.	4. Verbalizes the need for emergency decontamination				
	15.	5. Verbalizes the need for gross decontamination				
	16.		locumentation and reporting per scenario; and indicates d methodology of decontamination / isolation of person l.			
TOTAL POINTS: Per Level of Operational and Mission Specific						

FAILURE OF A CRITICAL PORTION IS CAUS	SE FOR ENTIRE SKILL FAII	- · · · · · · · · · · · · · · · · · · ·
Examiner Print and Sign:	Date://	O - Pass Fail MS- Pass Fail
Coordinator Review:	Date: / /	Circle if Retest RETEST O - Pass Fail MS- Pass Fail



Skill Sheet	t No. OLR C - 201	В		01-29-25
Skill Title:		DEFENSIVE CONTROL - DIKING		
NFPA 470-2022 EDITION     Objective: 7.3.1, 7.4.1, 9.6.1     Minimum 1       O=7 of 10; N				
		<sup>-</sup> per Level of Operational (O) and Mission Specific (MS		MS
*Cano	didate must successfully	pass Operational skills prior to passing Mission Specific skills* 1 point	nt each	
1.	Verbalizes and de	escribes the suitability of PPE provided.		
2.	Wears full protec	tive clothing and utilizes positive pressure SCBA		
3.	Selects the appro limited risk of per	priate product control tactics to control / confine the re- sonal exposure.	elease with	
4.	Selects appropria safely.	te location to perform product control operation efficie	ently /	
5.	Selects the most	appropriate equipment to complete control assignmen	t.	
6.				
7.	Verbalizes eliminating all ignition sources			
8.				
9. Stays out of contact with the product				
10.				
11. Performs product control correctly effectively; properly performs DIKING operation).				
12. Verbalizes and demonstrate the maintenance of scene control measures with materials provided.				
13.	Communicates m	ission outcome to supervisor		
14.	Verbalizes the ne	ed for emergency decontamination		
15.		ed for gross decontamination		
16.	Completes requir	ed documentation and reporting per scenario; and indi r and methodology of decontamination / isolation of pe		
		TOTAL POINTS: Per Level of Operational and Missi	on Specific	

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.			
Examiner Print and Sign:Date://	O - Pass Fail MS- Pass Fail		
Coordinator Review:Date://	Circle if Retest RETEST O - Pass Fail MS - Pass Fail		

Skill No.	Description of Failure

S	Skill Sheet No. OLR C - 201 C     01-29-25					
Skill Title: DEFENSIVE CONTROL - DIVERSION						
NFPA 470-2022 EDITION     Objective: 7.3.1, 7.4.1, 9.6.1     Minimum to O=7 of 10; M						
		PERFORMANCE:	P / F per Level of Operational (O) and Mission Specific (M	4S)	0	MS
		*Candidate m	ust successfully pass Operational skills prior to passing Mission Specif	ic skills* 1 point e	each	
	1.	Verbalizes and des	cribes the suitability of PPE provided.			
	2.	Wears full protect	ive clothing and utilizes positive pressure SCBA			
	3.	Selects the approp limited risk of pers	priate product control tactics to control / confine the relea sonal exposure.	ase with		
	4.	Selects appropriat	e location to perform product control operation efficient	ly / safely.		
	5.	Selects the most a	ppropriate equipment to complete control assignment.			
	6.	Verbalizes isolating and evacuating the area according to the resource's guidelines.				
	7.	Verbalizes eliminating all ignition sources				
	8.	Verbalizes and demonstrates the safe approach of the container involved.				
	9.	Stays out of contact with the product				
	10.	Determines the appropriate location to construct a Diversion barrier				
	11.	Performs product operation).	control correctly effectively; properly performs DIVERSIO	N		
	12.	Verbalizes and der materials provided	nonstrate the maintenance of scene control measures wide.	ith		
	13.	Communicates mission outcome to supervisor				
	14.					
	15.					
			ed documentation and reporting per scenario; and indicat			
	16.		and methodology of decontamination / isolation of perso	onnel and		
equipment as needed.						
			TOTAL POINTS: Per Level of Operational and Missi	on Specific		

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKI	LL FAILURE.
Examiner Print and Sign:Date://_	O - Pass Fail MS- Pass Fail
Coordinator Review: Date://	Circle if Retest RETEST O - Pass Fail MS - Pass Fail



Skill No.	Description of Failure
L	

Ski	Skill Sheet No. OLR C - 201 D     01-29-24			29-25		
Ski	Skill Title: DEFENSIVE CONTROL – Absorption/Adsorption					
	NFPA 470-2022 EDITION     Objective: 7.3.1, 7.4.1, 9.6.1     Minimum			n to Pa	ISS:	
	1 A 4	0-2022 LDITION	Objective: 7.3.1, 7.4.1, 5.0.1	O=7 of 10;	MS=5	of 6
			<sup>/</sup> F per Level of Operational (O) and Mission Specific (MS		0	MS
		*Candidate m	ist successfully pass Operational skills prior to passing Mission Specif	ic skills* 1 poin	t each	
	1.	Verbalizes and desc	ibes the suitability of PPE provided.			
	2.	Wears full protective	e clothing and utilizes positive pressure SCBA			
	З.	Selects the appropri	ate product control tactics to control / confine the relea	se with		
	э.	limited risk of perso				
	4.	Selects appropriate	location to perform product control operation efficiently	//safely.		
	5.		propriate equipment to complete control assignment.			
	6.	Verbalizes isolating and evacuating the area according to the resource's guidelines.				
	7.					
	8.	. Verbalizes and demonstrates the safe approach of the container involved.				
	9.	Stays out of contact with the product				
	10.		ropriate location for Absorption/Adsorption			
	11.		ontrol correctly effectively; properly performs			
	±±.	Absorption/Adsorpt				
	12.		onstrate the maintenance of scene control measures wit	h		
		materials provided.				
	13.					
	14.					
	15.		for gross decontamination			
			documentation and reporting per scenario; and indicate			
	16.		nd methodology of decontamination / isolation of perso	nnel and		
equipment as needed.						
			TOTAL POINTS: Per Level of Operational and Missic	on Specific		

FAILURE OF A CRITICAL PORTION IS CAU	JSE FOR ENTIRE SKILL FAI	LURE.
Examiner Print and Sign:	Date://	O - Pass Fail MS- Pass Fail
Coordinator Review:	Date://	Circle if Retest RETEST O - Pass Fail MS- Pass Fail

Skill No.	Description of Failure

Skill Sheet No. OLR C - 301 01-			01-29	-25
Skill Title: EMERGENCY DECONTAMINATION OF AN EMERGENCY RESPONDER				
NFPA 470-2022 EDITION Objective: 7.4.1, 7.5.1, 9.2.1 O= 10 of 13; MS = 5 of			5 of 6	
		PERFORMANCE: P / F per Level of Operational (O) and Mission Specific (MS) O	Μ	S
		*Candidate must successfully pass Operational skills prior to passing Mission Specific skills* 1 point each		
1	_	Verbally provides at least two reasons why the current area is safe for emergency decontamination.		
2	)	Proceeds to decontamination area in correctly selected, donned PPE and respiratory protection.		
(1)	2	Verbalizes the placement of tools and equipment in designated area for later decontamination.		
Z	ŀ	Wears full protective clothing and utilizes positive pressure SCBA		
		Removes the person from the contaminated area without coming into direct contact with the product, if possible.		
e	5	Ensures person is supplied with uncontaminated air and controls life threatening bleeding		
7	7	Simulates using low pressure water spray for gross self-decontamination using equipment provided.		
8	3	If the person is wearing a respirator, releases the harness, and removes leaving the operating facepiece in position		
g	)	Removes persons clothing and or PPE rapidly minimizing the spread of contaminants beginning at the head and working down.		
1	0	Maintains washing while clothing removal is taking place		
1	1	Transfers the person to EMS personnel for assessment /treatment		
1	2	Properly doffs PPE as to minimize cross-contamination and states securing properly.		
1	3	Respiratory protection remains in place until all PPE is removed.		
1	4	Properly removes and states securing respiratory protection properly, moving away from decon station		
1	5	Simulates washing using disposable towels (provided) to clean head, face, neck, hands, and wrists before moving to the rehabilitation area.		
1	6	Verbalizes a method of assessing the effectiveness of the decontamination process.		
1	7	Verbalizes the proper disposal or decontamination of PPE.		
1	8	Ensures EMS and hospital personnel are informed about the product involved and the persons exposure.		
2	0	Completes required documentation and reporting per scenario as well as the need for exposure forms and supporting documents.		
		TOTAL POINTS: Per Level of Operational and Mission Specific		

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIR	E SKILL FAILURE.
Examiner Print and Sign:Date:/_	O - Pass Fail / MS - Pass Fail
Coordinator Review: Date:/_	Circle if Retest RETEST / O - Pass Fail MS - Pass Fail

Skill	Description of Failure
Skill No.	Description of Failure