





### **Instructions**

- 1) Contact ReBuild Western MA at <a href="mailto:rebuildwma@icfi.com">rebuildwma@icfi.com</a> or 877-524-1325 to prequalify
- 2) Complete and submit a completed application, including the signed acceptance on page 6, with all required documentation via one of the options listed:

• Fax: **800-784-8262** 

• E-mail: rebuildwma@icfi.com

Mail: ReBuild WMA c/o ICF
 33 Hayden Ave, 3<sup>rd</sup> Floor
 Lexington, MA 02421

- 3) You will receive a participation confirmation letter outlining the incentives you may be eligible to receive. Final incentives are subject to verification.
- 4) Following final reporting/inspection, designated recipient will receive incentive check(s) for all qualified measures.

PROJECT AND INCENTIVE RECIPIENT INFORMATION				
Facility/Business Name:		Contact Name:		
Installation Street Address:		Installation City & Zip Code:		
Mailing Address (if different than Ir	nstallation Address):	Mailing City & Zip Code (if different than Installation City & Zip Code):		
Contact Phone:	Email Address:	Municipal Facility (check one)		
Payee Recipient (if different than th	ne Facility/Business listed above):	Payee Address (if different than the Installation Address, City & Zip):		
Payee Contact Phone: Pa	yee Contact Email:	Payee Tax ID Number:		
If payee recipient is different than	facility/business name above, the fa	cility/business must provide approval:		
PROJECT INFORMATION				
Please check your primary facility hatural Gas Electric	neating fuel type: Oil Propane	Other -		
Electric Service Provider:		Natural Gas Service Provider:		
Type of documentation enclosed verifying your business/facility repairs or rebuild is due to the June, 1, 2011 tornado:  FEMA  Other (explain)				
Are you currently participating in the utility-funded Western MA Storm If no, would you like to learn more about these utility-funded programs				
VENDOR INFORMATION				
Vendor/Installer:		Contact Person:		
Street Address:		City, State, and Zip Code:		
Phone Number:		Email Address:		



Incentives for Business and Municipal Buildings



## **Section 1: Heating and Water Heating**

	Heating & Water Heating Equipment					
Measure	Size (input)	Eligibility Criteria	Business Incentive	Municipal Incentive		
Natural Gas, Oil, or Propane Furnace	Up to 150 MBH	92% AFUE or greater & ECM motor	\$400	\$800		
Natural Gas, Oil, or Propane Furnace	Up to 150 MBH	94% AFUE or greater & ECM motor	\$600	\$1,200		
Natural Gas, Oil, or Propane Furnace	Up to 150 MBH	96% AFUE or greater & ECM motor	\$800	\$1,600		
Natural Gas, Oil, or Propane HW Boiler	up to 300 MBH	85% AFUE or greater	\$500	\$1,000		
Natural Gas, Oil, or Propane HW Boiler	301 to 499 MBH	85% to 89.99% Thermal Efficiency	\$2,000	\$4,000		
Natural Gas, Oil, or Propane HW Boiler	500 to 999 MBH	85% to 89.99% Thermal Efficiency	\$2,500	\$5,000		
Natural Gas, Oil, or Propane HW Boiler	1,000 to 1,700 MBH	85% to 89.99% Thermal Efficiency	\$3,500	\$7,000		
Natural Gas, Oil, or Propane HW Boiler	1,701 to 2,000 MBH	85% to 89.99% Thermal Efficiency	\$5,000	\$10,000		
Natural Gas, Oil, or Propane HW Boiler	up to 300 MBH	90% AFUE or greater	\$1,000	\$2,000		
Natural Gas, Oil, or Propane HW Boiler	301 to 499 MBH	90% or greater Thermal Efficiency	\$3,000	\$6,000		
Natural Gas, Oil, or Propane HW Boiler	500 to 999 MBH	90% or greater Thermal Efficiency	\$5,000	\$10,000		
Natural Gas, Oil, or Propane HW Boiler	1,000 to 1,700 MBH	90% or greater Thermal Efficiency	\$10,000	\$20,000		
Natural Gas, Oil, or Propane HW Boiler	1,701 to 2,000 MBH	90% or greater Thermal Efficiency	\$15,000	\$30,000		
Natural Gas, Oil, or Propane Infrared Heaters	All sizes	Low Intensity	\$500	\$1,000		
Condensing Unit Heaters	up to 300 MBH	90% Thermal Efficiency or greater	\$500	\$1,000		
Natural Gas, Oil, or Propane On-demand Tankless with electronic ignition	All sizes	Energy Factor of .82 or greater	\$500	\$1,000		
Natural Gas, Oil, or Propane On-demand Tankless with electronic ignition	All sizes	Energy Factor of .52 or greater	\$800	\$1,600		
High-Efficiency Indirect Tankless	All sizes	Connected to a boiler with an AFUE or Thermal Efficiency 85% or greater	\$400	\$800		
Natural Gas, Oil, or Propane Condensing Stand Alone	75 to 300 MBH	95% Thermal Efficiency or greater	\$500	\$1,000		
Natural Gas, Oil, and Propane Furnace Boiler and Water Heater combo		85% AFUE/CA-AFUE	\$1,000	\$2,000		
Natural Gas, Oil, and Propane Furnace Boiler and Water Heater combo		90% AFUE/CA-AFUE	\$1,600	\$3,200		





### Incentives for Business and Municipal Buildings

### Section 1: Complete table below if installed qualifying Heating and Water Heating Equipment

Installed Heating & Water Heating Equipment						
Manufacturer and Model Number	Equipment H=Heating W=Water Heating C=Combo Heating /Water Heating	Unit Size (input MBH)	Unit Efficiency (if applicable)	Incentive Dollars (see table above)	Quantity	Requested Incentive Dollars
Section 1 Total						

### Section 2: Insulation, Windows, and Doors

Windows, Exterior Doors, and Insulation					
Measure	Eligibility Criteria	Business Incentive	Municipal Incentive		
Wall/Roof/Floor Insulation	Stretch code or greater	25% of installed cost up to \$10,000/project	50% of installed project cost up to \$20,000.project		
Windows	ENERGY STAR 5.0	\$200	\$400		
Exterior Doors	ENERGY STAR 5.0	\$100	\$200		

### Section 2: Complete table below if installed qualifying insulation, windows, and doors

Installed Windows, Exterior Doors, and Insulation					
Measure	Eligibility Criteria	Incentive (see table above)	Quantity	Requested Incentive Dollars	
Wall/Roof/Floor Insulation	Stretch code or greater				
Windows	ENERGY STAR 5.0				
Exterior Doors	ENERGY STAR 5.0				
Section 2 Total					



Incentives for Business and Municipal Buildings



# **Section 3: Unitary HVAC**

Unitary HVAC Equipment						
Measure Type	Equipment Size	Eligibility Criteria	Business Incentive	Municipal Incentive		
Air-Cooled - Split System	<5.4 Tons; < 65,000 BTU/h	14.0 SEER & 12.0 EER	\$70/ton	\$140/ton		
Air-Cooled - Split System	<5.4 Tons; < 65,000 BTU/h	15.0 SEER & 12.5 EER	\$125/ton	\$250/ton		
Air-Cooled - Packaged System	<5.4 Tons; < 65,000 BTU/h	14.0 SEER & 11.6 EER	\$70/ton	\$140/ton		
Air-Cooled - Packaged System	<5.4 Tons; < 65,000 BTU/h	15.0 SEER & 12.0 EER	\$125/ton	\$250/ton		
Air-Cooled - Split or Packaged Systems	>= 5.4 to < 20 Tons; >=65,000 to < 240,000 BTU/h	11.5 EER	\$50/ton	\$100/ton		
Air-Cooled - Split or Packaged Systems	>= 5.4 to < 20 Tons; >=65,000 to < 240,000 BTU/h	12.0 EER	\$80/ton	\$160/ton		
Air-Cooled - Split or Packaged Systems	>= 20 to < 63 Tons; >= 240,000 to < 760,000 BTU/h	10.5 EER	\$30/ton	\$60/ton		
Air-Cooled - Split or Packaged Systems	>= 20 to < 63 Tons; >= 240,000 to < 760,000 BTU/h	10.8 EER	\$50/ton	\$100/ton		
Air-Cooled - Split or Packaged Systems	>= 63; >= 760,000 BTU/h	10.2 EER	\$50/ton	\$100/ton		
Evaporatively Cooled	>= 20 Tons; >= 240,000 BTU/h	14.0 EER	\$80/ton	\$160/ton		
Air-Cooled Heat Pump - Split Systems	-Cooled Heat Pump - Split Systems <5.4 Tons; < 65,000 BTU/h		\$70/ton	\$140/ton		
Air-Cooled Heat Pump - Split Systems	<5.4 Tons; < 65,000 BTU/h	15.0 SEER & 12.5 EER & 9.0 HSPF	\$125/ton	\$250/ton		
Air-Cooled Heat Pump - Packaged Systems	<5.4 Tons; < 65,000 BTU/h	14.0 SEER & 11.6 EER & 8.0 HSPF	\$70/ton	\$140/ton		
Air-Cooled Heat Pump - Packaged Systems	<5.4 Tons; < 65,000 BTU/h	15.0 SEER & 12.0 EER & 8.5 HSPF	\$125/ton	\$250/ton		
Air-Cooled Heat Pump - Split and Packaged Systems	>= 5.4 to < 11.25; >= 65,000 to < 135,000 BTU/h	11.5 EER & 3.4 COP	\$50/ton	\$100/ton		
Air-Cooled Heat Pump - Split and Packaged Systems	>= 5.4 to < 11.25; >= 65,000 to < 135,000 BTU/h	12.0 EER & 3.4 COP	\$80/ton	\$160/ton		
Air-Cooled Heat Pump - Split and Packaged Systems	>= 11.25 to < 20.0; >= 135,000 to < 240,000 BTU/h	11.5 EER & 3.2 COP	\$50/ton	\$100/ton		
Air-Cooled Heat Pump - Split and Packaged Systems	>= 11.25 to < 20.0; >= 135,000 to < 240,000 BTU/h	12.0 EER & 3.2 COP	\$80/ton	\$160/ton		
Air-Cooled Heat Pump - Split and Packaged Systems	> 20; >= 240,000 BTU/h	10.5 EER & 3.2 COP	\$30/ton	\$60/ton		
Air-Cooled Heat Pump - Split and Packaged Systems	> 20; >= 240,000 BTU/h	10.8 EER & 3.2 COP	\$50/ton	\$100/ton		
Water Source Heat Pumps	< 11.25; < 135,000 BTU/h	14.0 EER & 4.6 COP	\$80/ton	\$160/ton		
Ground Water - Water Source Heat Pump Equipment (Open Loop)	< 11.25; < 135,000 BTU/h	18.0 EER & 4.0 COP	\$150/ton	\$300/ton		
Ground Water - Water Source Heat Pump Equipment (Closed Loop)	< 11.25; < 135,000 BTU/h	15.0 EER & 3.2 COP	\$150/ton	\$300/ton		





### Incentives for Business and Municipal Buildings

Section 3: Complete table below if installed qualifying Unitary HVAC Equipment

Installed Unitary HVAC Equipment						
Manufacturer and Model Number	Equipment S=Split U=Unitary H=Heat Pump	Unit Size (tons)	Unit Efficiency (EER or SEER)	Incentive (\$/ton) (see table above)	Quantity	Requested Incentive Dollars
Section 3 Total						
Section 1, 2, and 3 Total Incentives						
Businesses are eligible for up to \$50,000/building						

Businesses are eligible for up to \$50,000/building Municipal facilities are eligible for up to \$100,000/building



### Incentives for Business and Municipal Buildings



#### ReBuild Western Massachusetts Terms and Conditions

#### 1. Definitions

- a. "DOER" refers to the Massachusetts Department of Energy Resources
- b. "Program" refers to the ReBuild Western MA Energy Efficiency Program
- c. "EEOs" are the energy efficiency opportunities described in the ReBuild Western Massachusetts forms

### 2. Eligibility

- a. Residents, businesses, and municipals repairing or rebuilding their facility as a result of damage incurred from the June 1, 2011 tornado are eligible to participate. Residents, businesses, and municipals are required to provide documentation verifying the repair or construction is a result of tornado damage.
- b. Repairs, construction, and installations must be completed December 31, 2012.
- c. When required by law, repairs, construction, installations, and engineering services must be completed by a licensed contractor.
- d. Residents, businesses, and municipals must send and complete all forms and any other required documentation to the DOER no later than thirty (30) days after install.
- e. All incentive forms in connection with the Program must be received by the DOER by December 31, 2012.

#### 3. Installation

a. Prior to honoring any incentive, the DOER reserves the right to conduct and on-site verification that the EEOs were installed according to Program guidelines and is in operation. This site visit and all aspects related to this site visit, and conducted solely for such purpose. The site visit is not a safety review, nor is it intended for any other purpose.

#### 4. Warranties

a. The DOER and the Program Administrator do not endorse, guarantee, or warrant any particular engineer, contactor, manufacturer, or installation.

### 5. Changes to the Program

. Program is subject to change without prior notice, and incentive offers may increase or decrease at any time.

#### 6. Tax Liability

a. Participants of the Program may be subject to tax liability for the values of the goods and services received through the program pursuant state or federal income tax codes.

### 7. No Tax Liability for the DOER or the Program Administrator

a. The DOER and the program administrator are not responsible for any tax liability which may be imposed as a result of the receipt of the rebates provided by the DOER to the customer.

#### 8. Liability & Release

a. As part of the consideration for participating in the Program, participant hereby releases and shall indemnify, hold harmless, and defend the DOER and it's Program Administrator from any and all claims, losses, harm, costs, liabilities, damages, and expenses (including attorneys' fees) of any nature whatsoever arising directly or indirectly out of or in connection with the installation the EEOs at the premises or any material and labor required for such installation.

Applicant Signature:	Date:

Submit this completed and signed application along with required documentation via one of the following:

Fax: 800-784-8262
 E-mail: rebuildwma@icfi.com
 Mail: ReBuild WMA c/o ICF
 33 Hayden Ave, 3<sup>rd</sup> Floor
 Lexington, MA 02421