# Information about Meningococcal Disease, Meningococcal Vaccines, Vaccination Requirements, and the Waiver for Students at Colleges and Residential Schools



**Colleges:** Massachusetts requires all newly enrolled full-time students 21 years of age and under attending a postsecondary institution (e.g., college) to receive a dose of quadrivalent meningococcal conjugate vaccine on or after their 16<sup>th</sup> birthday to protect against serotypes A, C, W, and Y or fall within one of the exemptions in the law.

**Residential Schools:** Massachusetts requires all newly enrolled full-time students attending a secondary school who will be living in a dormitory or other congregate housing licensed or approved by the secondary school or institution (e.g., boarding school) to receive the quadrivalent meningococcal conjugate vaccine to protect against serotypes A, C, W, and Y or fall within one of the exemptions in the law.

The law provides an exemption for students signing a waiver that reviews the dangers of meningococcal disease and indicates that the vaccination has been declined. To qualify for this exemption, you are required to review the information below and sign the waiver at the end of this document. Please note that if a student is under 18 years of age, a parent or legal guardian must be given a copy of this document and must sign the waiver.

#### What is meningococcal disease?

Meningococcal disease is caused by infection with bacteria called *Neisseria meningitidis*. These bacteria can infect the tissue (the "meninges") surrounding the brain and spinal cord and cause meningitis, or they may infect the blood or other organs of the body. Symptoms of meningococcal disease may appear suddenly. Fever, severe and constant headaches, stiff neck or neck pain, nausea and vomiting, and rash can all be signs of meningococcal disease. Changes in behavior, such as confusion, sleepiness, and trouble waking up can also be important symptoms. In the US, about 350-550 people get meningococcal disease each year, and 10-15% die despite receiving antibiotic treatment. Of those who survive, about 10-20% may lose limbs, become hearing impaired or deaf, have problems with their nervous system, including long-term neurologic problems, or have seizures or strokes. Less common manifestations of meningococcal disease include pneumonia and arthritis.

#### How is meningococcal disease spread?

These bacteria are passed from person to person through saliva (spit). For the bacteria to spread, you must be in close contact with an infected person's saliva. Close contact includes activities such as kissing, sharing water bottles, sharing eating/drinking utensils, sharing cigarettes, or being within 3-6 feet of someone infected who is coughing or sneezing.

### Who is at most risk for getting meningococcal disease?

High-risk groups include anyone with a damaged spleen or whose spleen has been removed, those with persistent complement component deficiency (an inherited immune disorder), HIV infection, those traveling to countries where meningococcal disease is very common, microbiologists and people who are routinely exposed to the organism and people who may have been exposed to meningococcal disease during an outbreak. People who live in certain settings such as college students living in residence halls and military recruits can also be at greater risk of disease.

## Which students are most at risk for meningococcal disease?

College students who have close contact in residence halls, combined with social mixing activities (such as going to bars, clubs, or parties, participating in Greek life, sharing food or beverages, and other activities involving the exchange of saliva), may put college students at increased risk relative to others of the same age. People with close contact to or lengthy contact with confirmed cases are also at increased risk of developing invasive meningococcal disease.

## Are there vaccines against meningococcal disease?

Yes, there are several different meningococcal vaccines. Quadrivalent meningococcal conjugate vaccine (Menveo and MenQuadfi) protects against 4 serotypes (A, C, W, and Y) of meningococcal disease. Quadrivalent meningococcal conjugate vaccine is routinely recommended at age 11-12 years, with a booster at age 16. Students receiving their first dose on or after their 16<sup>th</sup> birthday do not need a booster. The meningococcal serogroup B vaccines (Bexsero and Trumenba) protect against serogroup B meningococcal disease. Individuals in certain high-risk groups may need to receive 1 or more of these vaccines based on their doctor's recommendations. Adolescents and young adults (16-23 years of age) who are not in high-risk groups may be vaccinated with meningococcal B vaccine, preferably at 16-18 years of age, to provide short-term protection for most strains of serogroup B meningococcal disease. Pentavalent meningococcal vaccine protects against serogroups A, B, C, W, and Y. It may be administered to persons aged ≥10 years when both a quadrivalent meningococcal conjugate vaccine and meningococcal B vaccine are indicated at the same visit. Talk with your doctor about which vaccines you should receive.

### Is the meningococcal vaccine safe?

Yes. Getting the meningococcal vaccine is much safer than getting the disease. Some people who get the meningococcal vaccine have mild side effects, such as redness or pain where the shot was given. These symptoms usually last for 1-2 days. A small percentage of people who receive the vaccine develop a fever. The vaccine can be given to pregnant women. A vaccine, like any medicine, is capable of causing serious problems, such as severe allergic reactions, but these are rare.

## Is meningococcal vaccine mandatory for entry into secondary schools (that provide housing) and colleges?

Massachusetts law (MGL Ch. 76, s.15D) and regulations (105 CMR 220.000) require both newly enrolled full-time students attending a secondary school (with grades 9-12) who will be living in a dormitory or other congregate housing licensed or approved by the secondary school or institution

<u>and</u> newly enrolled full-time students 21 years of age and younger attending a postsecondary institution (e.g., college) to receive a dose of quadrivalent meningococcal conjugate vaccine.

The requirements apply to all new full-time residential students at affected secondary schools, regardless of grade (including grades pre-K through 8) and year of study. Secondary school students must provide documentation of having received a dose of quadrivalent meningococcal conjugate vaccine at any time in the past unless they qualify for one of the exemptions allowed by the law. College students 21 years of age and younger must provide documentation of having received a dose of quadrivalent meningococcal conjugate vaccine on or after their 16<sup>th</sup> birthday, regardless of housing status, unless they qualify for one of the exemptions allowed by the law. This includes individuals from other countries attending or visiting classes or educational programs as part of an academic visitation or exchange program. Meningococcal B vaccines are not required and do not fulfill the requirement for meningococcal vaccine. Whenever possible, immunizations should be obtained before enrollment or registration. However, students may be enrolled or registered provided that the required immunizations are obtained within 30 days of registration.

Exemptions: Students may begin classes without a certificate of immunization against meningococcal disease if: 1) the student has a letter from a physician stating that there is a medical reason why they can't receive the vaccine; 2) the student (or the student's legal guardian, if the student is a minor) presents a statement in writing that such vaccination is against their sincere religious belief; or 3) the student (or the student's legal guardian, if the student is a minor) signs the waiver below stating that the student has received information about the dangers of meningococcal disease, reviewed the information provided and elected to decline the vaccine.

#### Shouldn't meningococcal B vaccine be required?

CDC's Advisory Committee on Immunization Practices has reviewed the available data regarding serogroup B meningococcal disease and the vaccines. At the current time, there is no routine recommendation and no statewide requirement for meningococcal B vaccination before going to college (although some colleges might decide to have such a requirement). As noted previously, adolescents and young adults (16 through 23 years of age) may be vaccinated with a serogroup B meningococcal vaccine, preferably at 16 through 18 years of age, to provide short-term protection against most strains of serogroup B meningococcal disease. This would be a decision between a patient or parent and a healthcare provider. These policies may change as new information becomes available.

#### Where can a student get vaccinated?

Students and their legal guardians should contact their healthcare providers to make an appointment to discuss meningococcal disease, the benefits and risks of vaccination, and the availability of these vaccines. Schools and college health services are not required to provide this vaccine.

#### Where can I get more information?

Your healthcare provider, local Board of Health (listed in the phone book under government), or the Massachusetts Department of Public Health Divisions of Epidemiology and Immunization at (617) 983-6800 or on the MDPH website at https://www.mass.gov/info-details/school-immunizations.

For additional information on *Invasive Meningococcal Disease (IMD)*, please visit the CDC's website: Meningococcal Disease Surveillance and Trends | Meningococcal | CDC.

## **Waiver for Meningococcal Vaccination Requirement**

I have received and reviewed the information provided on the risks of meningococcal disease and the risks and benefits of quadrivalent meningococcal conjugate vaccine. I understand that Massachusetts law requires newly enrolled full-time students at secondary schools who are living in a dormitory or congregate living arrangement licensed or approved by the secondary school and newly enrolled full-time students at colleges and universities who are 21 years of age or younger to receive meningococcal vaccinations unless the students provide a signed waiver of the vaccination or otherwise qualify for one of the exemptions specified in the law.

•	After reviewing the materials above on the dangers	of meningococcal disease,	I choose to waive receipt of the meningococcal vaccine.
Student	Name:	Date of Birth:	_ Student ID:
Signatur	re: (Student or parent/legal guardian if the student is up	Date: nder 18 years of age)	
	(orangere or parenty tobar ban aran in the standers to an	20 / 00.0 0. 080/	