

---

**From:** Lepore, Theresa (DPS)  
**Sent:** Wednesday, June 15, 2016 9:46 AM  
**To:** Carley, Stephen (DPS)  
**Subject:** FW: EO562

Elevator public comment.

Theresa A. Lepore  
Assistant to Chief of Staff/General Counsel  
Department of Public Safety

---

**From:** Mason, Brigitte (DPS) **On Behalf Of** DPSinfo (DPS)  
**Sent:** Wednesday, June 15, 2016 9:40 AM  
**To:** Lepore, Theresa (DPS)  
**Subject:** FW: EO562

---

**From:** Jian Ren

**To:** DPSinfo (DPS)  
**Subject:** EO562

Hi,  
My name is Jian Ren, a MA resident. Since we moved to Winchester, MA in 2012, we have been looking for a home elevator solution. Because it becomes harder for us to carry my son Andrew upstairs. Andrew got a car accident in 2008 and has been on wheelchair since then. Now he is 11 years old and weights 70lbs. The problem is MA still follows a very outdated elevator code. That code doesn't allow us install the new types. While the traditional ones take too much spaces and also too expensive for us to afford. I just heard there is a proposed updates to the code, which sounds like a good news. Could you please make sure the new code gets approved ASAP so families like us could benefit?

Thank you so much!

Jian