Bureau of Air & Waste - Solid Waste Program

Solid Waste Facility Report - DISPOSAL FACILITY (Landfill/Combustion)

This Report is for Calendar Year 20

Important: When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.





Check the box for the disposal	operation type:		Landfill		Combustion Facility	
A. General Information						
Please provide Site Location an	d Reporting Conta	ct info	ormation belo	w.		
1. Site Location						
Site Name:						
Street:						
City/Town:			State: N	ИΑ	ZIP:	
Phone:	Phone Extn:	1		<u> </u>		
2. Reporting Contact						
Organization Name:						
Street:						
City/Town:			State:		ZIP:	
Contact Person:			Title:			
Email:			Phone:		Phone I	Extn:
3. Certification						
I hereby certify that I have perso this document and all attachmen obtaining this information, I belie make this attestation on behalf of false information, including poss	its, and that based we that the informa of this facility and a	on mation is	y inquiry of the strue, accurate that there	nose i ate an	ndividuals immediately re id complete. I am fully at	esponsible for uthorized to
Signature:					Date:	
Print Name:					Phone:	
Title·	Oı	naniza	tion Name			

Bureau of Air & Waste - Solid Waste Program

Solid Waste Facility Report - DISPOSAL FACILITY (Landfill/Combustion)

_	4. \$	Suggestions – comments or suggestions to improve this reporting form
E	3. F	acility Details
F	1. (Operational Status – check one box only that best describes facility status during the calendar report year
		Operated all of the report year.
		Operated only part of the report year, Started accepting waste on date:
		Operated only part of the report year, Stopped accepting waste on date:
		Did not accept waste during the report year.
	2. I	Days of Operation – number of days the facility accepted waste during the calendar report year
	Nun	nber of Days Open:
	0	office of Many Annual Control of Million by Control of
	Que	stions #3 and 4 are for Landfill only; Combustion skip to Part C, #1.
	3. I	Financial Assurance (Landfill only)
	Plea year	se record the total value of financial assurance for Closure and Post-Closure effect the last day of the report
	Tota	al Financial Assurance Value: \$
-		
	4. I	Future Capacity (Landfill only)
		se review or fill in the landfill's projected tons per year (TPY) for disposal and the expected date to cease fill operations based on existing permits.
	Ton	s Per Year (TPY):
	Ехр	ected Date to Cease Landfilling:

Bureau of Air & Waste - Solid Waste Program

Solid Waste Facility Report - DISPOSAL FACILITY (Landfill/Combustion)

C. Operations

1. Waste Accepted for Disposal

Please record the tons of Waste Accepted for Disposal for each Waste Type for each State of Origin. Fill in each applicable cell, then sum each waste type into the Totals column, and then sum that column into the Total Accepted box.

- Round all amounts to the nearest ton.
- List only Waste Accepted for Disposal. Do NOT include Recycables/Compostables or Cover Material.
- If out-of-state waste is accepted, fill in each state at the top of a blank State of Origin column and then record the tons for each applicable Waste Type.
- If the waste type is not listed, use one of the "Other" lines and fill in the name of the waste. If more "Other" lines are needed, cross out an unused waste type and fill the other waste name.

	State of Origin				
Waste Type	MA				Totals
MSW					
C & D Waste					
Contaminated Soil*					
Sludge (WWTP)					
Sludge (WTP)					
Wood Waste					
Tires					
Ash					
DPW Waste					
Asbestos Waste					
Recycling Residue					
Dredge (Fresh)*					
Dredge (Marine)*					
Other:					
Other:					
Other:					
				Total Accepted	'

* Contaminated Soil or Fresh/Marine Dredge used as cover material or grading & shaping at a Landfill should be listed in Question #3 Cover Material on the next page.

Bureau of Air & Waste - Solid Waste Program

Solid Waste Facility Report – DISPOSAL FACILITY (Landfill/Combustion)

Questions #2 - 4 are for Landfill only; Combustion skip to Question #5.

2. Cover Material (Landfill only)

Provide the types and tonnages (to the nearest ton) of material applied for daily, intermediate, or final cover; erosion control; or grading and shaping. Do NOT include stockpiled materials, or Contaminated Soils or Dredge listed in Part C#1 Waste Landfilled. When using 'Other', specify the material type, not its use. Attach an additional sheet, if needed.

Cover Material Types	Tons	Cover Material Types	Tons
Soil (Sand, etc)		TriPak (Emulsion Mix)	
Contaminated Soil		Bottom Ash	
C&D Fines		Dredge (Fresh)	
C&D Residuals		Dredge (Marine)	
Auto Shredder Residue/Auto		Other (Specify):	
Street Sweepings		Other (Specify):	
Wood Chips		Other (Specify):	

3. Site Capping (Landfill only)

Total acres covered with a DEP approved cap:
Acres capped during the report year:
Acres remaining uncapped:

4. Leachate Collection (Landfill only)

Nun	Number of gallons of leachate collected during the report year:						
Lea	Leachate Treatment/Disposal – check all that apply						
	On Site.						
	Sewer Connection.						
	Trucked off-site, Treatment/disposal facility name:						

Questions #5-9 are for Combustion only; Landfill skip to Part D, #1.

Bureau of Air & Waste - Solid Waste Program

Solid Waste Facility Report – DISPOSAL FACILITY (Landfill/Combustion)

5. Municipal Contract MSW (Combustion only)

List the municipality(ies) and the tonnage (to the nearest ton) of MSW received under contracts or other formal agreements including the end date of such contracts or agreements. Attach a separate sheet if necessary.

Tons	Municipality	State	Disposal Contract End Date

6. Pre-Combustion Handling (Combustion only)

Please provide the following pre-combustion tonnages (to the nearest ton).

- Account only for tonnage that crosses the combustion facility's scales.
- If more than one Disposal Site or Recycler is used for each material, attach a separate sheet listing the Sites/Recyclers and the tons sent to each.

Bypass	Disposal Site Name & Town	
Metal Recovery	Recycler Name & Town	
Non-Metal	Recycler Name & Town	

Capacity Utilization (Combustion only	7.	Capacity	Utilization	(Combustion	only
---	----	----------	-------------	-------------	------

Please record tons of waste burned during the report year	Please	record	tons of	of waste	burned	during	the	report v	vear
---	--------	--------	---------	----------	--------	--------	-----	----------	------

8. Post-Combustion Residuals (Combustion only)

Please provide the following details on residuals/ash management (to the nearest ton).

- List ash tonnages as disposed.
- If more than one Landfill or Recycler is used for each material, attach a separate sheet listing the Landfills/Recyclers and tons sent to each.

Metals Recovered*	Recycler Name & Town	
Ash Beneficially Used	Type of Use	
Ash Disposed	Landfill Name	

^{*} Do not include ash entrained in the metals shipped to recyclers that is later return by the recycler for disposal. This ash should be included in Ash Disposed.

Does the Combustion Facility have sufficient ash disposal capacity in	☐ Yes	□ No	
accordance with the "Ash Management and Disposal Policy - SWM-7-7/88"?	□ res		

Bureau of Air & Waste - Solid Waste Program

Solid Waste Facility Report – DISPOSAL FACILITY (Landfill/Combustion)

9. Materials Separation Plan (Combustion only)

In accordance with 310 CMR 7.08(2)(i), and the Material Separation Plan Guidance for Municipal Waste Combustors, applicable facilities must submit an annual progress report on their efforts to separate mercury from their waste streams. Please attach a separate sheet(s) describing the following:

- 1. How funds were expended
- 2. Progress in achieving the goals outlined in the Material Separation Plan, including:
 - Amount of designated material diverted and/or reduced and measurement methodology
 - Access and/or participation rates achieved for each activity
 - Market sectors and service areas targeted
- 3. Problems encountered
- 4. Any recommended changes to improve the Plan

D. Waste Bans

Please provide load counts (numbers, not text like 'all') based on Waste Ban compliance activities. For the number of loads failing by material type, enter the number of failed loads, not the count of items or percent of the loads. For example, two failed loads for CRTs where one load has 5 CRTs and one load has 3 CRTs should be entered as 2 loads, not 8 CRTs.

1. Monitoring and Inspections	Comprehensive Inspections	Ongoing Waste Stream Monitoring
Total Number of Loads Inspected		
Total Number of Loads Failing		
Number of Loads Failing by Material Type		
Asphalt pavement, Brick and/or Concrete		
Clean Gypsum Wallboard		
Commercial Organics		
CRTs		
Glass/Metal/Plastic Containers		
Lead Acid Batteries		
Leaves & Yard Waste		
Mattresses		
Metal		
Recyclable Paper (except Corrugated Cardboard)		
Corrugated Cardboard		
Textiles		
White Goods		
Whole Tires*		
Wood*		
Mixed (more than one material)		

Landfills only

Bureau of Air & Waste - Solid Waste Program

Solid Waste Facility Report - DISPOSAL FACILITY (Landfill/Combustion)

- E. Recycling, Composting & Conversion Operations Located at Site Assigned Solid Waste Facilities- completion of this section satisfies the requirement for an annual certification pursuant to 310 CMR 16.04(2)(i) and 310 CMR 16.04(3)(a)10.
 - **1.** Instructions for Table "Materials Accepted for Recycling"
 - a) Please report the amount of recyclable material received from Massachusetts sources only in the calendar year covered by this certification.
 - b) Please report all quantities in TONS.
 - c) All Material Types Are Mutually Exclusive. Please do not report the same tonnage in more than one category. For example, if you process 4,000 tons of wood, and 2,000 tons went to wood for fuel, and 2,000 tons were C&D wood recycled, you would report these tonnages separately.

Correct	Incorrect
C&D Wood 2,000 tons	C&D Wood 4,000 tons
Wood for fuel 2,000 tons	Wood for fuel 2,000 tons

- d) In order to avoid double counting, please do not report tonnage received from other processors. (For example, do not report any tonnage received from a Material Recycling Facility (MRF), since that material is already counted in that facility's report. However, any material received via direct haul from a generator should be counted.)
- e) If specific tonnage by material is unavailable, please report the total waste processed and the estimated amount by each material. (For example, if you recycled 10,000 tons of material total, and estimate that 75% of that material was metal and 25% was asphalt, brick, and concrete (ABC), please report 7,500 tons metal and 2,500 tons ABC.)

	Table on Next Page ▶
--	----------------------

Bureau of Air & Waste - Solid Waste Program

Solid Waste Facility Report – DISPOSAL FACILITY (Landfill/Combustion)

2. Materials Accepted for Recycling

RECY	CLED MATERIALS		
	Tonnage		
Material	Massachusetts Sources	Out of State Sources	Combined Tonnage
Asphalt, Brick & Concrete			
Asphalt shingles			
Carpet			
Ceiling Tiles			
Single Stream Recycling (formerly Commingled Materials)			
Electronics			
Glass			
Gypsum Wallboard			
Mattresses			
Metals - C&D			
Metals – Non C&D			
Paper – Except Cardboard			
Paper – Cardboard			
Plastic			
Textiles			
Tires – Non Fuel			
Tires – Fuel			
Organics - Agricultural Material			
Organics - Food Material			
Organics - Vegetative Material			
Organics - Yard Waste including Grass			
Wood – Non Fuel			
Wood – Fuel			
Other – Describe:			
Totals			

Bureau of Air & Waste - Solid Waste Program

Solid Waste Facility Report - DISPOSAL FACILITY (Landfill/Combustion)

- 3. Instructions for Table "Materials Accepted for Composting & Conversion"
 - a) Please report material collected in the applicable calendar year covered by this certification.
 - b) Please report all quantities in TONS. To calculate a quantity of organic material, estimate the dimensions of the windrow(s) at the time of their constuction (the volume can reduce by 50% during the first four to eight weeks). For a "haystack" shaped windrow, the volume is approximately equal to the height times half the base width, times the length. PLEASE BE SURE TO EITHER MEASURE IN YARDS OR CONVERT CUBIC FEET TO CUBIC YARDS BY DIVIDING BY 27.
 - c) Please note that the in-state vs. out-of state sources of the organic materials is denoted. You should input the amount collected in the appropriate column, depending on whether material collected is from within Massachusetts or from out of state locations.
 - d) Use the following factors to convert volume (cubic yards) to weight (tons):

Leaves	Brush	Grass	Food Waste
5 cy/ton	4 cy/ton	3 cy/ton	1.33 cy/ton

e) If you are a municipal compost site serving only part of a municipality, please only account for the
organic material composted at your particular site, not all of the organic material generated in the
municipality.

Table on Next Page ▶

Bureau of Air & Waste - Solid Waste Program

Solid Waste Facility Report - DISPOSAL FACILITY (Landfill/Combustion)

4. Materials Accepted for Composting & Conversion

ORGANIC MATERIALS

MITBAILES					
Material		Tonnage			Type of Generator (i.e.,
		Massachusetts Sources	Out of State Sources	Combined Tonnage	restaurant, residential collection, commercial food processor, etc.)
	Food Material				
ORGANIC MATERIALS RECEIVED FROM THE GENERATOR OF THE MATERIAL	Vegetative Material				
	Agricultural Material				
	Yard Waste including Grass				
	Biodegradable Paper				
	Biodegradable Products				
	Clean Wood				
	Totals				

Complete and Return	Link to the MassDEP information page about the upload portal which	If you have questions, contact
this form via the web	contains a link to the upload portal:	Eshua Mbua by email:
based upload portal		
(Compliance Reporting	https://www.mass.gov/info-details/compliance-reports-upload-portal	eshua.mbua@mass.gov
System) by February		
15 to: (Use the		
weblinks provided)	Link to the upload portal called the Compliance Reporting System:	
	https://eeaonline.eea.state.ma.us/EEA/ComplianceReport/	