



1. Shooter discharged a shotgun while checking the safety mechanism. An obstruction in the barrel caused a small piece of the muzzle to lodge in the shooter's ankle. Shooter was intoxicated at time of incident. What actions should have been taken to prevent this incident?
- 



2. Victim (age 10) laid a .410 shotgun next to a six-year old who consequently pretended to be a hunter and pulled the trigger. The shot hit the victim in the arm. What actions should have been taken to prevent this incident?
- 



3. Shooter had his firearm in a vehicle and was getting it out from the back seat when he carelessly discharged his rifle. The bullet ricocheted and struck the driver with a nonfatal wound. What actions should have been taken to prevent this incident?
- 



4. Victim was injured from an apparent ricochet by a member of his own hunting party. The shooter and the victim were in dense cover and the victim was standing on a stone wall. Shooter shot once at a deer. The shooter never saw a person or hunter orange prior to discharging his shotgun. What actions should have been taken to prevent this incident?
-



5. Victim was attempting to shoot swallows, protected wildlife, with a .22 rifle. When unsuccessful he then attempted to knock the swallow's nest off of the bottom of a bridge using the butt of his gun. As the firearm hit the nest it discharged and shot the victim in the upper chest leaving a self inflicted gunshot wound. Besides refraining from the obvious illegal/unethical activity in which the shooter was engaged, what actions should have been taken to prevent this incident?
- 



6. Victim was carrying a muzzleloader over his right shoulder and holding the barrel. He tripped and fell forward. He put his hand out to catch himself. The gun went off and the bullet entered the lower bicep of his arm. Wound was self inflicted. What actions should have been taken to prevent this incident?
- 



7. Victim was hunting and placed a 20 gauge shell in a 12 gauge shotgun. They then discharged a 12 gauge shell behind the 20 gauge shell and the barrel blew up. They received an injury to their forward hand. What actions should have been taken to prevent this incident?
-



8. Shooter discharged a shotgun as he was picking up his gear getting ready to leave for the field. Shot struck a fellow hunter from his party in the arm. What actions should have been taken to prevent this incident?
- 



9. A pheasant hunter was shot by another hunter in the same party. Victim and shooter were walking in a straight line with several other companions when a pheasant flushed. Victim was shot by shooter swinging on game. It was a non-fatal injury with 5 pellets to legs and forearm. What actions should have been taken to prevent this incident?
- 



10. A deer hunter shot himself in the right foot. Investigation showed that the victim was playing with the hammer on his single shot 16-gauge shotgun while walking with a party of five hunters. The shotgun discharged striking the victim on the top of his right foot with buckshot. It was a non-fatal injury with one buckshot pellet through his right foot. What actions should have been taken to prevent this incident?
-