

MassHealth Snapshot Enrollment Summary of March 2025 Caseload

Total MassHealth Snapshot Members, excluding DMH clients not eligible under ACA:

March 31, 2025
1,998,317

Total MassHealth Member Months, excluding DMH clients not eligible under ACA:

January 2025
2,048,540 Member Months

Snapshot Enrollment Overview

Total Snapshot Enrollment:

Total membership increased by 461 members from February 2025 to March 2025. This translates to a 0.00% change in total MassHealth caseload, excluding temporary coverage.

Adult enrollment increased by 118 members or 0.0%
Child enrollment increased by 343 members or 0.0%

Snapshot Program Enrollment Changes:

Family enrollment decreased by -1,954 members or -0.2%
Disabled enrollment decreased by -422 members or -0.2%
Senior enrollment increased by 1,732 members or 0.7%
CarePlus enrollment increased by 1,277 members or 0.4%
OneCare enrollment decreased by -172 members or -0.4%

Snapshot Enrollment by Plan Type:

ACO-A enrollment of 901,923 increased by 618 members or 0.1%
ACO-B enrollment of 318,289 increased by 938 members or 0.3%
Traditional HMO enrollment of 41,854 decreased by -415 members or -1.4%
CarePlus MCO enrollment of 23,357 decreased by -126 members or -0.7%
SCO enrollment of 75,339 increased by 217 members or 0.3%
PACE enrollment of 5,368 increased by 33 members or 0.6%
One Care enrollment of 42,189 decreased by -172 members or -0.4%
PCC enrollment of 74,370 decreased by -1,119 members or -1.9%
TPL enrollment of 145,344 increased by 1,107 members or 1.0%
FFS enrollment of 89,688 increased by 837 members or 1.4%
Seniors (excluding SCO, PACE, and Buy In Aged) enrollment of 97,682 increased by 1,325 members or 1.4%
Other enrollment of 343,936 decreased by -2,782 members or -0.7%

Enrollment Calculation Methodology

MassHealth enrollment in a given month continues to change after the last day of the month due to members subject to retroactive eligibility changes. This can occur due to retroactive eligibility determination, redetermination processing, application verification, eligibility appeals and changes in member aid categories. To account for these changes, MassHealth reports two different measures of enrollment in this document:

Total Snapshot Enrollment = Member count as of the last day of the month; not adjusted for retroactive eligibility.

Total Member Months = Total number of eligible days divided by the number of days in the month. Updated with latest information available at each publication. This is the most accurate representation of enrollment for budgeting purposes.

Project Information										Location										Dates										Weather										Soil										Vegetation										Water										Air										Noise										Vibration										Other									
Project Name					Project ID					Address					City					State					Country					Start Date					End Date					Temperature					Humidity					Wind Speed					Wind Direction					Soil Type					Soil Moisture					Vegetation Type					Vegetation Density					Water Source					Water Quality					Air Quality					Noise Level					Vibration Level					Other Factors				
Project A					001					123 Main St					New York					NY					USA					2023-01-01					2023-01-31					65°F					60%					10 mph					SE					Clay					15%					Deciduous					Medium					City Water					Good					PM2.5: 10					65 dB					0.1 g					Clear				
Project B					002					456 Oak Ave					Los Angeles					CA					USA					2023-02-01					2023-02-28					75°F					70%					15 mph					SW					Sand					10%					Conifer					Low					Well Water					Good					PM2.5: 5					55 dB					0.2 g					Clear				
Project C					003					789 Pine Rd					Chicago					IL					USA					2023-03-01					2023-03-31					55°F					55%					8 mph					N					Loam					20%					Deciduous					High					City Water					Good					PM2.5: 12					70 dB					0.3 g					Clear				
Project D					004					101 Elm St					San Francisco					CA					USA					2023-04-01					2023-04-30					68°F					65%					12 mph					W					Clay					18%					Conifer					Medium					City Water					Good					PM2.5: 8					60 dB					0.1 g					Clear				
Project E					005					202 Maple Dr					Houston					TX					USA					2023-05-01					2023-05-31					80°F					75%					18 mph					SE					Sand					12%					Deciduous					Low					City Water					Good					PM2.5: 15					75 dB					0.4 g					Clear				
Project F					006					303 Birch Ln					Phoenix					AZ					USA					2023-06-01					2023-06-30					90°F					40%					20 mph					NW					Loam					8%					Conifer					Low					Well Water					Good					PM2.5: 3					50 dB					0.2 g					Clear				
Project G					007					404 Cedar St					Philadelphia					PA					USA					2023-07-01					2023-07-31					78°F					68%					14 mph					SE					Clay					16%					Deciduous					Medium					City Water					Good					PM2.5: 11					68 dB					0.3 g					Clear				
Project H					008					505 Elm Ave					San Antonio					TX					USA					2023-08-01					2023-08-31					85°F					72%					16 mph					SW					Sand					14%					Conifer					Medium					City Water					Good					PM2.5: 9					62 dB					0.2 g					Clear				
Project I					009					606 Pine Rd					Portland					OR					USA					2023-09-01					2023-09-30					62°F					62%					11 mph					N					Loam					19%					Deciduous					High					City Water					Good					PM2.5: 7					58 dB					0.1 g					Clear				
Project J					010					707 Oak St					San Diego					CA					USA					2023-10-01					2023-10-31					72°F					65%					13 mph					W					Clay					17%					Conifer					Medium					City Water					Good					PM2.5: 6					56 dB					0.2 g					Clear				
Project K					011					808 Maple Dr					Dallas					TX					USA					2023-11-01					2023-11-30					60°F					58%					9 mph					SE					Sand					11%					Deciduous					Low					City Water					Good					PM2.5: 13					72 dB					0.4 g					Clear				
Project L					012					909 Birch Ln					San Jose					CA					USA					2023-12-01					2023-12-31					50°F					50%					7 mph					NW					Loam					21%					Conifer					High					City Water					Good					PM2.5: 4					52 dB					0.1 g					Clear				
Project M					013					1010 Cedar St					Austin					TX					USA					2024-01-01					2024-01-31					65°F					60%					10 mph					SE					Clay					15%					Deciduous					Medium					City Water					Good					PM2.5: 10					65 dB					0.3 g					Clear				
Project N					014					1111 Elm Ave					San Francisco					CA					USA					2024-02-01					2024-02-28					70°F					68%					12 mph					SW					Sand					13%					Conifer					Medium					City Water					Good					PM2.5: 8					60 dB					0.2 g					Clear				
Project O					015					1212 Pine Rd					Chicago					IL					USA					2024-03-01					2024-03-31					58°F					55%					8 mph					N					Loam					20%					Deciduous					High					City Water					Good					PM2.5: 12					70 dB					0.4 g					Clear				
Project P					016					1313 Oak St					Los Angeles					CA					USA					2024-04-01					2024-04-30					75°F					70%					15 mph					SW					Clay					18%					Conifer					Medium					City Water					Good					PM2.5: 5					55 dB					0.1 g					Clear				
Project Q					017					1414 Maple Dr					Houston					TX					USA					2024-05-01					2024-05-31					82°F					75%					18 mph					SE					Sand					12%					Deciduous					Low					City Water					Good					PM2.5: 15					75 dB					0.4 g					Clear				
Project R					018					1515 Birch Ln					Phoenix					AZ					USA					2024-06-01					2024-06-30					92°F					40%					20 mph					NW					Loam					8%					Conifer					Low					Well Water					Good					PM2.5: 3					50 dB					0.2 g					Clear				
Project S					019					1616 Cedar St					Philadelphia					PA					USA					2024-07-01					2024-07-31					78°F					68%					14 mph					SE					Clay					16%					Deciduous					Medium					City Water					Good					PM2.5: 11					68 dB					0.3 g					Clear				
Project T					020					1717 Elm Ave					San Antonio					TX					USA					2024-08-01					2024-08-31					85°F					72%					16 mph					SW					Sand					14%					Conifer					Medium					City Water					Good					PM2.5: 9					62 dB					0.2 g					Clear				
Project U					021					1818 Pine Rd					Portland					OR					USA					2024-09-01					2024-09-30					62°F					62%					11 mph					N					Loam					19%					Deciduous					High					City Water					Good					PM2.5: 7					58 dB					0.1 g					Clear				
Project V					022					1919 Oak St					San Diego					CA					USA					2024-10-01					2024-10-31					72°F					65%					13 mph					W					Clay					17%					Conifer					Medium					City Water					Good					PM2.5: 6					56 dB					0.2 g					Clear				
Project W					023					2020 Maple Dr					Dallas					TX					USA					2024-11-01					2024-11-30					60°F					58%					9 mph					SE					Sand					11%					Deciduous					Low					City Water					Good					PM2.5: 13					72 dB					0.4 g					Clear				
Project X					024					2121 Birch Ln					San Jose					CA					USA					2024-12-01					2024-12-31					50°F					50%					7 mph					NW					Loam					21%					Conifer					High					City Water					Good					PM2.5: 4					52 dB					0.1 g					Clear				
Project Y					025					2222 Cedar St					Austin					TX					USA					2025-01-01					2025-01-31					65°F					60%					10 mph					SE					Clay					15%					Deciduous					Medium					City Water					Good					PM2.5: 10					65 dB					0.3 g					Clear				
Project Z					026					2323 Elm Ave					San Francisco					CA					USA					2025-02-01					2025-02-28					70°F					68%					12 mph					SW					Sand					13%					Conifer					Medium					City Water					Good					PM2.5: 8					60 dB					0.2 g					Clear				
Project AA					027					2424 Pine Rd					Chicago					IL					USA					2025-03-01					2025-03-31					58°F					55%					8 mph					N					Loam					20%					Deciduous					High					City Water					Good					PM2.5: 12					70 dB					0.4 g					Clear				
Project AB					028					2525 Oak St					Los Angeles					CA					USA					2025-04-01					2025-04-30					75°F					70%					15 mph					SW					Clay					18%					Conifer					Medium					City Water					Good					PM2.5: 5					55 dB					0.1 g					Clear				
Project AC					029					2626 Maple Dr					Houston					TX					USA					2025-05-01					2025-05-31					82°F					75%					18 mph					SE					Sand					12%					Deciduous					Low					City Water					Good					PM2.5: 15					75 dB					0.4 g					Clear				
Project AD					030					2727 Birch Ln					Phoenix					AZ					USA					2025-06-01					2025-06-30					92°F					40%					20 mph					NW					Loam					8%					Conifer					Low					Well Water					Good					PM2.5: 3					50 dB					0.2 g					Clear				
Project AE					031					2828 Cedar St					Philadelphia					PA					USA					2025-07-01					2025-07-31					78°F					68%					14 mph					SE					Clay					16%					Deciduous					Medium					City Water					Good					PM2.5: 11					68 dB					0.3 g					Clear				
Project AF					032					2929 Elm Ave					San Antonio					TX					USA					2025-08-01					2025-08-31					85°F					72%					16 mph					SW					Sand					14%					Conifer					Medium					City Water					Good					PM2.5: 9					62 dB					0.2 g					Clear				
Project AG					033					3030 Pine Rd					Portland					OR					USA					2025-09-01					2025-09-30					62°F					62%					11 mph					N					Loam					19%					Deciduous					High					City Water					Good					PM2.5: 7					58 dB					0.1 g					Clear				
Project AH					034					3131 Oak St					San Diego					CA					USA					2025-10-01					2025-10-31					72°F					65%					13 mph					W					Clay					17%					Conifer					Medium					City Water					Good					PM2.5: 6					56 dB					0.2 g					Clear				
Project AI					035					3232 Maple Dr					Dallas					TX					USA					2025-11-01					2025-11-30					60°F					58%					9 mph					SE					Sand					11%					Deciduous					Low					City Water					Good					PM2.5: 13					72 dB					0.4 g					Clear				
Project AJ					036					3333 Birch Ln					San Jose					CA					USA					2025-12-01					2025-12-31					50°F					50%					7 mph					NW					Loam					21%					Conifer					High					City Water					Good					PM2.5: 4					52 dB					0.1 g					Clear				
Project AK					037					3434 Cedar St					Austin					TX					USA					2026-01-01					2026-01-31					65°F					60%					10 mph					SE					Clay					15%					Deciduous					Medium					City Water					Good					PM2.5: 10					65 dB					0.3 g					Clear				
Project AL					038					3535 Elm Ave					San Francisco					CA					USA					2026-02-01					2026-02-28					70°F					68%					12 mph					SW					Sand					13%					Conifer					Medium					City Water					Good					PM2.5: 8					60 dB					0.2 g					Clear				
Project AM					039					3636 Pine Rd					Chicago					IL					USA					2026-03-01					2026-03-31					58°F					55%					8 mph					N					Loam					20%					Deciduous					High					City Water					Good					PM2.5: 12					70 dB					0.4 g					Clear				
Project AN					040					3737 Oak St					Los Angeles					CA					USA					2026-04-01					2026-04-30					75°F					70%					15 mph					SW					Clay					18%					Conifer					Medium					City Water					Good					PM2.5: 5					55 dB					0.1 g					Clear				
Project AO					041					3838 Maple Dr					Houston					TX					USA					2026-05-01					2026-05-31					82°F					75%					18 mph					SE					Sand					12%					Deciduous					Low					City Water					Good					PM2.5: 15					75 dB					0.4 g					Clear				
Project AP					042					3939 Birch Ln					Phoenix					AZ					USA					2026-06-01					2026-06-30					92°F					40%					20 mph					NW					Loam					8%					Conifer					Low					Well Water					Good					PM2.5: 3					50 dB					0.2 g					Clear				
Project AQ					043					4040 Cedar St					Philadelphia					PA					USA					2026-07-01					2026-07-31					78°F					68%					14 mph					SE					Clay					16%					Deciduous					Medium					City Water					Good					PM2.5: 11					68 dB					0.3 g					Clear				
Project AR					044					4141 Elm Ave					San Antonio					TX					USA					2026-08-01					2026-08-31					85°F					72%					16 mph					SW					Sand					14%					Conifer					Medium					City Water					Good					PM2.5: 9					62 dB					0.2 g					Clear				
Project AS					045					4242 Pine Rd					Portland					OR					USA					2026-09-01					2026-09-30					62°F					62%					11 mph					N					Loam					19%					Deciduous					High					City Water					Good					PM2.5: 7					58 dB					0.1 g					Clear				
Project AT					046					4343 Oak St					San Diego					CA					USA					2026-10-01					2026-10-31					72°F					65%					13 mph					W					Clay					17%					Conifer					Medium					City Water					Good					PM2.5: 6					56 dB					0.2 g					Clear				
Project AU					047					4444 Maple Dr					Dallas					TX					USA					2026-11-01					2026-11-30					60°F					58%					9 mph					SE					Sand					11%					Deciduous					Low					City Water					Good					PM2.5: 13					72 dB					0.4 g					Clear				
Project AV					048					4545 Birch Ln					San Jose					CA					USA					2026-12-01					2026-12-31					50°F					50%					7 mph					NW					Loam					21%					Conifer					High					City Water					Good					PM2.5: 4					52 dB					0.1 g					Clear				
Project AW					049					4646 Cedar St					Austin					TX					USA					2027-01-01					2027-01-31					65°F																																																																					
