



CHARLES D. BAKER
GOVERNOR

KARYN E. POLITO
LIEUTENANT GOVERNOR

JAY ASH
SECRETARY OF HOUSING AND
ECONOMIC DEVELOPMENT

Commonwealth of Massachusetts
Division of Professional Licensure
Office of Public Safety and Inspections
1000 Washington Street, Suite 710 • Boston • Massachusetts • 02118

JOHN C. CHAPMAN
UNDERSECRETARY OF
CONSUMER AFFAIRS AND
BUSINESS REGULATION

CHARLES BORSTEL
COMMISSIONER, DIVISION OF
PROFESSIONAL LICENSURE

Posted on: September 21, 2018

NOTICE OF MEETING

In accordance with the provisions of M.G.L.c. 30A, §20 notice is hereby given that a meeting of the Board of Elevator Regulations will be held on **Tuesday, September 25, 2018 at 1:00 p.m.**, at **1000 Washington Street, Boston, MA 02118** on the **1st Floor – Room 1C**. It is anticipated that the following will be discussed at the aforementioned meeting:

1. Roll Call
2. Approval of meeting minutes from September 18, 2018
3. Discussion regarding Control of Smoke and Hot Gases and 524 CMR 35.00 Section 2.28 – Layout Drawings.
4. Petition for variance: 523 Main Street – Woburn, MA
Seeking relief from an Inspector's Report 524 CMR § 17.02 (3) – Wood in hoistway must be brought to fire rating.
5. Old business (The Board may or may not discuss):
 - 637 North Pleasant Street – Amherst, MA
Board placed petition on hold for 90 days, August 20, 2018 deadline.
 - Discussion regarding ASME A17.1-2013 §2.27.1.1.4 – Where the elevator rise is 70 ft or more, a two-way voice communication means within the building accessible to emergency personnel shall be provided.
 - Discuss safety concerns regarding existing elevators and escalators
6. Matters not reasonably anticipated 48 hours in advance of meeting.

