



CHARLES D. BAKER
GOVERNOR

KARYN E. POLITO
LIEUTENANT GOVERNOR

JAY ASH
SECRETARY OF HOUSING AND
ECONOMIC DEVELOPMENT

Commonwealth of Massachusetts
Division of Professional Licensure
Office of Public Safety and Inspections
1000 Washington Street, Suite 710 • Boston • Massachusetts • 02118

JOHN C. CHAPMAN
UNDERSECRETARY OF
CONSUMER AFFAIRS AND
BUSINESS REGULATION

CHARLES BORSTEL
COMMISSIONER, DIVISION OF
PROFESSIONAL LICENSURE

Posted on: October 18, 2018

NOTICE OF MEETING

In accordance with the provisions of M.G.L.c. 30A, §20 notice is hereby given that a meeting of the Board of Elevator Regulations will be held on **Tuesday, October 23, 2018 at 1:00 p.m.**, at **1000 Washington Street, Boston, MA 02118** on the **1st Floor – Room 1E**. It is anticipated that the following will be discussed at the aforementioned meeting:

1. Roll Call
2. Approval of meeting minutes from October 16, 2018
3. 470 Worcester Road – Framingham, MA
524 CMR A17.1 Section 211.3 (b) – Only smoke detectors in the elevator lobbies or hoistway can recall elevator.
4. Board discussion regarding previously submitted variance request for the allowance of a new technology, a two-elevator in one hoistway elevator system known as TWIN from ThyssenKrupp Elevator Company.
5. Old business (The Board may or may not discuss):
 - Discussion regarding 524 CMR
 - Discussion regarding ASME A17.1-2013 §2.27.1.1.4 – Where the elevator rise is 70 ft or more, a two-way voice communication means within the building accessible to emergency personnel shall be provided.
 - Discuss safety concerns regarding existing elevators and escalators
6. Matters not reasonably anticipated 48 hours in advance of meeting.

