



**CHARLES D. BAKER**  
GOVERNOR

**KARYN E. POLITO**  
LIEUTENANT GOVERNOR

**JAY ASH**  
SECRETARY OF HOUSING AND  
ECONOMIC DEVELOPMENT

**Commonwealth of Massachusetts**  
**Division of Professional Licensure**  
**Office of Public Safety and Inspections**  
1000 Washington Street, Suite 710 • Boston • Massachusetts • 02118

**JOHN C. CHAPMAN**  
UNDERSECRETARY OF  
CONSUMER AFFAIRS AND  
BUSINESS REGULATION

**CHARLES BORSTEL**  
COMMISSIONER, DIVISION OF  
PROFESSIONAL LICENSURE

### **NOTICE OF MEETING**

In accordance with the provisions of M.G.L.c. 30A, §20 notice is hereby given that a meeting of the Board of Elevator Regulations will be held on **Tuesday, November 20, 2018 at 1:00 p.m.**, at **1000 Washington Street, Boston, MA 02118** on the **1<sup>st</sup> Floor – Room 1C**. It is anticipated that the following will be discussed at the aforementioned meeting:

1. Roll Call
2. Approval of meeting minutes from October 30, 2018
3. Petition for variance: 46 Wareham Street – Boston, MA  
Seeking a prototype approval to install two [2] Model No. 4 Post VRCs with one level of automated parking below grade for 69 cars.
4. Discussion regarding previously submitted variance request for the allowance of a new technology, a two-elevator in one hoistway elevator system known as TWIN from ThyssenKrupp Elevator Company.
5. Old business (The Board may or may not discuss):
  - Discussion regarding 524 CMR advisory memo.
  - Discussion regarding ASME A17.1-2013 §2.27.1.1.4 – Where the elevator rise is 70 ft or more, a two-way voice communication means within the building accessible to emergency personnel shall be provided.
  - Discussion regarding Fire Service Access Elevator (FSAE) and existing buildings.
  - Discuss safety concerns regarding existing elevators and escalators.
6. Matters not reasonably anticipated 48 hours in advance of meeting.

