



**MAURA HEALEY**  
GOVERNOR

**KIM DRISCOLL**  
LIEUTENANT GOVERNOR

**YVONNE HAO**  
SECRETARY, HOUSING AND  
ECONOMIC DEVELOPMENT

**Commonwealth of Massachusetts**  
**Division of Occupational Licensure**  
**Office of Public Safety and Inspections**

1000 Washington Street, Suite 710  
Boston, Massachusetts 02118

**LAYLA R. D'EMILIA**  
UNDERSECRETARY, CONSUMER  
AFFAIRS AND BUSINESS  
REGULATION

**SARAH R. WILKINSON**  
COMMISSIONER, DIVISION OF  
OCCUPATIONAL LICENSURE

## NOTICE OF MEETING

In accordance with the provisions of G. L. c. 30A, §20, and Chapter 22 of the Acts of 2022, notice is hereby given that a meeting of the Board of Elevator Regulations will be held on **Tuesday, May 16, 2023, at 1:00 p.m.** It is anticipated that the following will be discussed at the aforementioned meeting:

**Microsoft Teams meeting**  
**Join on your computer or mobile app**  
[Click here to join the meeting](#)

**Or call in (audio only)**  
[+1 857-327-9245](tel:+18573279245).,748577398# United States, Boston  
Phone Conference ID: 748 577 398#

- 1. Roll Call**
- 2. 46 Joy Street, Boston**  
**State ID: 1-L-10164**  
**Petitioner: Jacqueline Haley, City of Boston: Museum of African American History**  
**Unit Replacement**  
Petitioner seeks relief from 524 CMR, incorporating ASME A18.1- 2. 7.1, which requires: "Travel of lifts conforming to paras. 2.1.1 and 2.1.3 shall not exceed 4250 mm (168 in.)" or 14 feet.
- 3. 661 Washington, Street, Norwood**  
**State ID: 220-P-92**  
**Petitioner: Charlene Walsh, United Elevator**  
**Unit Modernization**  
The Petitioner seeks relief from 524 CMR Section 35.00: Part 2 section 2.1.4 and 2. Planned machine room addition less than 7 ft.



**4. 72 Church Green, Taunton**

**State ID: 293-P-216**

**Petitioner: Jull Ledin, BBE Corp-Buckley Elevator**

Petitioner referenced 524 CMR 11.02. The building owner is looking to put the elevator back in service. Elevator was decommissioned in 2019. Tennant moving back into building and would like to get elevator back in service.

**5. 267 Old Colony Avenue, Boston and 33A Street, Boston**

**New Installation Semi-Autopark Units**

**Petitioner: Julie Canelos, Uplift Inc.**

Petitioner was previously in front of the Board requesting a variance for a new installation of a semi-automated parking unit, 524 CMR 26.07 protection at other levels, 524 CMR 26.11 car enclosure and car gates. Placed on hold to come back in front of the Board with additional information.

**6. Approval of meeting minutes from February 14, 2023**

**7. Old business (The Board may or may not discuss):**

- Continued discussion and review of 524 CMR Section 26.00: Certain Elevator Equipment Used as Motor Vehicle Parking Devices.
- Discussion regarding FS90 repairs and permit filing.

**8. Matters not reasonably anticipated 48 hours in advance of meeting**