

**CHARLES D. BAKER** GOVERNOR

**KARYN E. POLITO** LIEUTENANT GOVERNOR

JAY ASH SECRETARY OF HOUSING AND ECONOMIC DEVELOPMENT

## Commonwealth of Massachusetts **Division of Professional Licensure** Office of Public Safety and Inspections

1 Ashburton Place, Rm 1301 • Boston • Massachusetts • 02108

JOHN C. CHAPMAN **UNDERSECRETARY OF** 

**CONSUMER AFFAIRS AND** BUSINESS REGULATION

**CHARLES BORSTEL** 

COMMISSIONER, DIVISION OF PROFESSIONAL LICENSURE

Posted on: August 2, 2018

## **NOTICE OF MEETING**

In accordance with the provisions of M.G.L.c. 30A, §20 notice is hereby given that a meeting of the Board of Elevator Regulations will be held on Tuesday, August 7, 2018 at 1:00 p.m., at 1000 Washington Street, Boston, MA 02118 on the 1st Floor - Room 1D. It is anticipated that the following will be discussed at the aforementioned meeting:

- 1. Roll Call
- 2. Approval of meeting minutes from July 31, 2018
- 3. Petition for variance: 7 Boyden Lane Deerfield, MA Seeking a variance to the requirements of ASME A.17.1-2004 §2.6.1 requiring counterweight safeties for areas above occupilable space.
- 4. Petition for variance: 101 Huntington Avenue Boston, MA Seeking a variance from 524 CMR §35.00 (A17.1-2013 §2.4.7.1) to allow a reduction of the required refuge space by 5".
- 5. Petition for variance: 52 Summer Street Pittsfield, MA Relief from Inspector's Report 524 CMR §17.03 – No hoistway vent.
- 6. Old business (The Board may or may not discuss):
  - Discuss safety concerns regarding existing elevators and escalators
- 7. Matters not reasonably anticipated 48 hours in advance of meeting.

TELEPHONE: (617) 727-3200

FAX: (617) 727-5732 http://www.mass.gov/dpl