



CHARLES D. BAKER
GOVERNOR

KARYN E. POLITO
LIEUTENANT GOVERNOR

MIKE KENNEALY
SECRETARY OF HOUSING AND
ECONOMIC DEVELOPMENT

**Commonwealth of Massachusetts
Division of Professional Licensure**

1000 Washington Street, Suite 710
Boston, Massachusetts 02118

EDWARD A. PALLESCHI
UNDERSECRETARY OF CONSUMER
AFFAIRS AND BUSINESS
REGULATION

LAYLA R. D'EMILIA
COMMISSIONER, DIVISION OF
PROFESSIONAL LICENSURE

NOTICE OF MEETING

In accordance with the provisions of M.G.L.c. 30A, §20 notice is hereby given that a meeting of the Board of Elevator Regulations will be held on **Tuesday, April 21, 2020 at 1:00 p.m.**

Remote participation can be accessed by computer, tablet or smartphone.

<https://global.gotomeeting.com/join/343860541>

You can also dial in using your phone.

United States (Toll Free): [1 877 309 2073](tel:18773092073)

United States: [+1 \(571\) 317-3129](tel:+15713173129)

Access Code: 343-860-541

New to GoToMeeting? Get the app now and be ready when your first meeting starts:

<https://global.gotomeeting.com/install/343860541>

It is anticipated that the following will be discussed at the aforementioned meeting:

1. Roll Call
2. **22 Broad Street – Marlborough, MA**
Seeking relief from 2.7.3 "Access to Machinery Spaces", 2.7.3.4 "Access to Doors & Openings", 2.7.4 "Headroom in Machinery Spaces etc.
3. **1805 Cambridge Street – Cambridge, MA**
524 CMR 35 – ASME A17.1-2013, § 2.7.3.4.2 and § 2.7.4.1
4. **200 Cavalry Street – Waltham, MA**
ASME A17.1/CSA B44, Article 2.27.3.1 Phase 1 Emergency Recall Operation.
As part of a renovation to the building located at the above address, a new elevator is being installed. The elevator will travel 2-stories (less than 25 vertical feet). It is our understanding that elevator recall is not required and does not require a sump pump to be installed in the pit. A formal interpretation is appreciated.
5. Old business (The Board may or may not discuss):



- Discussion regarding 524 CMR 35:00 Section 2.8.3.3 – Sprinklers shall not be permitted in power passenger or freight elevator hoistways, pits, machine rooms or control spaces.
- Discussion regarding the adoption of the 2016 elevator code.
- Discussion regarding new Controller/Fire Service

6. Matters not reasonably anticipated 48 hours in advance of meeting.