

CHARLES D. BAKER GOVERNOR

KARYN E. POLITO LIEUTENANT GOVERNOR

MIKE KENNEALY SECRETARY OF HOUSING AND ECONOMIC DEVELOPMENT

## Commonwealth of Massachusetts Division of Professional Licensure

1000 Washington Street, Suite 710 Boston, Massachusetts 02118

EDWARD A. PALLESCHI
UNDERSECRETARY OF CONSUMER
AFFAIRS AND BUSINESS
REGULATION

LAYLA R. D'EMILIA COMMISSIONER, DIVISION OF PROFESSIONAL LICENSURE

## NOTICE OF MEETING

In accordance with the provisions of M.G.L.c. 30A, §20 notice is hereby given that a meeting of the Board of Elevator Regulations will be held on **Tuesday**, **April 28**, **2020 at 9:00 a.m.** 

Remote participation can be accessed by computer, tablet or smartphone.

https://global.gotomeeting.com/join/387083093

## You can also dial in using your phone.

United States (Toll Free): <u>1 877 309 2073</u> United States: <u>+1 (646) 749-3129</u>

Access Code: 387-083-093

New to GoToMeeting? Get the app now and be ready when your first meeting starts: <a href="https://global.gotomeeting.com/install/387083093">https://global.gotomeeting.com/install/387083093</a>

It is anticipated that the following will be discussed at the aforementioned meeting:

- 1. Roll Call
- 2. 173 Alford Street Everett, MA

Seeking relief from § 3.19.4.7.3 remove vitriolic fittings between jack and rupture valve and replace with solid pipe.

3. 19 Hobart Avenue – Braintree, MA

Seeking relief from § 35.00 2000-10a - Keyed Lifts. Seeking to secure an exterior lift but not by key.

4. 16 Hawes Street – Brookline, MA

Seeking relief from ASME 5.3.1.10.1; maximum floor area of a residence elevator being 15 square feet.

- 5. Approval of meeting minutes from March 3, 2020 and April 21, 2020.
- 6. Old business (The Board may or may not discuss):

TELEPHONE: (617) 701-8600 FAX: (617) 701-8652 TTY/TDD: (617) 701-8645 http://www.mass.gov/dpl

- Discussion regarding 524 CMR 35:00 Section 2.8.3.3 Sprinklers shall not be permitted in power passenger or freight elevator hoistways, pits, machine rooms or control spaces.
- Discussion regarding the adoption of the 2016 elevator code.
- Discussion regarding new Controller/Fire Service
- 7. Matters not reasonably anticipated 48 hours in advance of meeting.

