



CHARLES D. BAKER
GOVERNOR

KARYN E. POLITO
LIEUTENANT GOVERNOR

MIKE KENNEALY
SECRETARY OF HOUSING AND
ECONOMIC DEVELOPMENT

**Commonwealth of Massachusetts
Division of Professional Licensure**

1000 Washington Street, Suite 710
Boston, Massachusetts 02118

EDWARD A. PALLESCHI
UNDERSECRETARY OF CONSUMER
AFFAIRS AND BUSINESS
REGULATION

LAYLA R. D'EMILIA
COMMISSIONER, DIVISION OF
PROFESSIONAL LICENSURE

NOTICE OF MEETING

In accordance with the provisions of M.G.L.c. 30A, §20 notice is hereby given that a meeting of the Board of Elevator Regulations will be held on **Tuesday, May 5, 2020 at 9:00 a.m.**

Remote participation can be accessed by computer, tablet or smartphone.

<https://global.gotomeeting.com/join/423998541>

You can also dial in using your phone.

United States (Toll Free): [1 866 899 4679](tel:18668994679)

United States: [+1 \(312\) 757-3119](tel:+13127573119)

Access Code: 423-998-541

New to GoToMeeting? Get the app now and be ready when your first meeting starts:

<https://global.gotomeeting.com/install/423998541>

It is anticipated that the following will be discussed at the aforementioned meeting:

1. Roll Call

2. 18 Barnes Avenue – Boston, MA

The architect has recommended a mesh scrim as a hoistway enclosure material for a new single cab 2 stop elevator at the East Boston Senior Center. The project is currently in the design development phase. The architect, Fennick McCredie, along with their code consultant, Code Red, understand that their proposed elevator design concept meets all applicable codes and regs. However, due to the unusual nature of the proposed design, the design team has recommended that the City gain confirmation from the Board of Elevator Regulations that their team's interpretation of the applicable codes and regs are accurate and that their design concept is indeed permissible.

3. 174 Ipswich Street – Boston, MA

Seeking relief from 524 CMR 38:00 - ASTM A18.1-2014 Section 2.1.1 - Height of lift guards at upper landing.



4. **67 Pleasant Street – Arlington, MA**

To meet code several years ago, Verizon was required to install a cage to protect non elevator personnel as there was a pass through that provided access to another section of the building. They are unable to have the disconnect moved within the machine room due to the lack of physical space in the machine room.

5. Approval of meeting minutes from April 28, 2020.

6. Old business (The Board may or may not discuss):

- Discussion regarding 524 CMR 35:00 Section 2.8.3.3 – Sprinklers shall not be permitted in power passenger or freight elevator hoistways, pits, machine rooms or control spaces.
- Discussion regarding the adoption of the 2016 elevator code.
- Discussion regarding new Controller/Fire Service

7. Matters not reasonably anticipated 48 hours in advance of meeting.

