



**CHARLES D. BAKER**  
GOVERNOR

**KARYN E. POLITO**  
LIEUTENANT GOVERNOR

**MIKE KENNEALY**  
SECRETARY OF HOUSING AND  
ECONOMIC DEVELOPMENT

**Commonwealth of Massachusetts  
Division of Professional Licensure**

1000 Washington Street, Suite 710  
Boston, Massachusetts 02118

**EDWARD A. PALLESCHI**  
UNDERSECRETARY OF CONSUMER  
AFFAIRS AND BUSINESS  
REGULATION

**LAYLA R. D'EMILIA**  
COMMISSIONER, DIVISION OF  
PROFESSIONAL LICENSURE

**NOTICE OF MEETING**

In accordance with the provisions of M.G.L.c. 30A, §20 notice is hereby given that a meeting of the Board of Elevator Regulations will be held on **Tuesday, June 2, 2020 at 9:00 a.m.**

**Please join my meeting from your computer, tablet or smartphone.**

<https://global.gotomeeting.com/join/632113437>

**You can also dial in using your phone.**

United States (Toll Free): [1 866 899 4679](tel:18668994679)

United States: [+1 \(224\) 501-3316](tel:+12245013316)

**Access Code:** 632-113-437

New to GoToMeeting? Get the app now and be ready when your first meeting starts:

<https://global.gotomeeting.com/install/632113437>

It is anticipated that the following will be discussed at the aforementioned meeting:

1. Roll Call
2. **10 Park Plaza – Boston, MA**  
Seeking a product variance to install Clear Win Escalator Handrail UV Sterilizer on two escalators (State ID: 1-E-5876 and 1-E-5975).
3. Review draft decisions for 29 Commonwealth Avenue, Boston, One Post Office Square, Boston and 30 Penniman Road, Allston. – Quasi-Judicial Session pursuant to M.G.L. c. 30A, §18 (Closed Session).
4. Approval of meeting minutes from May 19, 2020.
5. Old business (The Board may or may not discuss):
  - Discussion regarding mounting video screens in elevator cabs, specifically three walls of the cab would be a video display.
  - Discussion regarding escalator sterilizer systems.



- 36 Stoney Brook Road, Hopkinton - The petitioner was in front of the Board on March 3, 2020 seeking a variance from ASME A17.1-2013 Section 5.3.1.10.1 – Private Residence Elevators Capacity. Placed on hold for 30 days.
  - 174 Ipswich Street, Boston – The petitioner was in front of the Board on May 5, 2020 seeking a variance from ASME A18.1-2014 Section 2.1.1.1, to allow a 36” high guard at the upper landing. Placed on hold for 90 days.
  - Discussion regarding 524 CMR 35:00 Section 2.8.3.3 – Sprinklers shall not be permitted in power passenger or freight elevator hoistways, pits, machine rooms or control spaces – consideration of other types of systems.
  - Discussion regarding the adoption of the 2016 elevator code.
  - Discussion regarding new Controller/Fire Service.
6. Matters not reasonably anticipated 48 hours in advance of meeting.

