

Massachusetts Department of Correction
Carol A. Mici, Commissioner

The H4672 Act Addressing COVID-19 Data Collection and Disparities in Treatment
Massachusetts Department of Correction Mobile Testing – Staff

Rhiana Kohl, Ph.D., Executive Director, Office of Strategic Planning and Research

Prepared by
Susan McDonald, Senior Analyst

October 8, 2020

The Massachusetts Department of Correction (DOC) frequently offers voluntary, mobile COVID-19 testing to staff. Testing locations vary to allow staff working in all regions, a convenient test location.¹ This report is based on a culmination of data collected from the mobile testing sites and information self-reported by staff² as of October 8, 2020.

There were zero new positive COVID-19 test results self-reported by staff as of October 8, 2020.

Occupations of Staff Members Self-Reporting a Positive COVID-19 Test

Staff members with an active case as of October 8, 2020 are listed by occupation in the table below.

Positive COVID-19 Tests by Staff Members Occupation (October 8, 2020)

Occupation	Institution	City/Town³	Current Positives⁴
Industrial Instructor	MCI-Cedar Junction	So. Walpole	Less than 5
Management	MCI-Concord	Concord	Less than 5
Wellpath Staff	Bridgewater State Hospital	Bridgewater	Less than 5
Wellpath Staff	MCI- Cedar Junction	So. Walpole	Less than 5
Wellpath Staff	MASAC	Plymouth	15
Spectrum Staff	MCI-Shirley	Shirley	Less than 5

¹ Staff counts are based on Massachusetts Department of Correction Mobile testing site location/ date of test and results self-reported by Massachusetts Department of Correction staff.

² There may be duplicate case counts due to staff self-reporting results from mobile testing and private physician/testing sites.

³ Massachusetts city/town and county are based on the city/town and county of the Massachusetts Department of Correction facility where the staff member works on the report date.

⁴ Staff counts of one (1) to four (4) are reported as 'Less than 5'; five (5) and over are reported as the actual count.