



The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Environmental Health
Community Sanitation Program
5 Randolph Street, Canton, MA 02021
Phone: 781-828-7700 Fax: 781-828-7703

CHARLES D. BAKER
Governor

KARYN E. POLITO
Lieutenant Governor

MARYLOU SUDDERS
Secretary

MONICA BHAREL, MD, MPH
Commissioner

Tel: 617-624-6000
www.mass.gov/dph

June 23, 2016

Joseph Murphy, Superintendent
Old Colony Correctional Center
1 Administration Road
Bridgewater, MA 02324

Re: Facility Inspection – Old Colony Correctional Center, Bridgewater

Dear Superintendent Murphy:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Minimum Requirements for the Management of Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; 105 CMR 520.000 Labeling; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of Old Colony Correctional Center on May 26 and 27, 2016 accompanied by Sergeant Thomas Selfridge, Environmental Health and Safety Officer. Violations noted during the inspection are listed below including 100 repeat violations:

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

ADMINISTRATION BUILDING

Lobby

No Violations Noted

Male Bathroom

105 CMR 451.123

Maintenance: Hot and cold water not working at sink

105 CMR 451.123

Maintenance: Ceiling dirty around vent

Female Bathroom # ME-24

105 CMR 451.123*

Maintenance: Ceiling dirty around vent

Administration Area

Second Floor

Female Bathroom

No Violations Noted

Male Bathroom

No Violations Noted

Break Room Area

No Violations Noted

First Floor

Janitor's Closet # ME-17

No Violations Noted

Female Bathroom

No Violations Noted

Male Bathroom

No Violations Noted

Outer Control

No Violations Noted

Outer Control Bathroom

No Violations Noted

Trap

No Violations Noted

OLD COLONY MEDIUM BUILDING

GROUND LEVEL

Visiting Area

Visiting Room # EE-29

No Violations Noted

Janitor's Closet

No Violations Noted

Break Room # EE-23

No Violations Noted

Attorney Rooms # EE-21 & EE-22

No Violations Noted

Records Area

Records # EE-10

No Violations Noted

Records Break Room # EE-13

No Violations Noted

Female Visitor Bathroom # FE-9

No Violations Noted

Male Visitor Bathroom # FE-10

No Violations Noted

Mechanical/Fire Storage Room

105 CMR 451.130

Plumbing: Plumbing not maintained in good repair, steam pipe leaking

105 CMR 451.353

Interior Maintenance: Standing water observed on floor throughout room

Bottom Control Corridor

Inmate Bathroom # EE-17

No Violations Noted

Janitor's Closet # EE-2

No Violations Noted

SECOND LEVEL

Lower Program Corridor

DOS – Captain's Office

No Violations Noted

Lower Classroom # 6

No Violations Noted

Masjid # EI-29

105 CMR 451.353

Interior Maintenance: Ceiling dirty around vent

Deputy of Classification Treatment # EI-31

No Violations Noted

Lower Classroom # 7

No Violations Noted

Lower Classroom # 8

No Violations Noted

Bathroom # DI-15

No Violations Noted

Library # DI-14

No Violations Noted

Chapel # DI-5

No Violations Noted

Laundry

105 CMR 451.353

Interior Maintenance: Standing water behind washer

Office # E2-33

No Violations Noted

Supply Closet # E2-32

No Violations Noted

Property # D2-5

No Violations Noted

Food Service

Inmate Dining Area

No Violations Noted

Janitor's Closet # E2-7

No Violations Noted

Inmate Bathroom # E2-8

Unable to Inspect – Occupied

Kitchen

Serving Line

FC 6-501.11*

Maintenance and Operation; Repairing: Facility not in good repair, floor tiles damaged

FC 6-501.11*

Maintenance and Operation; Repairing: Facility not in good repair, grout missing in several areas between floor tiles

FC 4-501.11(B)*

Maintenance and Operation, Equipment: Equipment components not maintained in a state of good repair, warmer gasket damaged

FC 4-501.11(B)

Maintenance and Operation, Equipment: Equipment components not maintained in a state of good repair, Traulsen cooler gasket damaged

Main Kitchen Area

Prep Area

No Violations Noted

Ice Machine

FC 4-602.11(E)(4)(b)

Cleaning of Equipment and Utensils, Frequency: Mold growth observed on interior surfaces of ice machine

Dishwashing Machine Area

FC 6-501.12(A)*

Maintenance and Operation; Cleaning: Facility not cleaned properly, ceiling vent dusty above dishwasher

3-Bay Sink

No Violations Noted

2-Bay Sink

No Violations Noted

Kettle Area

FC 6-501.11

Maintenance and Operation; Repairing: Facility not in good repair, floor tiles damaged

Dry Storage

FC 6-501.12(A)

Maintenance and Operation; Cleaning: Facility not cleaned properly, one utensil cabinet dirty inside

Walk-In Cooler/Freezer

No Violations Noted

Supply Area

Recycling Room

No Violations Noted

Swill Room

FC 6-501.12(A)*

Maintenance and Operation; Cleaning: Facility not cleaned properly, vent fan dusty

Maintenance # E2-39

No Violations Noted

Chemical Storage # E2-36

No Violations Noted

Trash Compactor

No Violations Noted

Bathroom # E2-30

Unable to Inspect – Occupied

Staff Bathroom # E2-31

No Violations Noted

Culinary Arts # E2-12

Staff Dining

No Violations Noted

Kitchen

No Violations Noted

Culinary Dry Storage # E2-24

FC 4-501.11(B)

Maintenance and Operation, Equipment: Equipment components not maintained in a state of good repair, Trauslen cooler gaskets damaged

New Mans Unit # D2-10

Janitor's Closet # D2-9

FC 5-205.15(B)

Plumbing System, Operations and Maintenance: Plumbing system not maintained in good repair, faucet leaking

Staff Toilet # D2-8

105 CMR 451.123*

Maintenance: Floor damaged near toilet

Video Conference Room # D2-7

No Violations Noted

Nurse's Office # D2-6

No Violations Noted

Mental Health # D2-38

No Violations Noted

Office # D2-43

No Violations Noted

Intake Area

Cells

No Violations Noted

Mental Health Offices # D2-4

No Violations Noted

Health Service Unit

Control

105 CMR 451.353* Interior Maintenance: Window cracked

Nurse's Station # D2-16

105 CMR 451.353* Interior Maintenance: Ceiling vent dusty

Psych Services I # D2-18

No Violations Noted

Mop Closet # D2-19

No Violations Noted

Dental # D2-20

No Violations Noted

Nurse Practitioner I # D2-25

No Violations Noted

P.T. Optometry # D2-26

No Violations Noted

Psych Services II # D2-27

No Violations Noted

Nurse Practitioner II # D2-28

No Violations Noted

Psych Services III # D2-29

No Violations Noted

X-Ray # D2-30

No Violations Noted

Code 99 Room # D2-54

No Violations Noted

Medical Records # D2-57

No Violations Noted

Male Bathroom # D2-58

No Violations Noted

Ward # D2-60

No Violations Noted

Doctor's Office # D2-61

No Violations Noted

Cells

105 CMR 451.353 Interior Maintenance: Wall paint damaged in cell # G4

Lab Medical Assistant # D2-66

No Violations Noted

Break Room # D2-67

No Violations Noted

Health Awareness # D2-69

No Violations Noted

Female Bathroom # D2-78

No Violations Noted

Biohazard Room

No Violations Noted

Showers

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # D2-79 and D2-80

105 CMR 451.123*

Maintenance: Floor surface damaged in shower # D2-79

105 CMR 451.123*

Maintenance: Metal wall panel rusted in shower # D2-80

Multipurpose Unit

Control

105 CMR 451.353

Interior Maintenance: Window cracked

FC 6-501.12(A)

Maintenance and Operation; Cleaning: Facility not cleaned properly, buildup of ice in refrigerator

Control Bathroom

No Violations Noted

Common Area

CPO Office # CL2-3

No Violations Noted

Toxic/Caustic Closet # CL2-4

No Violations Noted

Razor Closet # CL2-5

No Violations Noted

Top Tier

Janitor's Closet # CM-113

No Violations Noted

Shower # CM-114 & CM-115

105 CMR 451.123

Maintenance: Debris in vent in shower # CM-114

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # CM-114 and CM-115

105 CMR 451.123*

Maintenance: Floor damaged in shower # CM-115

Bottom Tier

Janitor's Closet # CG-113

105 CMR 451.353*

Interior Maintenance: Floor paint damaged

Shower # CG-114 & CM-115

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # CG-114 and CG-115

Cells

105 CMR 451.321*

Cell Size: Inadequate floor space in all cells

Sampson Unit

Control

105 CMR 451.353 Interior Maintenance: Window cracked

Control Bathroom

No Violations Noted

Common Area

Staff Break Room # CL2-10

No Violations Noted

Program Room # CL2-11

No Violations Noted

Closet # CL2-12

No Violations Noted

Med Room # CL2-18

No Violations Noted

Razor Closet # CL2-19

105 CMR 451.353 Interior Maintenance: Floor tiles missing

Handicapped Shower # CL2-20

105 CMR 451.123* Maintenance: Soap scum on floor

105 CMR 451.123* Maintenance: Showerhead leaking

Top Tier

Janitor's Closet # CM-13

Unable to Inspect – Shower # CM-15 Occupied

Showers # CM-14 & CM-15

Unable to Inspect Shower # CM-15 – Occupied
No Violations Noted

Bottom Tier

Janitor's Closet # CG-13

No Violations Noted

Showers # CG-14 & CG-15

105 CMR 451.123 Maintenance: Tile grout dirty, possible mold/mildew in shower # CG-14 and CG-15

Cells

105 CMR 451.321* Cell Size: Inadequate floor space in all cells

Segregation Unit

Control

105 CMR 451.353 Interior Maintenance: Windows cracked

Control Bathroom

No Violations Noted

Common Area*Staff Break Room # CL2-30*

No Violations Noted

Supply Closet # CL2-28

No Violations Noted

Handicapped Shower # CL2-27

105 CMR 451.123*

Maintenance: Floor surface damaged

105 CMR 451.123*

Maintenance: Soap scum on floor

Top Tier*Janitor's Closet # CM-40*

No Violations Noted

Shower # CM-41 & CM-42

105 CMR 451.123*

Maintenance: Floor surface damaged in shower # CM-41 and CM-42

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # CM-41 and CM-42

Bottom Tier*Janitor's Closet # CG-40*

No Violations Noted

Shower # CG-41 & CM-42

105 CMR 451.123*

Maintenance: Floor surface damaged in shower # CG-41 and CG-42

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # CG-41 and CG-42

Cells

105 CMR 451.103

Mattresses: Mattress damaged in cell # CI-M7

Attacks 1 & 2 Med Room # EI-7

No Violations Noted

Attacks 1

Not Inspected – Under Renovation & Currently Not Used

Attacks 2**Control**

No Violations Noted

Control Bathroom

No Violations Noted

Common Area*Razor Closet # GL-7*

No Violations Noted

Top Tier

105 CMR 451.353

Interior Maintenance: Floor tiles damaged and missing throughout hallway

Janitor's Closet # GM-13

No Violations Noted

Shower # GM-14 & CM-15

105 CMR 451.123*

105 CMR 451.123

Maintenance: Soap scum on floor in shower # GM-14 and GM-15

Maintenance: Showerhead leaking in shower # GM-15

Janitor's Closet # GM-40

No Violations Noted

Shower # GM-41 & CM-42

105 CMR 451.123*

105 CMR 451.123*

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # GM-41

Maintenance: Soap scum on walls in shower # GM-41

Maintenance: Soap scum on shower curtain in shower # GM-42

Bottom Tier

Janitor's Closet # GG-13

No Violations Noted

Shower # GG-14 & GG-15

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # GG-14 and GG-15

Janitor's Closet # GG-40

No Violations Noted

Shower # GG-41

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # GG-41

Handicapped Shower # GG-42

105 CMR 451.123*

Maintenance: Soap scum on floor

Cells

105 CMR 451.321*

Cell Size: Inadequate floor space in all cells

Attucks 3

Control

105 CMR 451.353

Interior Maintenance: Door window cracked

Control Bathroom

No Violations Noted

Common Area

Razor Closet # JL-7

No Violations Noted

Bottom Tier

105 CMR 451.353*

Interior Maintenance: Column paint damaged outside shower # JG-14 and JG-15

Janitor's Closet # JG-13

No Violations Noted

Shower # JG-14 & JG-15

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # JG-14 and JG-15

Janitor's Closet # JG-40

No Violations Noted

Shower # JG-41

105 CMR 451.123*

Maintenance: Soap scum on floor

105 CMR 451.123*

Maintenance: Rust spots on ceiling

Handicapped Shower # JG-42

105 CMR 451.123*

Maintenance: Soap scum on floor

Top Tier

Janitor's Closet # JM-13

No Violations Noted

Shower # JM-14 & JM-15

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # JM-14 and JM-15

Janitor's Closet # JM-40

No Violations Noted

Shower # JM-41 & JM-42

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # JM-41

105 CMR 451.123*

Maintenance: Soap scum on floor and walls in shower # JM-42

Cells

105 CMR 451.321*

Cell Size: Inadequate floor space in all cells

Unit Team Office # H1-11

No Violations Noted

Attucks 4

Control

No Violations Noted

Control Bathroom

No Violations Noted

Common Area

105 CMR 451.350

Structural Maintenance: Window cracked near razor closet

Razor Closet # HL-7

No Violations Noted

Top Tier

Janitor's Closet # HM-13

No Violations Noted

Shower # HM-14 & HM-15

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # HM-14 and HM-15

Janitor's Closet # HM-40

No Violations Noted

Shower # HM-41 & HM-42

105 CMR 451.123*

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # HM-41 and HM-42

Maintenance: Soap scum on walls in shower # HM-42

Bottom Tier

Janitor's Closet # HG-13

No Violations Noted

Shower # HG14 & HG-15

105 CMR 451.123*

105 CMR 451.123*

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # HG-15

Maintenance: Soap scum on walls in shower # HG-15

Maintenance: Tile grout dirty, possible mold/mildew in shower # HG-14

Janitor's Closet # HG-40

No Violations Noted

Shower # HG-41

105 CMR 451.123*

105 CMR 451.123*

Maintenance: Soap scum on floor

Maintenance: Floor surface damaged

Handicapped Shower # HG-42

105 CMR 451.123*

Maintenance: Soap scum on floor

Cells

105 CMR 451.321*

Cell Size: Inadequate floor space in all cells

Dawes I

Control

No Violations Noted

Control Bathroom

No Violations Noted

Common Area

Razor Closet # LI-7

No Violations Noted

Top Tier

Janitor's Closet # LM-13

105 CMR 451.353*

Interior Maintenance: Floor paint damaged

Shower # LM-14 & LM-15

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # LM-15 and LM-14

Janitor's Closet # LM-40

No Violations Noted

Shower # LM-41 & LM-42

105 CMR 451.123

Unable to Inspect Shower # LM-41 – Occupied

Maintenance: Soap scum on walls and floor in shower # LM-42

Bottom Tier

Janitor's Closet # LG-13

No Violations Noted

Shower # LG-14 & LG-15

105 CMR 451.123*

Maintenance: Soap scum on floor and walls in shower # LG-14

105 CMR 451.123

Maintenance: Soap scum on floor and walls in shower # LG-15

105 CMR 451.123*

Maintenance: Wall tiles damaged shower # LG-14

105 CMR 451.123

Maintenance: Tile grout dirty, possible mold/mildew in shower # LG-15

Janitor's Closet # LG-40

No Violations Noted

Shower # LG-41

105 CMR 451.123

Maintenance: Soap scum on walls

105 CMR 451.123

Maintenance: Soap scum on floor

Handicapped Shower # LG-42

105 CMR 451.123*

Maintenance: Soap scum on floor

105 CMR 451.123*

Maintenance: Soap scum on walls

105 CMR 451.123*

Maintenance: Door paint damaged

Cells

105 CMR 451.321*

Cell Size: Inadequate floor space in all cells

105 CMR 451.353

Interior Maintenance: Baseboard missing in cell # LI-9

105 CMR 451.350

Structural Maintenance: Window cracked in cell # LM-9

Dawes 2

Control

No Violations Noted

Control Bathroom

No Violations Noted

Common Area

Razor Closet # KL-7

No Violations Noted

Top Tier

Janitor's Closet # KM-13

105 CMR 451.353*

Interior Maintenance: Ceiling vent dusty

Shower # KM-14 & KM-15

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # KM-14 and KM-15

105 CMR 451.123*

Maintenance: Soap scum on walls in shower # KM-14

105 CMR 451.123

Maintenance: Soap scum on walls in shower # KM-15

105 CMR 451.123

Maintenance: Epoxy damaged at baseboard in shower # KM-15

Janitor's Closet # KM-40

No Violations Noted

Shower # KM-41 & KM-42

105 CMR 451.123*

105 CMR 451.123

Maintenance: Soap scum on floor in shower # KM-41 and KM-42

Maintenance: Epoxy damaged at baseboard in shower # KM-41

Bottom Tier

Janitor's Closet # KG-13

105 CMR 451.353*

Interior Maintenance: Floor paint damaged

Shower # KG-14 & KG-15

105 CMR 451.123*

105 CMR 451.123*

105 CMR 451.123

Maintenance: Soap scum on walls and floor in shower # KG-14 and KG-15

Maintenance: Tile grout dirty, possible mold/mildew in shower # KG-14 and KG-15

Maintenance: Tiles damaged in shower # KG-14

Janitor's Closet # KG-40

No Violations Noted

Shower # KG-41

105 CMR 451.123*

105 CMR 451.123

Maintenance: Soap scum on floor

Maintenance: Tiles damaged

Handicapped Shower # KG-42

105 CMR 451.123*

105 CMR 451.123

Maintenance: Soap scum on floor

Maintenance: Tiles damaged

Cells

105 CMR 451.321*

105 CMR 451.350

Cell Size: Inadequate floor space in all cells

Structural Maintenance: Window cracked in cell # KM-17 and KM-18

Staff Bathroom # OU-10

105 CMR 451.353*

Interior Maintenance: Ceiling tiles water damaged outside bathroom

Orientation Unit

105 CMR 451.353*

Interior Maintenance: Ceiling tiles water damaged outside control

Control

FC 4-501.11(B)*

Maintenance and Operation, Equipment: Equipment components not maintained in a state of good repair, refrigerator gasket damaged

Control Bathroom

No Violations Noted

Common Area

Razor Closet

No Violations Noted

Top Tier

Shower # OUM1-OUM5

No Violations Noted

Janitor's Closet # OUM6

No Violations Noted

Bottom Tier

Shower # OUG1-OUG4
105 CMR 451.123*

Maintenance: Soap scum on floors outside showers

Handicapped Shower # OUG5

No Violations Noted

Janitor's Closet # OUG6

No Violations Noted

Cells

105 CMR 451.321*

Cell Size: Inadequate floor space in all cells

Print Shop

Main Area

No Violations Noted

Staff Bathroom

No Violations Noted

Inmate Bathroom

No Violations Noted

Janitor's Closet

No Violations Noted

Loading Dock

No Violations Noted

Break Room

No Violations Noted

Warehouse

No Violations Noted

Gym

No Violations Noted

Closet # A2-45

No Violations Noted

Gym Program Room # A2-32

No Violations Noted

Music Room # A2-41

No Violations Noted

Inmate Bathroom

No Violations Noted

Staff Bathroom

No Violations Noted

School

Slop Sink # B2-7

No Violations Noted

American Vet Dogs Room # B2-4

No Violations Noted

Computer Lab

No Violations Noted

Classrooms

No Violations Noted

Janitor's Closet

No Violations Noted

Inmate Bathroom

No Violations Noted

Staff Bathroom

Unable to Inspect – Occupied

Inmate Bathroom # A2-18

Not Inspect – Locked & No Longer Used

Storage Room # A2-15

Not Inspect – Locked & No Longer Used

Barber Shop

No Violations Noted

IPS

Bathroom

No Violations Noted

OLD COLONY MINIMUM

Common Area

Staff Break Room
105 CMR 451.353

Interior Maintenance: Ceiling vent dusty

Janitor's Closet

No Violations Noted

Barber Area

No Violations Noted

Staff Bathroom

No Violations Noted

Medical

No Violations Noted

Large Classroom

No Violations Noted

Library

No Violations Noted

Small Classroom

No Violations Noted

Dorm Side A

Common Area

No Violations Noted

Bathroom

No Violations Noted

Showers

Unable to Inspect – Occupied

Rooms

105 CMR 451.321*

Cell Size: Inadequate floor space in dorm rooms

Dorm Side B

Common Area

No Violations Noted

Bathroom

No Violations Noted

Showers

Unable to Inspect – Occupied

Rooms

105 CMR 451.321*

Cell Size: Inadequate floor space in dorm rooms

Dorm Side C

Control

No Violations Noted

Common Area

No Violations Noted

Bathroom

No Violations Noted

Showers

No Violations Noted

Dorms

No Violations Noted

Minimum Visiting Area

Common Area

No Violations Noted

Male Bathroom

No Violations Noted

Female Bathroom

No Violations Noted

Inmate Bathroom/Slop Sink

No Violations Noted

Towers

Pedestrian Tower

105 CMR 451.353*
105 CMR 451.353

Interior Maintenance: Floor tiles damaged under desk
Interior Maintenance: Heater cover broken

Tower 1

No Violations Noted

Tower 2

No Violations Noted

Vehicle Tower

105 CMR 451.350*

Structural Maintenance: Ceiling leaking

Gym

Bathroom

No Violations Noted

Closet

No Violations Noted

Observations and Recommendations

1. The inmate population was 861 at the time of inspection.
2. There were no inmates being housed in Dorm Side C in Old Colony Minimum.
3. At the time of inspection, the dishwasher was not functioning in the culinary kitchen due to a part being on order. The 3-bay sink was being utilized.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments" and "[1999 Food Code](#)".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "General Food Regulations" click "105 CMR 520.000: Labeling."

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Marian Robertson
Environmental Health Inspector, CSP, BEH

cc: Jan Sullivan, Acting Director, BEH
Steven Hughes, Director, CSP, BEH
Timothy Miley, Director of Government Affairs
Marylou Sudders, Secretary, Executive Office of Health and Human Services
Thomas Turco, Commissioner, DOC
Sergeant Thomas Selfridge, EHSO
Eric Badger, CHO, Health Agent, Bridgewater Board of Health
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Daniel Bennett, Secretary, EOPSS
Jennifer Gaffney, Director, Policy Development and Compliance Unit