

MAURA HEALEY GOVERNOR

KIM DRISCOLL
LIEUTENANT Governor

YVONNE HAO
SECRETARY, EXECUTIVE OFFICE
OF ECONOMIC DEVELOPMENT

Commonwealth of Massachusetts **Division of Occupational Licensure**

1000 Washington Street, Suite 710 Boston, Massachusetts 02118 LAYLA R. D'EMILIA UNDERSECRETARY, CONSUMER AFFAIRS AND BUSINESS REGULATION

SARAH R. WILKINSON COMMISSIONER, DIVISION OF OCCUPATIONAL LICENSURE

BOARD OF STATE EXAMINERS OF PLUMBERS AND GAS FITTERS Gas Code Review Sub-Committee

BOARD MEETING MINUTES

Wednesday, July 31, 2024

IN ACCORDANCE WITH THE PROVISIONS OF G.L. C. 30A § 20, NOTICE IS HEREBY GIVEN THAT THE BOARD OF STATE EXAMINERS OF PLUMBERS AND GAS FITTERS CONVENED A SPECIAL BOARD MEETING MEETING VIA TELEPHONE/VIDEO CONFERENCE:

Participants

PARTICIPANTS	APPOINTMENT	PRESENT	ABSENT
Mr. Joseph McNamee	Chairman, Master Gas Fitter		X
Mr. John Cruz	Member, LP Installer	X	
Mr. Joseph V. Waskiewicz	Member, Master Plumber	X	
Mr. Wayne Thomas	Member Journeyman Gasfitter	X	
Mr. Joseph Peluso	Participant, Master Plumber	X	
Mr. Harry Knight-alternate	Vice-Chairman, Journeyman	X	
	Plumber		
STAFF			
Mr. Charles Kilb	Board Legal Counsel	X	
Mr. Kenneth Peterson	Executive Director	X	
Mr. Michael Guida	Board Code Consultant	X	

AGENDA REVIEW:

Members discussed the following chapters and possible amendments:

Chapter 6 Licensee must be present at time of backfill

Chapter 7
Accessible shutoffs on house side of gas meter
Modification on tracer wire language

Chapter 10 Gas generators

All other existing Massachusetts amendments will be carried forward.

Members agreed that, when they get to that section, to review 248 CMR Chapter 7 requirement of 400k to 1 million thresholds.

Members were reminded that the full Board will have a listening session on gas venting at the regular scheduled Board meeting on August 7,2024.

Members agreed to meet again on August 14, 2024, at 1 p.m.

ADJOURNMENT

Vote: JC to adjourn, JW seconded

Results: Unanimously approved to adjourn

Items Relied Upon Agenda NFPA 54 – 2024 edition 248 CMR 5.00