



The Commonwealth of Massachusetts  
Executive Office of Health and Human Services  
Department of Public Health  
Bureau of Environmental Health  
Community Sanitation Program  
5 Randolph Street, Canton, MA 02021  
Phone: 781-828-7700  
Fax: 781-828-7703

CHARLES D. BAKER  
Governor

KARYN E. POLITO  
Lieutenant Governor

MARYLOU SUDDERS  
Secretary

MARGRET R. COOKE  
Commissioner

Tel: 617-624-6000  
[www.mass.gov/dph](http://www.mass.gov/dph)

March 15, 2022

Joseph D. McDonald, Jr., Sheriff  
Plymouth County Correctional Facility  
26 Long Pond Road  
Plymouth, MA 02360 (electronic copy)

Re: Facility Inspection - Plymouth County Correctional Facility

Dear Sheriff McDonald:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Storage and Disposal of Infectious or Physically Dangerous Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 2013 Food Code; 105 CMR 500.000 Good Manufacturing Practices for Food; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; the Department's Community Sanitation Program (CSP) conducted an inspection of the Plymouth County Correctional Facility on February 17 and 18, 2022 accompanied by Kevin DiMarzio, ADS of Operations, and Jennifer Keegan, Environmental Health and Safety Officer. Violations noted during the inspection are listed below including 37 repeat violations:

Should you have any questions, please don't hesitate to contact me.

Sincerely,

Nicholas Gale  
Environmental Analyst, CSP, BEH

cc: Margret R. Cooke, Commissioner, DPH  
Nalina Narain, Director, BEH  
Steven Hughes, Director, CSP, BEH  
Marylou Sudders, Secretary, Executive Office of Health and Human Services (electronic copy)  
Carol A. Mici, Commissioner, DOC (electronic copy)  
Terrence Reidy, Secretary, EOPSS (electronic copy)  
Timothy Gotovich, Director, Policy Development and Compliance Unit (electronic copy)  
Antone Moniz, Superintendent (electronic copy)  
Kevin DiMarzio, ADS of Operations (electronic copy)  
Jennifer Keegan, EHSO (electronic copy)  
Karen Keane, Health Director, Plymouth Board of Health (electronic copy)  
Clerk, Massachusetts House of Representatives (electronic copy)

**HEALTH AND SAFETY VIOLATIONS***(\* indicates conditions documented on previous inspection reports)***Front Lobby***Main Area*

No Violations Noted

*Janitor's Closet*

No Violations Noted

*Male Bathroom*

No Violations Noted

*Female Bathroom*

105 CMR 451.123

Maintenance: Baseboard tile damaged in handicapped stall

**Administration Area***Break Room # 1014*

No Violations Noted

*Male Bathroom # 1013*

No Violations Noted

*Female Bathroom # 1015*

No Violations Noted

*Mail Room # 1016*

No Violations Noted

*Office # 1017*

No Violations Noted

**Administration - Main Hallway***Janitor's Closet # 1027*

No Violations Noted

*PREA Manager # 1021*

105 CMR 451.200

Food Storage, Preparation and Service: Food preparation not in compliance with 105 CMR 590.000, interior of microwave oven dirty

*Immigration Office # 1020*

No Violations Noted

**Female Locker Room**

No Violations Noted

*Showers*

No Violations Noted

**Male Locker Room**

No Violations Noted

*Showers*

No Violations Noted

**Staff Gym # 1023**

No Violations Noted

**IPS Office # 1022**

No Violations Noted

**Food Service Area**

The following Food Code violations listed in **BOLD** were observed to be corrected on-site.

**Staff Dining**

*Staff Dining Area*

**FC 6-501.12(A)\***

**Maintenance and Operation; Premises, Structure, Attachments, and Fixtures - Methods: Facility not cleaned as often as necessary, interior of microwave oven dirty**

**FC 6-501.12(A)**

**Maintenance and Operation; Premises, Structure, Attachments, and Fixtures - Methods: Facility not cleaned as often as necessary, interior of ice cream serving station dirty**

*Staff Serving Line*

**FC 4-602.11(E)(4)(b)**

**Cleaning of Equipment and Utensils, Frequency: Accumulation of soil/mold observed in the beverage dispensing nozzles, juice machine nozzles dirty**

**Kitchen Area**

*Continental Warming Units*

**FC 4-501.11(B)\***

Maintenance and Operation, Equipment: Equipment components not maintained is a state of good repair, gaskets damaged in warming unit # 3

**FC 4-501.11(B)**

Maintenance and Operation, Equipment: Equipment components not maintained is a state of good repair, gaskets damaged in warming unit # 1

*Continental Cooling Units*

No Violations Noted

*Bakery Area*

**FC 6-301.14**

**Numbers and Capacity; Handwashing Sinks: No handwashing signage located at handwashing sink**

*Office*

No Violations Noted

*Office Bathroom*

No Violations Noted

*Inmate Break Area*

No Violations Noted

*Inmate Bathroom*

No Violations Noted

*Janitor's Closet*

No Violations Noted

*Dry Storage*

No Violations Noted

*Tool Closet*

No Violations Noted

*Freezer # 1*

No Violations Noted

*Cooler # 2*

No Violations Noted

*Cooler # 3*

No Violations Noted

*Cooler # 4*

No Violations Noted

*Cooler # 5*

No Violations Noted

*Freezer # 6*

No Violations Noted

**Prep Area**

*4-Compartment Sink Area*

No Violations Noted

*Stove and Kettle Area*

FC 4-501.11(A)

Maintenance and Operation, Equipment: Equipment not maintained in a state of good repair, two kettle hinges not working properly

**Manual Rinse Station**

*3-Compartment Sink*

**FC 4-901.11(A)\***

**Protection of Clean Items; Drying: Cleaned, sanitized equipment and utensils not allowed to fully air dry, stainless steel sheet pans stored wet**

**FC 5-205.15(B)**

**Plumbing System; Operation and Maintenance: Plumbing system not maintained in good repair, two faucets leaking**

**Dishwashing Machine Area**

No Violations Noted

**Laundry**

*Janitor's Closet*

No Violations Noted

*Office*

No Violations Noted

*Chemical Closet*

No Violations Noted

**Inmate Bathroom # 1058**

No Violations Noted

**Loading Dock**

105 CMR 451.350\*

Structural Maintenance: Large rolling door # K4 not rodent and weathertight

**Maintenance # 1053**

*Small Tool Room*

No Violations Noted

*Bathroom*

Unable to Inspect – In Use

*Office*

No Violations Noted

*Office Bathroom*

No Violations Noted

**Attorney Visits #1042**

No Violations Noted

**Chapel**

No Violations Noted

**Medical Corridor**

No Violations Noted

**HSU**

*Waiting Room # M103*

No Violations Noted

*Stock # M110*

No Violations Noted

*Staff Break Room*

No Violations Noted

*Nurse's Station # M106*

No Violations Noted

*Storage # M133*

No Violations Noted

*Room # M132*

No Violations Noted

*Autoclave # M131*

No Violations Noted

<i>Staff Bathroom # M130</i>	No Violations Noted
<i>Supervisor's Office # M129</i>	No Violations Noted
<i>Pharmacy # M128</i>	No Violations Noted
<i>Janitor's Closet # M127</i> 105 CMR 451.353	Interior Maintenance: Wet mop stored in sink
<i>Laboratory # M126</i>	No Violations Noted
<i>Dentist # M124</i>	No Violations Noted
<i>X-Ray Room # M123</i>	No Violations Noted
<i>Inmate Bathroom # M122</i>	No Violations Noted
<i>Exam Room # M121</i>	No Violations Noted
<i>Room # M119</i>	Unable to Inspect – In Use
<i>Padded Cell # M107</i>	No Violations Noted
<i>Handicapped Bathroom</i>	No Violations Noted
<i>Office # M112</i>	No Violations Noted
<i>Cell # M113 - M116</i>	No Violations Noted
<i>Office # M117</i>	No Violations Noted
<i>Office # M118</i>	No Violations Noted
<b><u>Property</u></b>	No Violations Noted

### **Booking**

*Main Area*

No Violations Noted

**Bail Lobby # R4**

105 CMR 451.350\*

Structural Maintenance: Exit door not rodent and weathertight in Bail Lobby

*Bail Lobby Bathroom*

105 CMR 451.110(A)

Hygiene Supplies at Toilet and Handwash Sink: No soap at handwash sink

*Office # R112*

No Violations Noted

*Records # R106*

No Violations Noted

*Inmate Toilet # R105*

No Violations Noted

*Inmate Bathroom # R118*

No Violations Noted

*Records # R125*

No Violations Noted

*Janitor's Closet # R126*

No Violations Noted

*Watch Cells*

No Violations Noted

*Holding Cells*

105 CMR 451.353

Interior Maintenance: Ceiling vent covered with toilet paper in cell # R122 and R123

105 CMR 451.350

Structural Maintenance: Ceiling leaking outside cell # R107 and R108

*Staff Bathroom # R127*

No Violations Noted

*Showers*

No Violations Noted

*Officer's Landing*

No Violations Noted

*Kitchenette*

105 CMR 451.126

Hot Water: Hot water temperature at handwash sink recorded at 102°F

105 CMR 451.200

Food Storage, Preparation and Service: Food service not in compliance with 105 CMR 590.000, utensils not stored properly

**Library**

Unable to Inspect – Under Construction

**Human Services # 1079**

*Break Room*

No Violations Noted

<i>Offices</i>	No Violations Noted
<i>Staff Bathroom # 1069</i>	No Violations Noted
<i>Janitor's Closet # 1064</i>	No Violations Noted
<b><u>Gymnasium</u></b>	No Violations Noted
<i>Toilet Area</i>	No Violations Noted
<b><u>Main Hallway</u></b>	
<i>Female Staff Bathroom # 1039</i>	No Violations Noted
<i>Male Staff Bathroom # 1040</i>	No Violations Noted
<i>Janitor's Closet # 1084</i>	No Violations Noted
<i>Staff Bathroom # 1090</i>	No Violations Noted
<i>Room # 1094</i>	No Violations Noted
<i>Janitor's Closet # 1095</i>	No Violations Noted
<i>Staff Bathroom # 1098</i>	No Violations Noted
<i>Staff Bathroom # 1099</i>	No Violations Noted
<i>Unit Manager # 1100</i>	No Violations Noted
<i>Classroom # 1102</i>	No Violations Noted
<i>Staff Bathroom # 1102</i>	No Violations Noted
<i>Office # 1103</i>	No Violations Noted
<i>Staff Bathroom # 1107</i>	No Violations Noted



*Janitor's Closet # 1108*

No Violations Noted

*Classroom # 1110*

No Violations Noted

*Unit Manager's Office # 1112*

105 CMR 451.353

Interior Maintenance: Ceiling tiles water stained

**Cell Blocks/Pods**

**A1**

*Classroom*

No Violations Noted

*Slop Sink*

No Violations Noted

*Bathroom*

No Violations Noted

*Showers*

No Violations Noted

*Cell # A107 - A110*

No Violations Noted

*Main Area – Dorm Bunks*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm area

**BS101**

*Trap – First Floor*

No Violations Noted

*Slop Sink*

No Violations Noted

*Bathroom*

No Violations Noted

*Showers*

No Violations Noted

*Main Area – Dorm Bunks*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm area

**BN101**

*Slop Sink*

No Violations Noted

*Bathroom*

105 CMR 451.130	Plumbing: Plumbing not maintained in good repair, sink # 5 continuously running
105 CMR 451.126	Hot Water: Hot water temperature recorded at 72 <sup>0</sup> F at handwash sink # 3

*Showers*

No Violations Noted

*Main Area – Dorm Bunks*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm area

105 CMR 451.353

Interior Maintenance: Ceiling vent clogged with debris in rear of unit

## **B Unit - Second Floor**

*Multipurpose Room*

105 CMR 451.353

Interior Maintenance: Ceiling tile damaged

## **BS201**

*Slop Sink*

No Violations Noted

*Bathroom*

No Violations Noted

*Showers*

No Violations Noted

*Main Area – Dorm Bunks*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm area

## **BN201**

*Slop Sink*

No Violations Noted

*Bathroom*

No Violations Noted

*Showers*

No Violations Noted

*Main Area – Dorm Bunks*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm area

105 CMR 451.101

Blankets: Blanket damaged at bunk # 2

## **C1**

*Main Area*

No Violations Noted

*Slop Sink*

No Violations Noted

*Showers*

No Violations Noted

*Recreation Deck*

105 CMR 451.360\*

Protective Measures: Bird's nests observed

*Second Floor – Rooms*

No Violations Noted

*Cells*

105 CMR 451.321\*

Cell Size: Inadequate floor space, cells double bunked

105 CMR 451.353\*

Interior Maintenance: Wall vent blocked in cell # 125 and 128

105 CMR 451.353

Interior Maintenance: Wall vent blocked in cell # 124 and 236

105 CMR 451.353

Interior Maintenance: Ceiling paint damaged in cell # 216 and 228

105 CMR 451.103

Mattresses: Mattress damaged in cell # 117

**DN1**

*Main Area*

No Violations Noted

*Slop Sink*

No Violations Noted

*Showers – 1<sup>st</sup> Floor*

No Violations Noted

*Showers – 2<sup>nd</sup> Floor*

105 CMR 451.123\*

Maintenance: Soap scum on walls in shower # 6

105 CMR 451.123

Maintenance: Soap scum on walls in shower # 4, 5, and 7

*Recreation Deck*

No Violations Noted

*Second Floor – Rooms*

No Violations Noted

*Cells*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm cells

**DS1**

*Main Area*

No Violations Noted

*Slop Sink*

No Violations Noted

*Showers – 1<sup>st</sup> Floor*

105 CMR 451.123

Maintenance: Soap scum on walls and floor in shower # 3

*Showers – 2<sup>nd</sup> Floor*

105 CMR 451.123

Maintenance: Drain flies observed in shower # 4, 5, 6, and 7

*Recreation Deck*

No Violations Noted

*Second Floor – Rooms*

No Violations Noted

*Cells*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm cells

**E1**

*Main Area*

No Violations Noted

*Slop Sink*

No Violations Noted

*Showers*

No Violations Noted

*Recreation Deck*

No Violations Noted

*Second Floor – Rooms*

No Violations Noted

*Cells*

105 CMR 451.321\*

105 CMR 451.103

Cell Size: Inadequate floor space, cells double bunked

Mattresses: Mattress damaged in cell # 130

**FN1**

*Main Area*

No Violations Noted

*Slop Sink*

No Violations Noted

*Recreation Deck*

No Violations Noted

*Showers – 1<sup>st</sup> Floor*

105 CMR 451.123

Maintenance: Soap scum on walls in shower # 1 and 2

*Showers – 2<sup>nd</sup> Floor*

105 CMR 451.123

Maintenance: Soap scum on walls in shower # 4, 5, 6, and 7

*Second Floor – Rooms*

No Violations Noted

*Cells*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm cells

**FS1**

*Main Area*

No Violations Noted

*Slop Sink*

No Violations Noted

*Showers – 1<sup>st</sup> Floor*  
105 CMR 451.123

Maintenance: Soap scum on floor in shower # 3

*Showers – 2<sup>nd</sup> Floor*

No Violations Noted

*Recreation Deck*

No Violations Noted

*Second Floor – Rooms*

No Violations Noted

*Cells*  
105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm cells

**H1**

*Main Area*

No Violations Noted

*Slop Sink*

No Violations Noted

*Showers*

No Violations Noted

*Recreation Deck*

No Violations Noted

*Second Floor – Rooms*

Unable to Inspect – Multipurpose Room In Use

*Cells*  
105 CMR 451.321\*  
105 CMR 451.353

Cell Size: Inadequate floor space, cells double bunked  
Interior Maintenance: Wall vent blocked in cell # 131

**G Block**

*Main Area*

No Violations Noted

*Office # GE123*

No Violations Noted

**GE South**

*Multipurpose # 101*

105 CMR 451.200 Food Storage, Preparation and Service: Food preparation not in compliance with 105 CMR 590.000, interior of microwave oven dirty

*Slop Sink*

No Violations Noted

*Storage Closet*

No Violations Noted

*Showers*

105 CMR 451.130 Plumbing: Plumbing not maintained in good repair, cap missing around fixture in shower # 2

*Cells*

105 CMR 451.321\* Cell Size: Inadequate floor space, cells double bunked

**GE North**

*Slop Sink*

No Violations Noted

*Showers*

No Violations Noted

*Cells*

105 CMR 451.321\* Cell Size: Inadequate floor space, cells double bunked  
105 CMR 451.353 Interior Maintenance: Ceiling dirty in cell # 114 and 115

**GW North**

*Slop Sink*

No Violations Noted

*Showers*

105 CMR 451.123 Maintenance: Walls dirty in shower # 1

*Cells*

105 CMR 451.321\* Cell Size: Inadequate floor space, cells double bunked  
105 CMR 451.353 Interior Maintenance: Wall vent blocked in cell # 211

**GW South**

*Slop Sink*

No Violations Noted

*Storage Closet*

No Violations Noted

*Showers*

105 CMR 451.123 Maintenance: Walls and floor dirty in shower # 1

*Cells*

105 CMR 451.353\* Interior Maintenance: Wall vent blocked in cell # 104

**2<sup>nd</sup> Floor**

**Main Hallway**

<i>Pod G Control</i>	No Violations Noted
<i>Pod G – West Visits</i>	No Violations Noted
<i>Pod G – East Visits</i>	No Violations Noted
<i>Pod H – H2</i>	No Violations Noted
<i>Pod H – Visits</i>	No Violations Noted
<i>Pod F – FN2</i>	No Violations Noted
<i>Pod F – Visits</i>	No Violations Noted
<i>Pod E – EN2</i>	No Violations Noted
<i>Pod E – Visits</i>	No Violations Noted
<i>Pod D – DN2</i>	No Violations Noted
<i>Pod D – DS2</i>	No Violations Noted
<i>Pod C – C2</i>	No Violations Noted
<i>Pod C – Visits</i>	No Violations Noted
<i>Pod B – Visits</i>	No Violations Noted

**3<sup>rd</sup> Floor****Main Hallway**

<i>Attorney Visit Room # 3024</i>	No Violations Noted
<i>Janitor's Closet # 3022</i>	No Violations Noted
<i>Staff Bathroom # 3021</i>	No Violations Noted

*Storage # 3020*

No Violations Noted

*Janitor's Closet # 3018*

No Violations Noted

*Discovery Room # 3015*

No Violations Noted

*Unit Manager # 3012*

No Violations Noted

*Chaplin's Office # 3011*

No Violations Noted

*Janitor's Closet # 3010*

No Violations Noted

*Staff Bathroom # 3009*

No Violations Noted

*Break Room # 3008*

No Violations Noted

*Janitor's Closet # 3006*

No Violations Noted

*Classroom # 3005*

No Violations Noted

*I.C.E. Video Courtroom # 3004*

No Violations Noted

*Staff Bathroom # 3003*

No Violations Noted

**3<sup>rd</sup> Floor - Cell Blocks/Pods**

**C3**

*Main Area*  
105 CMR 451.353\* Interior Maintenance: Wall vent dusty under hot water dispenser

*Slop Sink*

No Violations Noted

*Showers*

No Violations Noted

*Recreation Deck*

No Violations Noted

*Second Floor – Rooms*



105 CMR 451.353

Interior Maintenance: Wall paint damaged in Multipurpose Room

*Cells*

105 CMR 451.321\*

Cell Size: Inadequate floor space, cells double bunked

105 CMR 451.353

Interior Maintenance: Wall vent blocked in cell # 323, 405, and 424

**DN3**

*Main Area*

No Violations Noted

*Slop Sink*

No Violations Noted

*Showers – 1<sup>st</sup> Floor*

No Violations Noted

*Showers – 2<sup>nd</sup> Floor*

105 CMR 451.130

Plumbing: Plumbing not maintained in good repair, shower # 5 leaking

*Recreation Deck*

No Violations Noted

*Second Floor – Rooms*

No Violations Noted

*Cells*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm cells

105 CMR 451.353

Interior Maintenance: Wall vent blocked in cell # 307

105 CMR 451.103

Mattresses: Mattress damaged in cell # 407

**DS3**

*Main Area*

No Violations Noted

*Slop Sink*

No Violations Noted

*Showers – 1<sup>st</sup> Floor*

No Violations Noted

*Showers – 2<sup>nd</sup> Floor*

105 CMR 451.123

Maintenance: Soap scum on floor in shower # 4, 5, 6, and 7

*Recreation Deck*

No Violations Noted

*Second Floor – Rooms*

No Violations Noted

*Cells*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm cells

105 CMR 451.353\*

Interior Maintenance: Wall vent blocked in cell # 307

105 CMR 451.353	Interior Maintenance: Wall vent dirty in cell # 304, 307, 401, 402, 403, 404, 405, 406, and 407
105 CMR 451.103	Mattresses: Mattress damaged in cell # 403

**E3**

*Main Area*

105 CMR 451.353*	Interior Maintenance: Wall vent dusty in hot water dispenser area
------------------	---

*Slop Sink*

No Violations Noted

*Showers*

105 CMR 451.123*	Maintenance: Mold on ceiling outside showers
105 CMR 451.123	Maintenance: Soap scum on walls in shower # 5 and 6

*Recreation Deck*

No Violations Noted

*Second Floor – Rooms*

105 CMR 451.353	Interior Maintenance: Ceiling vent dirty in room # 438
105 CMR 451.353	Interior Maintenance: Floor dirty in room # 438

*Cells*

105 CMR 451.321*	Cell Size: Inadequate floor space, cells double bunked
105 CMR 451.353	Interior Maintenance: Wall vent blocked in cell # 332, 333, 419, 429, and 433

**FS3**

*Main Area*

No Violations Noted

*Slop Sink*

No Violations Noted

*Medical Room*

No Violations Noted

*Showers – 1<sup>st</sup> Floor*

105 CMR 451.123	Maintenance: Ceiling dirty in shower # 1 and 2
-----------------	--

*Showers – 2<sup>nd</sup> Floor*

No Violations Noted

*Recreation Deck*

No Violations Noted

*Second Floor – Rooms*

No Violations Noted

*Cells*

105 CMR 451.322*	Cell Size: Inadequate floor space in dorm cells
105 CMR 451.353	Interior Maintenance: Ceiling vent blocked in cell # 307
105 CMR 451.353	Interior Maintenance: Bed dirty in cell # 404

### **FN3**

#### *Main Area*

No Violations Noted

#### *Slop Sink*

No Violations Noted

#### *Showers – 1<sup>st</sup> Floor*

105 CMR 451.123\*

105 CMR 451.123

Maintenance: Excessive moisture on ceiling in shower # 1

Maintenance: Floor dirty in shower # 1

#### *Showers – 2<sup>nd</sup> Floor*

No Violations Noted

#### *Recreation Deck*

No Violations Noted

#### *Second Floor – Rooms*

No Violations Noted

#### *Cells*

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm cells

### **H3**

#### *Main Area*

No Violations Noted

#### *Slop Sink*

No Violations Noted

#### *Showers*

No Violations Noted

#### *Recreation Deck*

No Violations Noted

#### *Second Floor – Rooms*

No Violations Noted

#### *Cells*

105 CMR 451.321\*

105 CMR 451.353

105 CMR 451.353

Cell Size: Inadequate floor space, cells double bunked

Interior Maintenance: Wall vent blocked in cell # 305 and 306

Interior Maintenance: Ceiling dirty in cell # 418

### **4<sup>th</sup> Floor**

#### **Main Hallway**

#### *Pod H – H4*

No Violations Noted

#### *Pod H – Visits*

No Violations Noted

*Pod F – FN4*  
No Violations Noted

*Pod F – Visits*  
No Violations Noted

*Pod E – E4*  
No Violations Noted

*Pod E – Visits*  
No Violations Noted

*Pod D – DN4*  
No Violations Noted

*Pod D – DS4*  
No Violations Noted

*Pod D – Visits*  
No Violations Noted

*Pod C – C4*  
No Violations Noted

*Pod C – Visits*  
No Violations Noted

**Garage**

*Bathroom # W124*  
No Violations Noted

*Janitor's Closet # W123*  
No Violations Noted

**Print Shop**  
No Violations Noted

*Office Bathroom*  
No Violations Noted

*Inmate Bathroom*  
105 CMR 451.123  
Maintenance: Ceiling vent dusty

*Staff Bathroom*  
No Violations Noted

*Janitor's Closet*  
No Violations Noted

*Silkscreen Janitor's Closet*  
No Violations Noted

**Print Warehouse**  
105 CMR 451.350\*  
Structural Maintenance: Exit door not rodent and weathertight

105 CMR 451.350                      Structural Maintenance: Ceiling leaking

*Janitor's Closet*

No Violations Noted

*Male Bathroom*

No Violations Noted

*Female Bathroom*

105 CMR 451.123                      Maintenance: Ceiling vent dusty

**Warehouse – Support Building**

*Warehouse Office*

No Violations Noted

*Canteen Storage*

No Violations Noted

*Freezer # 1*

No Violations Noted

*Freezer # 2*

No Violations Noted

*Fridge # 1*

No Violations Noted

*Fridge # 2*

No Violations Noted

*Male Bathroom*

No Violations Noted

*Female Bathroom*

No Violations Noted

*Inmate Bathroom*

No Violations Noted

*Janitor's Closet*

No Violations Noted

**K9 Training Room**

*Conference Room/Break Area*

No Violations Noted

**Record Storage**

No Violations Noted

**K9 Unit**

*Female Bathroom*

105 CMR 451.123                      Maintenance: Wet mop stored in bucket

*Bathroom # 2*

No Violations Noted

*Janitor's Closet*

No Violations Noted

*Kennel Room*

No Violations Noted

*Laundry*

No Violations Noted

**Observations and Recommendations**

1. The inmate population was 590 at the time of inspection.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at [www.mass.gov/dph/dcs](http://www.mass.gov/dph/dcs) and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment Regulations or download a copy, please visit the Food Protection website at [www.mass.gov/dph/fpp](http://www.mass.gov/dph/fpp) and click on "Retail food". Then under DPH Regulations and FDA Code click "Merged Food Code" or "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments".

To review the Labeling regulations please visit the Food Protection website at [www.mass.gov/dph/fpp](http://www.mass.gov/dph/fpp) and click on "Food Protection Program regulations". Then under Food Processing click "105 CMR 500.000: Good Manufacturing Practices for Food".

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Nicholas Gale  
Environmental Analyst, CSP, BEH