

# MassHealth

**Standard Companion Guide** 

837 Post-adjudicated Claims Data Reporting: Dental

Refers to the Implementation Guides Based on ASC X12N Version 005010X300

August 2025

# **Disclosure Statement**

This *MassHealth Standard Companion Guide* ("Companion Guide") serves as a companion document to the corresponding ASC X12N/005010X300 837 Post-adjudicated Claims Data Reporting: Dental and its related Addenda (005010X300A1). MassHealth strongly encourages its Trading Partners to use this Companion Guide in conjunction with the *ASC X12 Implementation Guide* to develop the HIPAA batch transaction. Copies of the ASC X12 Technical Report Type 3s (TR3s) are available for purchase at <u>www.x12.org</u>.

This document supplements but does not contradict, disagree, oppose, or otherwise modify the 005010X300A1 implementation specification in a manner that will make its implementation by users out of compliance. Tables contained in this Companion Guide align with the CAQH CORE v5010 Companion Guide Template. The template is available at <u>www.caqh.org</u>.

# **About MassHealth**

In Massachusetts, the Medicaid and Children's Health Insurance Program (CHIP) are combined into one program called MassHealth. MassHealth provides comprehensive health insurance and dental coverage for eligible individuals, families, and people with disabilities across the Commonwealth of Massachusetts. The program serves over 2.4 million residents in the state. MassHealth's coverage is managed and facilitated through an array of programs, including Fee for Service, accountable care organizations (ACOs), and managed care organizations (MCOs), which enable members to choose the plan that best meets their needs. The agency is nationally recognized for providing high-quality care in an innovative and cost-effective manner. See <u>www.mass.gov/masshealth</u>.

# MassHealth's Standardized Encounter Data Program (SENDPro)

MassHealth requires that Managed Care Entities (MCE)s submit encounter data to the agency on a bi-weekly basis through its SENDPro solution. See Encounter Submission Guidelines in Section 7 for additional details on submission frequency. SENDPro manages trading partner information, facilitates the exchange of HIPAA ASC X12 and NCPDP transactions, validates HIPAA compliance, and produces acknowledgments for each submitted file. Additional details about SENDPro are detailed below.

# **Contact for Additional Information**

Please note: Updates to be incorporated in future versions of the Companion Guide.

MassHealth Encounter Data Support Services Email: TBD Phone Number: TBD

MassHealth Data Warehouse XXXXX

# Preface

This *MassHealth Standard Companion Guide* to the *005010 ASC X12N Technical Report Type 3 Implementation Guide* and associated addenda adopted under the Health Insurance Portability and Accountability Act (HIPAA) clarifies and specifies the data content when exchanging transactions electronically with MassHealth. The *MassHealth Standard Companion Guide* is not intended to convey information that in any way exceeds or replaces the requirements or uses of data expressed in the Implementation Guides. Neither the Executive Office of Health and Human Services nor MassHealth is responsible for any action or inaction, or the effects of such action or inaction, taken in reliance on the contents of this guide.

# Contents

Disclosure Statement	i
About MassHealth	i
MassHealth's Standardized Encounter Data Program (SENDPro)	i
Contact for Additional Information	i
Preface	ii
Contents	iii
1. Introduction	
SCOPE	1
OVERVIEW	
REFERENCES	
ADDITIONAL INFORMATION	2
2. Getting Started	3
WORKING WITH MASSHEALTH	3
TRADING PARTNER REGISTRATION	3
CERTIFICATION AND TESTING OVERVIEW	3
3. Testing with SENDPro	4
4. Connectivity with SENDPro/Communications	5
TRANSMISSION ADMINISTRATIVE PROCEDURES	
RETRANSMISSION PROCEDURE	
COMMUNICATION PROTOCOL SPECIFICATIONS	7
CONNECTIVITY SUBMISSION METHOD	7
5. Contact Information	8
EDI CUSTOMER SERVICE	
EDI COSTOMEN SERVICE	
APPLICABLE WEBSITES/EMAIL	_
6. Control Segments/Envelopes ISA (INTERCHANGE CONTROL HEADER)	
GS (FUNCTIONAL GROUP HEADER)	
7. MassHealth-Specific Business Rules and Limitations	
ENCOUNTER-SUBMISSION GUIDELINES	
ENCOUNTER SENDER/SUBMITTER IDS	
TRANSFORMED MEDICAID STATISTICAL INFORMATION SYSTEM (TMSIS)	
NATIONAL PROVIDER IDENTIFIER (NPI) AND TAXONOMY CODE	
SECONDARY PROVIDER IDENTIFIERS	
ORIGINAL, VOID, AND ADJUSTMENT/REPLACEMENT TRANSACTIONS – OVERPAYMENT RECOVERIES	
COORDINATION OF BENEFITS (COB) DENIED CLAIMS	

CLAIM ADJUSTMENT REASON CODES (CARCs)	16
BUNDLED CLAIMS	
8. Acknowledgements and Reports	
REPORT INVENTORY	19
9. Trading Partner Agreements	20
TRADING PARTNERS	
10. Transaction-Specific Information	21
STANDARD CLAIMS	22
APPENDICES	Арр-1
Appendix A. Implementation Checklist	Арр-1
Appendix B. Business Scenarios	
Appendix C. Transmission Examples	Арр-3
Appendix D. Frequently Asked Questions	Арр-4
Appendix E. Change Summary	App-18

# **1. Introduction**

The Health Insurance Portability and Accountability Act of 1996 (HIPAA) requires MassHealth and all other health insurance payers in the United States to comply with the electronic data interchange (EDI) standards for healthcare as established by the Secretary of the U.S. Department of Health and Human Services (HHS). The ASC X12N implementation guides are the standards of compliance for electronic healthcare transactions.

This document is intended to provide information from MassHealth to its Trading Partners that provides the information necessary to exchange Electronic Data Interchange (EDI) X12 transactions with the agency. This includes information about specific data requirements, registration, testing, and support.

### **SCOPE**

The standard adopted by Health & Human Services (HHS) for electronic healthcare transactions is ASC X12N Version 005010, which became effective January 1, 2012. Although HHS did not mandate the adoption of the Post-Adjudicated Claims Data Reporting transaction, EOHHS has adopted the transaction set to support its encounter data submissions from MassHealth Managed Care Entities (MCE)s. The unique version/release/industry identifier code for the Post-adjudicated Claims Data Reporting: Dental (837) transactions is 005010X300A1.

This Companion Guide assumes compliance with all loops, segments, and data elements contained in the 005010X300A1. It defines the requirements for HIPAA transactions submitted to and/or received from MassHealth.

### **OVERVIEW**

MassHealth created this Companion Guide for MassHealth Managed Care Entities (Trading Partners) to supplement the ASC X12N Implementation Guide. This guide contains MassHealth-specific instructions related to the following.

- Data formats, content, codes, business rules, and characteristics of the electronic transaction
- Technical requirements and transmission options
- Information on testing procedures that each Trading Partner must complete before transmitting electronic transactions

The information in this document outlines MassHealth's requirements for HIPAA standard electronic encounter data reporting. The following standards are in addition to those outlined in the MassHealth provider manuals. These standards in no way supersede MassHealth regulations.

Where applicable, trading partners must use this guide in conjunction with the information available in your MassHealth provider manual.

### **REFERENCES**

The Implementation Guide specifies in detail the required formats for transactions exchanged electronically with an insurance company, healthcare payer, or government agency. The Implementation Guide contains requirements for the use of specific segments and specific data elements within those segments and applies to all healthcare providers and their Trading Partners. It is critical that your IT staff or software vendor review this document in its entirety and follow the stated requirements to exchange files with MassHealth while maintaining HIPAA compliance.

The Implementation Guides for ASC X12N and all other HIPAA standard transactions are available electronically at <u>www.x12.org</u>. Information about the X12 Licensing Program can be found at <u>x12.org/products/licensing-program</u>.

# **ADDITIONAL INFORMATION**

The intended audience for this document is the technical and operational staff responsible for generating, submitting, receiving, and reviewing electronic healthcare transactions.

# 2. Getting Started

# **WORKING WITH MASSHEALTH**

Managed Care Entity (MCE) Trading Partners can exchange electronic healthcare transactions with MassHealth by directly uploading and downloading transactions via the SENDPro portal, Secure File Transfer Protocol (SFTP), or system-to-system using the SENDPro's connectivity submission method. Submitters must determine whether they will use SFTP or industry standard, Simple Object Access Protocol (SOAP)/Web Services Description Language (WSDL) or Hypertext Transfer Protocol (HTTP) Multipurpose Internet Mail Extensions (MIME) Multipart Web service to support the submission of encounter data to MassHealth.

After determining the transmission method, each Trading Partner must successfully complete testing of the connectivity protocol and the HIPAA transaction. Additional information regarding testing is noted in the next section of this companion guide. After successful completion of testing, trading partners may exchange production transactions with MassHealth.

# **TRADING PARTNER REGISTRATION**

Trading Partners are required to sign a Trading Partner Agreement (TPA), as described in <u>Section 9</u> below. If you have elected to use a third party to perform electronic transactions on your behalf, they will also be required to complete a TPA. If you or your submitter have already completed this form, you are not required to complete it again.

# **CERTIFICATION AND TESTING OVERVIEW**

All MCE Trading Partners that exchange electronic batch transactions with MassHealth must complete Trading-Partner testing. At the completion of testing, Trading Partners will receive approval from MassHealth to submit transactions in the production environment.

Test transactions exchanged with MassHealth should include a representative sample of the various types of encounter scenarios that Managed Care Entities would normally submit to MassHealth. This includes typical transactions received from enrolled health plan providers that were then adjudicated by your organization. The size of each test file should be between 25 and 50 transactions.

# 3. Testing with SENDPro

Each MCE Trading Partner must complete testing. Trading Partner testing includes HIPAA compliance testing, as well as validating the use of conditional, optional, and mutually defined components of the transaction.

SENDPro will process de-identified transactions in a test environment to verify that the file structure and content meet HIPAA standards and MassHealth-specific data and business requirements. MassHealth will also verify the quality of the data submitted within the test files. MCEs will receive responses for every test file submitted. MCEs should review 999s and 277CAs reports for errors, make the appropriate corrections, and resubmit updated test files. <u>Section 8</u> of this Companion Guide provides a brief description of the 999 and 277DRA reports.

**Please note:** Trading partners will not be allowed to submit encounter data transactions in the production environment until they have successfully passed both data quality validation and HIPAA standards testing. Once this testing and certification is complete and approved by MassHealth, the Trading Partner may submit transactions to MassHealth's SENDPro for processing.

# **PRE-TESTING ACTIVITIES**

In order for MCEs to submit/receive EDI files, access the SENDPro Portal, and access reports, they will need to be onboarded into the Commonwealth of Massachusetts' Virtual Gateway (VG) and MOVEit applications.

#### **Virtual Gateway Onboarding**

The Virtual Gateway (VG) is used to access the SENDPro Portal and reports. MCEs can submit EDI files via the SENDPro Portal. MCEs will need to establish a VG organization ID in the VG. Once a VG organization ID is established, MCE-designated users will be able to be onboarded.

#### **MOVEit Onboarding**

MOVEit is used to submit EDI files to MassHealth/SENDPro and also to deliver EDI response messages from MassHealth/SENDPro. Files can be sent through SFTP in MOVEit via a service account or manually through individual user accounts. MassHealth will reach out to MCEs 30-60 days prior to trading partner testing to request business, technical, and test user contact information as part of the Testing Team Roster spreadsheet. Once this information is provided to MassHealth, it is submitted to create a service account and individual user accounts.

#### **File Encryption Key Exchange**

EDI files exchanged to and from SENDPro must be PGP encrypted. MassHealth will reach out to MCEs to exchange keys to encrypt/decrypt files submitted to and received from SENDPro.

Please contact MassHealth for further details on VG and MOVEit onboarding activities.

### **TRADING PARTNER TESTING**

MCEs must pass MassHealth's specified testing scenarios before they can be certified to submit encounters to SENDPro in production. MCEs are required to submit test files in multiple submissions for every MCE product: one set for MCO/ACO, one set for SCO, and one set for One Care (when applicable). Paid, partially denied, and fully denied files are expected to be submitted for each submission, except for the error test file submission.

MassHealth may require additional test submissions or additional test scenarios depending on the quality of data received from the outlined submission rounds. Additionally, if MCEs identify additional test submissions or additional test scenarios for inclusion, please inform MassHealth to coordinate the timing and sequencing of other activities.

MCEs are expected to provide claims associated with select test scenarios for each claim type to evaluate the readiness of MCEs to submit data in Production. The suggested lookback period for providing scenario examples is two years before the testing period. However, if no claims can be found within this period, we highly recommend looking back five years, rather than mocking up the data to meet the scenario. If needed, please consult the SENDPro team for further guidance if you are unable to source data for certain scenarios.

Note that a submission is considered a failure in the following scenarios. The MCE would need to resubmit the file(s) in order to proceed.

- (1) The full file is rejected.
- (2) All records are rejected.
- (3) Fewer than 50% of records are accepted (with the exception of the first Submission).

MassHealth will provide documentation on Trading Partner Testing specifications. Please contact MassHealth for full details on Trading Partner Testing scenarios.

# 4. Connectivity with SENDPro/Communications

This section outlines how MCE Trading Partners may connect and communicate with MassHealth to exchange ASC X12N-formatted batch transactions via the SENDPro.

### **TRANSMISSION ADMINISTRATIVE PROCEDURES**

#### **System Availability**

The system is typically available 24 hours a day, seven days a week, except for scheduled maintenance windows. Please ensure that files are submitted only from 8 a.m. ET Monday to 6 p.m. ET Friday . Files submitted after 6 p.m. ET Friday will undergo processing once SENDPro completes its maintenance window.

#### **Transmission File Size**

Transmission sizes are defined based on the following factors.

- Number of segments/records allowed by HIPAA standards
- HIPAA-standard ST-SE envelope transaction size limitations (maximum of 5000 CLM segments)
- File size limitations (to be updated in future versions of the Companion Guide)

MassHealth expects that the files will only have one ISA/IEA and one GS/GE per EDI file.

Please note that SENDPro does not unzip or decompress files. Transmit all files in an unzipped or uncompressed format.

#### **Transmission Errors**

Upon the submission of the file by the trading partner and its successful reception by SENDPro, responses in the form of TA1 and 999 acknowledgment transactions are generated within one hour of file ingestion. These generated responses will be deposited into the relevant folder on the trading partner's SFTP server.

SENDPro generates positive 999 acknowledgements if the submitted file meets HIPAA standards related to syntax and data integrity. For files that do not meet the HIPAA standards, trading partners are sent a negative TA1 and/or negative 999 describing the validation error(s).

#### **Production File-naming Convention**

For Inbound transactions, use the below naming convention

#### senderid\_transtype\_datetime\_env\_adj.ext

- senderid is the PID/SL of the trading partner who is sending or receiving the file, in lower case.
- transtype is pacdrd.
- **datetime** is the datetime of the file submission, in MMDDYYYYhhmmss format, using 24-hour format in Eastern time (GMT-5).
- env is the environment in which the file is to be processed. Allowable values include the following.
  - $\circ$  prod
  - o test
- adj is the adjudication type for the files. Allowable values include the following.
  - o pd (for files containing only claims with Paid adjudication status)
  - o fd (for files containing only claims with Fully Denied adjudication status)
  - o pa (for files containing only claims with Partially Denied adjudication status)
- ext is the extension for the file. Allowable values include the following.
  - o .edi
  - o .pgp
  - o .edi.pgp

For example, a paid production 837D file submitted on January 4, 2024, at 2:30 p.m. ET, by a Trading Partner with a ten-digit PID/SL: of "110025617d" might be named the following.

#### 110025617d\_pacdrd\_01042024143000\_prod\_pd.edi

If a file is intended for a specific request, it is essential to include this specificity in the naming convention to facilitate easy identification of the file, by using an alpha suffix. This is only to be used for applicable pre-approved MassHealth defined projects and will be communicated directly to MCEs. In the case of this process, the naming convention is as follows.

#### senderid\_transtype\_datetime\_env\_adj\_xxx .ext

The three-character alpha suffix xxx defines the exception when needed.

#### **RETRANSMISSION PROCEDURE**

SENDPro does not require any identification of a previous transmission of a file. SENDPro processes each file independently of other files; therefore, all files sent should be marked as original transmissions.

# **COMMUNICATION PROTOCOL SPECIFICATIONS**

SENDPro offers Council for Quality Healthcare Committee on Operating Rules for Information Exchange (CAQH CORE) connectivity submission methods using one of the two Envelope Standards: HTTP MIME Multipart or Simple Object Access Protocol (SOAP)/Web Services Description Language (WSDL). However, this rule is not intended to require trading partners to remove existing connections that do not match the rule, nor is it intended to require that all CAQH CORE trading partners must use one of these methods for all new connections. SENDPro provides the following methods for submitting batch EDI transaction files.

# **CONNECTIVITY SUBMISSION METHOD**

MCE trading partners can send 837 Encounters Transactions to MassHealth using one or both of the following methods.

- Batch using Secure File Transfer Protocol (SFTP): MCEs submit files directly to MOVEit folders via a MOVEit service account.
- SENDPro Web Portal (MFTP MOVEit File Transfer protocol): MCE users log in to the Virtual Gateway (VG) and navigate to the SENDPro Portal to access MOVEit through their user account to manually upload or download files.

# 5. Contact Information

# **EDI CUSTOMER SERVICE**

MassHealth Encounter Data Support Services

Days Available: Monday through Friday Time Available: TBD Email: TBD Phone: TBD Fax: TBD

### **EDI TECHNICAL ASSISTANCE**

MassHealth Encounter Data Technical Support Services

Days Available: Monday through Friday Time Available: TBD Email: TBD Phone: TBD Fax: TBD

*Please note: Support for Trading Partner Testing will be communicated by MassHealth prior to testing commencement. Further details will be provided in the next version of the Companion Guide.* 

### **APPLICABLE WEBSITES/EMAIL**

#### Accredited Standards Committee (ASC X12)

• ASC X12 develops and maintains standards for interindustry electronic interchange of business transactions. See <u>www.x12.org</u>.

#### **Centers for Medicare & Medicaid Services (CMS)**

 CMS is the unit within HHS that administers the Medicare and Medicaid programs. CMS provides the electronic Health Care Transactions and Code Sets Model Compliance Plan. See <u>https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA/index</u>.

#### **Committee on Operating Rules for Information Exchange (CORE)**

• A multiphase initiative of CAQH, CORE is a committee of more than 100 industry leaders who help create and promulgate a set of voluntary business rules focused on improving physician and hospital access to electronic patient insurance information at or before the time of care. See <u>www.caqh.org</u>.

#### Council for Affordable Quality Healthcare (CAQH)

CAQH is a nonprofit alliance of health plans and trade associations working to simplify healthcare
 administration through industry collaboration on public-private initiatives. Through two initiatives—the
 Committee on Operating Rules for Information Exchange (CORE) and Universal Provider Data source
 (UPD)—CAQH aims to reduce administrative burden for providers and health plans. See <u>www.caqh.org</u>.

#### MassHealth (MH)

• The MassHealth website assists providers with HIPAA billing and policy questions, as well as enrollment support. See <a href="http://www.mass.gov/masshealth">www.mass.gov/masshealth</a>.

#### National Committee on Vital and Health Statistics (NCVHS)

• The National Committee on Vital and Health Statistics was established by Congress to serve as an advisory body to the U.S. Department of Health and Human Services on health data, statistics, and national health information policy. See <a href="https://www.ncvhs.hhs.gov">www.ncvhs.hhs.gov</a>.

#### National Council of Prescription Drug Programs (NCPDP)

• The NCPDP is the standards and codes development organization for pharmacy. See <u>www.ncpdp.org</u>.

#### Washington Publishing Company (WPC)

• WPC is a resource for HIPAA-required transaction implementation guides and code sets. See <a href="http://www.wpc-edi.com/">http://www.wpc-edi.com/</a>.

# 6. Control Segments/Envelopes

# **ISA (INTERCHANGE CONTROL HEADER)**

This section describes MassHealth's use of the interchange control segments. It includes the expected sender and receiver codes, authorization information, and delimiters. All ISA segments within a single file must be consistent with the exception of the date/time and control # data elements. The chart below and all charts in this document align with the CAQH CORE v5010 Companion Guide Template format. The template is available at <u>www.caqh.org</u>.

TR3 Page #	Loop ID	Reference	Name	Codes	Notes/Comments
C.3		ISA	Interchange Control Header		
C.4		ISA01	Authorization Information Qualifier	00	
C.4		ISA02	Authorization Information		10 blank spaces
C.4		ISA03	Security Information Qualifier	00	
C.4		ISA04	Security Information		10 blank spaces
C.4		ISA05	Interchange ID Qualifier	ZZ	
C.4		ISA06	Interchange Sender ID		Trading Partner ID assigned by MassHealth (10-character MMIS PID/SL-provider ID/service location)
C.5		ISA07	Interchange ID Qualifier	ZZ	
C.5		ISA08	Interchange Receiver ID	DMA7384	Post-adjudicated claims from MassHealth Managed Care Entities

# **GS (FUNCTIONAL GROUP HEADER)**

This section describes MassHealth's use of the functional group control segments. It includes the expected application sender and receiver codes. All GS segments within a single file must be consistent.

TR3 Page #	Loop ID	Reference	Name	Codes	Notes/Comments
C.7		GS02	Application Sender's Code		Trading Partner ID assigned by MassHealth (10-character MMIS PID/SL-provider ID/service location)
C.7		GS03	Application Receiver's Code	DMA7384	Post-adjudicated claims from MassHealth Managed Care Entities

# 7. MassHealth-Specific Business Rules and Limitations

This section describes MassHealth's business rules, including for the following examples.

- Reporting specific scenarios such as coordination of benefits (COB); amounts paid; reporting voids and adjustments; and populating provider identification numbers
- Communicating MassHealth-specific edits

Before submitting encounter claims to MassHealth, please review the appropriate HIPAA implementation guide and MassHealth companion guide to ensure the X12 transaction will comply with MassHealth's requirements.

The following sections outline recommendations, instructions, and conditional data requirements for claims submitted to MassHealth. This information is designed to help Trading Partners construct transactions in a manner that will allow MassHealth to efficiently process claims.

### **ENCOUNTER-SUBMISSION GUIDELINES**

ST/SE segments within transactions submitted to MassHealth must not contain more than 5,000 encounters. Submissions larger than 5,000 will be rejected.

MassHealth requires Trading Partners to submit encounter files on a bi-weekly basis until a minimum of six months have passed since production implementation. At that time, MassHealth will confirm the expected file submission frequency going forward (consult with MassHealth for the transition period guidelines). When constructing the file, submitters should order encounters by their adjudication dates. Encounters must be sorted chronologically by the adjudication date in the DTP segment – Claim Check or Remittance Date under loop 2330B, as failure to do so may lead to rejections due to void and adjustment sequencing within the same file. Note that duplicate claims submitted to MassHealth, in the same or in separate files, will result in rejections.

MassHealth will accept EDI files submitted within the bi-weekly period only for submissions of claims that were previously rejected by MassHealth.

Transactions should be submitted to MassHealth only to directly support services that have or will be provided directly to MassHealth members. MassHealth strongly encourages all submitters to ensure that redundant or excessive transactions are not submitted for processing.

### **ENCOUNTER SENDER/SUBMITTER IDS**

For Encounter submissions, SENDPro supports the following three approaches.

- Parent organizations submitting on their own behalf
- Parent organizations submitting files on behalf of their affiliates
- Affiliates independently submitting their own files

All alpha characters in the PID/SL of sender and submitter IDs within the EDI file must be uppercase.

See Appendix C for detailed examples of all three options.

# **TRANSFORMED MEDICAID STATISTICAL INFORMATION SYSTEM (TMSIS)**

MassHealth is required to submit TMSIS information to the Centers for Medicare & Medicaid Services (CMS) on a monthly basis. That information includes both medical and pharmacy managed care encounter data. The encounter data that MCEs submit to MassHealth is integral to the completeness and accuracy of that information. Furthermore, CMS requires and assesses completeness and accuracy of a number of critical data elements that must be included in every relevant encounter when applicable. MCEs must submit any/all federally required TMSIS data within the transaction in order to ensure compliance. However, it's especially important that the following data elements are included in every applicable encounter data submission to MassHealth.

Data Element	Notes
Provider ID/Service Location (PID/SL)	For Billing, Referring, and Rendering
Detail and Total Medicaid Paid Amounts	For all claim types
Detail and Total Allowed Amounts	For all claim types
Detail and Total Billed Amounts	For all claim types
Provider Taxonomy	For Billing on all claim types except Pharmacy
Medicare Paid, Deductible, Copay, and	
Coinsurance Amounts	For all claim types
Present and Valid NPI values	For all provider types (Billing, Referring, Rendering, etc.)

# NATIONAL PROVIDER IDENTIFIER (NPI) AND TAXONOMY CODE

MassHealth expects the provider's National Provider Identifier (NPI) in the appropriate NM109 data element, and the taxonomy code in the appropriate PRV data element. Trading partners are required to populate all NPIs and taxonomy codes when known and within IG standards. This is true for all provider loops that are utilized within the transaction, except for in the Service Facility Location loop (L2310E) where NM108 and NM109 remain situational in alignment with Implementation Guide standards and as specified in this MassHealth Companion Guide. SENDPro validates that taxonomy is valid as per National Uniform Claim Committee (NUCC) source.

If you are an atypical provider and do not have an NPI, submit your 15-character internal provider ID (G2) and MassHealth provided PID/SL, in the appropriate Reference Identification (REF) segment according to the rules below.

Note that Provider Social Security Numbers (SSNs) should never be submitted to MassHealth.

# **SECONDARY PROVIDER IDENTIFIERS**

In addition to the NPI, MassHealth Managed Care Entities must populate all secondary provider identifiers in the allowable and appropriate REF segments to include the following.

Qualifier	IG Definition	MassHealth Description			
G2	Provider Commercial Number	Internal Provider NumberMCEs must populate G2 with the Internal Provider Number, Internal Provider Location ID, and the MassHealth PID/SL in the event the LU qualifier is not available within a segment and the PID/SL is known. A description of how to populate the date element is as shown below.Internal Provider Number <space>Internal Provider Location ID<space>PID/SLInternal Provider Number<space>Internal Provider Location ID<space>PID/SLInclude PID/SL when known and in accordance with the CMS Medicaid and CHIP Managed Care Final Rule.All alpha characters in the PID/SL must be uppercase. Note that the maximum length for the entire REF02 field is 50 characters, including spaces.Details are specified in each Provider ID data element in the Section 10 table.</space></space></space></space>			
LU	Location Number	<ul> <li>PID/SL</li> <li>MCEs must populate LU with the MassHealth PID/SL when known.</li> <li>In the event the LU qualifier is not available within a segment, MCEs must populate G2 with the Internal Provider Number, the Internal Provider Location ID, and the MassHealth PID/SL (if known) as described above.</li> <li>Note that the maximum length for the entire REF02 field is 50 characters, including spaces.</li> <li>All alpha characters in the PID/SL must be uppercase.</li> <li>Details are specified in each Provider ID data element in the Section 10 table.</li> </ul>			
OB	State License Number	State License Number			

Qualifier	IG Definition	MassHealth Description
		Note that the maximum length for the entire REF02 field is 50 characters, including spaces.
		Details are specified in each Provider ID data element in the Section 10 table.

# **ORIGINAL, VOID, AND ADJUSTMENT/REPLACEMENT TRANSACTIONS -OVERPAYMENT RECOVERIES**

#### VOID AND ADJUSTMENT/REPLACEMENT TRANSACTIONS

MassHealth strongly recommends that MCEs follow the approach below to report adjustments, overpayments, and recoveries. Note that failure to follow these instructions by attempting to void/adjust a claim with no original or by attempting to adjust the same original more than once will result in rejections.

Void Transactions: to be used for a full recovery

• Use Claim Frequency Type "8" in Loop 2300 CLM05-03 to completely void/cancel the paid transaction. This will ensure a complete void of a previously submitted claim.

Adjustment/Replacement Transactions: to be used for a partial recovery

• Use Claim Frequency Type "7" in Loop 2300 CLM05-03 to adjust or modify a previously paid transaction.

Guidance for populating claims for voids and adjustments can be found in the "SENDPro 837 Voids and Adjustments Approach" documented below.

Upon receipt of a void or replacement transaction, MassHealth will validate the following.

- The adjustments/voids are linked to the original claim.
- The appropriate Adjustment Reason Codes are used in Provider Overpayment Scenarios.
- The adjustments are properly updated across header and detail lines to maintain overall claim integrity.

Please note: All validations will occur at the time of 837 encounter claims intake and post-837 intake at the MassHealth DW.

Follow the below guidance to construct adjustments and voids. This guidance reflects the daisy chain process and how to reference and tie back to a previous submission. SENDPro only expects to receive the PACDR 837 from MCEs and will return the corresponding 277DRA.

For adjustments (Frequency Code = 7), MassHealth has revised the original restriction of having same number of lines in the daisy chain and will now accept claims submitted (in daisy chain) with different number of lines.

Note that for Voids (Frequency code = 8), they should still have the same number of lines as the original/adjusted claims that they are voiding.

In SENDPro, there are two ways to process "Paid" and "Partially Denied" amendments.

- Submit an amendment as an adjustments with Frequency code 7 (with correct daisy chain).
- Submit a void to the claim that is being corrected by the amendment claim and then submit an original claim with the amended information. (Note that amendments to denied claims are not accepted.)

### **COORDINATION OF BENEFITS (COB)**

#### **COB** Claims

MCE trading partners should report all instances of COB scenarios received by providers in their encounter submissions in the 2320 loop. Information such as the other payer's adjudication amounts and details, subscriber/patient details, line-item details, and adjustment reason codes (using standard claim adjustment reason codes – CARCs) must be reported in the appropriate data elements. It is important to note that the Submitter ID/PIDSL in 1000A NM109 must match the MCE adjudication information under 2330B NM109. Appendices B and C provide business scenario examples for reporting COB.

#### **COB Claims with Medicare**

MCE trading partners should report all instances of Medicare COB scenarios received by providers in their encounter submissions. It is important to note that Medicare information must be reported even when Medicare has paid in full and the MCE to-be-paid balance is zero. In addition, Medicare adjudication must be reported even when Medicare does not pay. Appendices B and C provide business scenario examples for reporting COB from Medicare.

### **DENIED AND PARTIALLY DENIED CLAIMS**

MassHealth requires denied and partially denied claims to be submitted in two separate file from paid claims.

Denied claims should be populated where 2300 CN104 Contract Code = D and CAS02 Claim Adjustment Reason Codes populated appropriately. For denied claims files, SENDPro validates Strategic National Implementation Process (SNIP) 1 and 2, and that the claim was paid at \$0.

Partially denied claims should be populated where 2300 CN104 Contract Code = R and CAS02 Claim Adjustment Reason Codes populated appropriately for denied lines, as well as for paid lines where appropriate. SENDPro validates SNIP 1 and 2 of denied claim lines, and SNIP 1, 2, 5, and 7 of paid claim lines.

# **CLAIM ADJUSTMENT REASON CODES (CARCs)**

Follow the guidance in the memo sent on January 2, 2025, for guidance on populating CAS segments. The following are screenshots from that memo to illustrate the expectation.

MassHealth/SENDPro will be using active standard Claim Adjustment Reason Codes (CARCs) from X12 External Codes Source 139. The assumption is that all MCEs follow industry and X12 validation standards and produce appropriate denials from their respective adjudication systems. MassHealth expects MCEs to adhere to the guidelines for populating CARCs referenced in the MassHealth CARC Memo published on the MassHealth site: MassHealth Managed Care Encounter Data Companion Guides | Mass.gov.

### **BUNDLED CLAIMS**

Managed Care Entities must appropriately identify and populate all data elements on their encounter submissions when reporting bundled payments.

- Include the LX Assigned Number of the service line in which the service line was bundled in SVD06.
- Use "04" Bundled Pricing in HCP01 Pricing Methodology.

# **ADDITIONAL COMMERCIAL STANDARD CODE SET VALIDATIONS**

SENDPro validates values populated for the following code sets within the EDI files, where applicable.

Code	Name	Validation Type
CS-130-P	HCPCS Procedure	Dictionary Lookup based on Date of Service
CS-130-Q	HCPCS Modifier	Dictionary Lookup
CS-132-T	NUBC Occurrence	Dictionary Lookup based on Date of Service
CS-132-U	NUBC Occurrence Span	Dictionary Lookup
CS-132-R	NUBC Revenue	Dictionary Lookup based on Date of Service
CS-132-V	NUBC Value	Dictionary Lookup based on Date of Service
CS-133-P	CPT-4 Procedure	Dictionary Lookup based on Date of Service
CS-133-Q	CPT-4 Modifier	Dictionary Lookup
CS-135-U	ADA CDT Oral Cavity	Dictionary Lookup based on Date of Service
CS-135-P	ADA CDT Procedure	Dictionary Lookup based on Date of Service
CS-135-T	ADA CDT Tooth Number	Dictionary Lookup based on Date of Service
CS-139	Claim Adjustment Reason Code (CARC)	Dictionary Lookup
CS-230	NUBC Point of Origin	Dictionary Lookup
CS-231	NUBC Priority of Admission	Dictionary Lookup
CS-235	NUBC Claim Freq Type	Dictionary Lookup
CS-236	NUBC Uniform Billing Code (UBC)	Dictionary Lookup
CS-237	Place of Service	Dictionary Lookup
CS-239	NUBC Patient Status	Dictionary Lookup
CS-641	NUBC Condition	Dictionary Lookup based on Date of Service
CS-682	Taxonomy	Dictionary Lookup
CS-716	HIPSS Procedure	Dictionary Lookup based on Date of Service
CS-896	ICD-10 Proc	Dictionary Lookup based on Date of Service

CS-897-A	ICD-10 Diag A	Dictionary Lookup based on Date of Service
СЅ-897-В	ICD-10 Diag B	Dictionary Lookup based on Date of Service
CS-897-D	ICD-10 Diag D	Dictionary Lookup based on Date of Service
СЅ-897-Е	ICD-10 Diag E	Dictionary Lookup based on Date of Service

# 8. Acknowledgements and Reports

MassHealth has adopted three acknowledgement transactions with the 837 Post-Adjudicated Claims Data Reporting Version 005010 transaction: the TA1, 999, and 277DRA. These acknowledgments will replace any/all proprietary reports issued by MassHealth in response to proprietary encounter data submissions.

# **REPORT INVENTORY**

#### THE TA1 INTERCHANGE ACKNOWLEDGEMENT

The TA1 allows the receiver of a file to notify the sender that an invalid interchange structure was received or that problems were encountered. The TA1 verifies only the interchange header (ISA/GS) and trailer (IEA/GE) segments of the file envelope. If ISA or GS errors were encountered, then the generated TA1 report with the Interchange Header errors will be returned.

#### **THE 999 IMPLEMENTATION ACKNOWLEDGEMENT**

Each submission of an ASC X12 V5010 file to MassHealth generates a 999 Implementation acknowledgement and is sent to the submitter within one business day.

#### THE 277 DATA REPORTING ACKNOWLEDGEMENT (277DRA)

This report acknowledges the validity and acceptability of data reporting claim submissions at the pre-processing stage and identifies encounter claims that are accepted as well as those that are not accepted.

# 9. Trading Partner Agreements

MCEs that intend to conduct electronic transactions with MassHealth must sign the MassHealth Trading Partner Agreement (TPA). A copy of the agreement is available for download (<u>www.mass.gov</u>) or by contacting the MassHealth Encounter Data Support services at (email address TBD, targeting to be provided after Design phase) if you have any questions.

### **TRADING PARTNERS**

MassHealth defines a Trading Partner as any entity (provider, billing service, software vendor, employer group, financial institution, etc.) that exchanges electronic transactions with MassHealth. The Trading Partner and MassHealth acknowledge and agree that the privacy and security of data held by or exchanged between them is of utmost priority. Each party agrees to take all steps reasonably necessary to ensure that all electronic transactions between them conform to the Health Insurance Portability and Accountability Act of 1996 (HIPAA) and regulations promulgated thereunder.

# **10. Transaction-Specific Information**

This section describes how ASC X12N Implementation Guides (IGs) adopted under HIPAA will be detailed with the use of tables. The tables contain a row for each segment that MassHealth has something specific, additional, over, and above the information in the IGs. That information can do the following.

- Limit the repeat of loops, or segments.
- Limit the length of a simple data element.
- Specify a subset of the IGs internal code listings.
- Clarify the use of loops, segments, composite, and simple data elements.
- Provide other information tied directly to a loop, segment, composite, or simple data element pertinent to trading electronically with MassHealth.

In addition to the row for each segment, MassHealth uses one or more additional rows to describe its usage for composite and simple data elements and for any other information. Notes and comments are placed at the deepest level of detail. For example, a note about a code value is placed on a row specifically for that code value, not in a general note about the segment.

# **STANDARD CLAIMS**

Page #	Loop ID	Reference	Name	Codes	Notes/Comments
39	1000A	NM103	Submitter Name		The organization name must be consistent with the MassHealth- assigned Trading Partner ID PID/SL.
39	1000A	NM109	Submitter Identifier		Trading Partner ID assigned by MassHealth (the 10- character MassHealth MMIS provider number including service location)
41	1000A	PER03	Communication Number Qualifier	EM	MassHealth allows only the contact's email address.
44	1000B	NM103	Receiver Name	MassHealth	
44	1000B	NM109	Receiver Primary Identifier	DMA7384	
47	2000A	PRV01	Provider Taxonomy Code	ВІ	
54	2010AA	NM109	Billing Provider Identifier		If you are an atypical provider and do not have an NPI, populate Internal ID in REF02 as well as PID/SL if known using G2 qualifier; otherwise, enter the billing provider NPI.
58	2010AA	REF01	Billing Provider Tax Identification Qualifier	EI	
60	2010AA	REF01	Billing Provider License Information	OB	
61	2010AA	REF01	Billing Provider Secondary ID Qualifier	G2	Populate with the "Internal Provider Number <space>Internal Provider Location ID<space>PID/SL" (when known). If the PID/SL is unknown, use Internal Provider Number<space>Internal</space></space></space>

Page #	Loop ID	Reference	Name	Codes	Notes/Comments
					Provider Location ID only.
63	2000B	HLO4	Hierarchical Child Code	0	The Subscriber is always the patient in Medicaid.
67	2010BA	NM102	Entity Type	1	The Subscriber must always be a person.
67	2010BA	NM104	Name First		
68	2010BA	NM108	Identification Code qualifier	MI	
68	2010BA	NM109	Subscriber Primary Identifier		12-character MassHealth member ID
96	2300	CLM05-03	Claim Frequency Code	1-5, 7, 8	Indicate the claim frequency using the following codes: 1 = Original; Admit through Discharge 2 = Original; Interim – First Claim 3 = Original; Interim – Continuing Claims 4 = Original; Interim – Last Claim 5 = Original; Late Charge Only 7 = Adjustment/Replacemen t of Prior Claim 8 = Void/Cancel of Prior Claim Former claim number must be populated in L2330B REF*BP when CLM05-03 = 7 or 8.
106	2300	CN101	Contract Type Code		Adhere to guidance in Section 7 for populating Contract Type Code in relation to Record Indicator
106	2300	CN102	Monetary Amount		Populate when Contract Type code in CN101 is any value other than 06
107	2300	CN103	Allow Charge Percent		Populate when Contract

Page #	Loop ID	Reference	Name	Codes	Notes/Comments
					Type Code in CN101 = 06
107	2300	CN104	Contract Code	P, R, D	Indicate if a claim is paid, partially paid, or denied using the following codes. P = Paid R = Partially Denied D = Denied
110	2300	REF01	Prior Authorization Number	G1	Prior Authorization Number
116	2300	HI01-01	Principal Diagnosis Type Code	АВК	MassHealth expects Principal Diagnosis codes to be valid ICD10 codes whose description DOES NOT contain any of the following text: "in diseases classified elsewhere," "in other diseases classified elsewhere," "in diseases classified elsewhere," or "in other diseases classified elsewhere," or "in other
117	2300	HI02-01	Code List Qualifier Code	ABF	Populate when this data element is applicable.
118	2300	HI03-01	Code List Qualifier Code	ABF	Populate when this data element is applicable.
118	2300	HI04-01	Code List Qualifier Code	ABF	Populate when this data element is applicable.
122	2310A	NM109	Referring Provider Identifier		
123	2310A	PRV01	Referring Provider Taxonomy Code	RF	

Page #	Loop ID	Reference	Name	Codes	Notes/Comments
125	2310A	REF01	Referring Provider Secondary ID Qualifier	G2 0B	Populate with the "Internal Provider Number <space>Internal Provider Location ID <space>PID/SL" (when known). If the PID/SL is unknown, use Internal Provider Number<space>Internal Provider Location ID only. State License Number</space></space></space>
129	2310B	NM109	Rendering Provider Identifier		MassHealth expects Rendering Provider information to be populated only when different from Billing Provider.
130	2310B	PRV01	Rendering Provider Code	PE	
132	2310B	REF01	Rendering Provider Secondary ID Qualifier	G2 LU OB	Internal Provider Number <space>Internal Provider Location ID PID/SL State License Number</space>
136	2310C	NM109	Service Facility Location Provider Identifier		In accordance with the Implementation Guide, should be populated unless Service Facility NPI is not different from Billing Provider NPI. If services were performed on an Indian reservation, use NPI of Indian Health Services.
140	2310C	REF01	Service Facility Location Secondary ID Qualifier	G2	Internal Provider Number <space>Internal Provider Location ID PID/SL</space>
				LU	

Page #	Loop ID	Reference	Name	Codes	Notes/Comments
				OB	State License Number
144	2310D	NM109	Assistant Surgeon Provider Identifier		
145	2310D	PRV01	Assistant Provider Code	AS	
147	2310D	REF01	Assistant Surgeon Secondary Identification Qualifier	G2 LU	Internal Provider Number <space>Internal Provider Location ID PID/SL</space>
				OB	State License Number
151	2310E	NM109	Supervising Provider Identifier		
152	2310E	REF01	Supervising Provider Secondary ID Qualifier	G2	Internal Provider Number <space>Internal Provider Location ID</space>
				LU	PID/SL
				OB	State License Number
157	2320	SBR09	Claim Filing Indicator Code		Use MC when reporting MCE claim adjudication data.
					Use MA, MB, or OF for reporting Medicare. Use other designations as appropriate.
160	2320	CAS02	Claim Adjustment Reason Code		Adhere to guidance in Section 7 for populating CARCs.

Page #	Loop ID	Reference	Name	Codes	Notes/Comments
160	2320	CAS04	Adjustment Quantity		Populate this data element when the number of service units has been adjusted.
161	2320	CAS07	Adjustment Quantity		Populate this data element when CAS05 is present and related to units of service.
161	2320	CAS10	Adjustment Quantity		Populate this data element when CAS08 is present and related to units of service adjustment.
162	2320	CAS13	Adjustment Quantity		Populate this data element when CAS11 is present and related to units of service adjustment.
162	2320	CAS16	Adjustment Quantity		Populate this data element when CAS14 is present and related to units of service adjustment.
163	2320	CAS19	Adjustment Quantity		Populate this data element when CAS17 is present and related to units of service adjustment.
179	2330B	NM109	Other Payer Primary Identifier		At least one 2330 should have a payer who is consistent with the submitter in 1000A NM109.
186	2330B	REF02	Other Payer's Adjusted Claim Control Number		The 2330 for the payer who is the submitter must be populated with the former claim number for all voids and adjustments.
210	2400	CN101	Contract Type Code		Use Contract Type 05 to report Medicaid Fee for Service Equivalent Amount when other code types are not applicable.

Page #	Loop ID	Reference	Name	Codes	Notes/Comments
210	2400	CN102	Monetary Amount		
211	2400	CN104	Contract Code	P, D	Indicate if a claim is paid, partially paid, or denied using the following codes. P = Paid D = Denied
218	2420A	NM109	Rendering Provider Identifier		
219	2420A	PRV01	Rendering Provider Code	PE	
221	2420A	REF01	Rendering Provider Secondary ID Qualifier	G2	Internal Provider Number <space>Internal Provider Location ID PID/SL</space>
				LU OB	State License Number
225	2420B	NM109	Assistant Surgeon Primary Identifier		
226	2420B	PRV01	Assistant Provider Code	AS	
228	2420B	REF01	Assistant Surgeon Secondary ID Qualifier	G2	Internal Provider Number <space>Internal Provider Location ID</space>
				LU	PID/SL
				ОВ	State License Number
232	2420C	NM109	Supervising Provider Identifier		

Page #	Loop ID	Reference	Name	Codes	Notes/Comments
233	2420C	REF01	Supervising Provider Secondary ID Qualifier	G2	Internal Provider Number <space>Internal Provider Location ID</space>
				LU	PID/SL
				ОВ	State License Number
241	2430	CAS02	Claim Adjustment Reason Code		Adhere to guidance in Section 7 for populating CARCs.
241	2430	CAS04	Adjustment Quantity		Populate this data element when the number of service units has been adjusted.
241	2430	CAS07	Adjustment Quantity		Populate this data element when CAS05 is present and related to units of service adjusted.
242	2430	CAS10	Adjustment Quantity		Populate this data element when CAS08 is present and related to units of service adjustment
242	2430	CAS13	Adjustment Quantity		Populate this data element when CAS11 is present and related to units of service adjustment.
243	2430	CAS16	Adjustment Quantity		Populate this data element when CAS14 is present and related to units of service adjustment.
244	2430	CAS19	Adjustment Quantity		Populate this data element when CAS17 is present and related to units of service adjustment.

# **APPENDICES**

# **Appendix A. Implementation Checklist**

This appendix contains all necessary steps for implementing the transactions with MassHealth.

- Develop your system to comply with ACS X12N v5010 Technical Reports 3/Implementation Guides.
- Review MassHealth SENDPro Companion Guides to identify and implement necessary changes to your system.
- Complete the SENDPro Connectivity Form.
- Test connectivity.
- Participate in all trading partner testing activities.
- Utilize various and real case business scenarios during testing.

# **Appendix B. Business Scenarios**

This appendix contains typical business scenarios. The actual data streams linked to these scenarios are included in Appendix C.

- 1. MCEs have the option to submit PACDR files as described below.
  - a. Parent submitting for themselves
  - b. Parent submitting on behalf of their affiliate
  - c. MCE submitting for themselves
- 2. PACDR Institutional containing a denied encounter
- 3. PACDR Institutional with COB payer
- 4. PACDR Professional with COB Medicare
- 5. PACDR Institutional with Void
- 6. PACDR Institutional with replacement
- 7. PACDR Original, Adjustment, Subsequent Adjustment, and Void
- 8. PACDR Initial Fully Denied Encounter then Subsequently Fully Paid in MCE Claims System
- 9. PACDR Initial Fully Denied Encounter then Subsequently Partially Denied in MCE Claims System
- 10. PACDR Initial Partially Denied Encounter then Subsequently Fully Paid in MCE Claims System

\*230809\*0813\*^\*00501\*000000954\*0\*P\*:

```
CLM*7555555M*110***11:B:1*Y*A*Y*1-
DTP*439*D8*20231019~
CL1*1*7*3~
CN1*02*10**D~ (CN104 – D(Denied))
HI*BK:V723*BF:4660~
SBR*P*18*G00786***6***CI~
CAS*CO*39*110- (Denied CARC)
AMT*D*0-
LX*1~
SV3*AD:D2150*110****1-
SVD*P*0*AD:D2150**1-
CAS*CO*39*110- (Denied CARC)
DTP*573*D8*20231103
```

### 2. PACDR Dental containing a denied encounter.

```
ISA*00*
           *00*
                  *ZZ*110088791E
                                   *ZZ*DMA7384
*230809*0813*^*00501*000000954*0*P*:
GS*HC*110088791E *DMA7384*20230809*081356*954*X*005010X299A1
ST*837*0954*005010X299A1
BHT*0019*00*20230809081347003*20230809*081239*RP
NM1*41*2*TUFTS HEALTH TOGETHER WITH CHA****46*110088791E
```

ST\*837\*0954\*005010X299A1 BHT\*0019\*00\*20230809081347003\*20230809\*081239\*RP

\*ZZ\*110088791A \*ZZ\*DMA7384

NM1\*41\*2\*TUFTS HEALTH TOGETHER WITH CHA\*\*\*\*46\*110088791E MCEs submitting for themselves C.

GS\*HC\*110088791A \*DMA7384\*20230809\*081356\*954\*X\*005010X299A1

Below are examples of how MCEs should submit PACDR files as described in Appendix B.

Tufts submitting as Parent for themselves a. \*230809\*0813\*^\*00501\*000000954\*0\*P\*: ISA\*00\* \*00\* \*ZZ\*11008791A \*ZZ\*DMA7384 GS\*HC\*110088791A \*DMA7384\*20230809\*081356\*954\*X\*005010X299A1

Note that these are snippets of EDI messages that are included to illustrate the respective scenarios as per

If Parent-Tufts Health Together TPID/PIDSL = 110088791A and their Affiliate is Tuft's Health Together with 1. CHA: TPID/PIDSL =110088791E, it would look like the following.

Tufts submitting as a Parent on behalf of their Affiliate Tuft's Health Together

MassHealth requirements; they are not intended to be fully formed EDI messages.

BHT\*0019\*00\*20230809081347003\*20230809\*081239\*RP NM1\*41\*2\*TUFTS HEALTH TOGETHER\*\*\*\*46\*110088791A

**Appendix C. Transmission Examples** 

ST\*837\*0954\*005010X299A1

\*00\*

b.

ISA\*00\*

# 7. PACDR Original, Adjustment, Subsequent Adjustment, and Void

a. See scenario examples 7-10 below for further elaboration on voids.

a. See scenario examples in 7-10 below for further elaboration on replacements.

NM1\*PR\*2\* MCE\*\*\*\*\*PI\*0077186-DTP\*573\*D8\*20230808-REF\*F8\*23216211156-SBR\*P\*18\*\*\*1\*\*\*MB-AMT\*D\*80-AMT\*A8\*15-NM1\*IL\*1\* ROSSITER\*WESTON\*\*\*\*MI\*99999999-N3\*6272 PERRY RD-N4\*BOSTON\*MA\*457010000-NM1\*PR\*2\*MEDICARE\*\*\*\*PI\*59999-

CLM\*26463774\*100\*\*\*13:B:8~ (CLM05-03 = 8 (Void))

CLM\*26463774\*100\*\*\*13:B:7~ (CLM05-03 = 7 (Replacement))

NM1\*IL\*1\*ROSSITER\*WESTON\*\*\*\*MI\*9999999-

### 4. PACDR Dental with COB Medicare

SBR\*S\*18\*0077186\*\*\*6\*\*\*MC ~

N4\*BOSTON\*MA\*457010000~

5. PACDR Dental with Void

6. PACDR Dental with Replacement

AMT\*D\*5577.18-

N3\*6272 PERRY RD-

SBR\*S\*18\*0077186\*\*\*6\*\*\*MC -AMT\*D\*5577.18-NM1\*IL\*1\*ROSSITER\*WESTON\*\*\*\*MI\*9999999-N3\*6272 PERRY RD-N4\*BOSTON\*MA\*457010000-NM1\*PR\*2\*MCE\*\*\*\*\*PI\*0077186-DTP\*573\*D8\*20230808-REF\*F8\*23216211156-SBR\*P\*18\* \*\*\***1**\*\*\*CI- (*SBR06=1 COB*) AMT\*D\*0-NM1\*IL\*1\*ROSSITER\*WESTON\*\*\*\*MI\*9999999-N3\*6272 PERRY RD-N4\*BOSTON\*MA\*457010000-NM1\*PR\*2\*BLUE CROSS BLUE SHIELD\*\*\*\*PI\*L01733M001-

#### 3. PACDR Dental with COB payer

IEA\*1\*00000001~

Provider to MCE	Value	Payer (MCE)	Value	Encounter From MCE to Medicaid	Value	SENDPro to MCE	Value
<u> Original Claim - 837</u>		<u>ERA - 835</u>		PACDR		277DRA	
2300 CLM05-3 (Frequency Code)	1	2100 CLP01 (Patient Control Number)	P1	2300 CLM05-3 (Frequency Code)	1	2200D TRN02	C1
2300 CLM01 (Patient Control Number)	P1	2100 CLP07 (Payer Claim Control Number)	C1	2300 CLM01 (MCE Claim Number)	C1	2200D REF01 (Payer's Claim Number)	1K
		2100 CLP09 (Frequency Code)	1	2300 REF*F8 (Payer Claim Control Number)	Not sent	2200D REF02	C1
				2330B REF01 (Original Reference Number)	F8		
				2330B REF02	C1		
				2330B REF01 2330B REF02			
<u>Adjustment</u>		Adjusted ERA		Adjusted PACDR		Adjusted 277DRA	
2300 CLM05-3 (Frequency Code)	7	2100 CLP01 (Patient Control Number)	P2	2300 CLM05-3 (Frequency Code)	7	2200D TRN02	C2
2300 CLM01 (Patient Control Number)	P2	2100 CLP07 (Payer Claim Control Number)	C2	2300 CLM01 (MCE Claim Number)	C2	2200D REF01 (Payer's Claim Number)	1K
2300 REF*F8 (Payer Claim Control Number)	C1	2100 CLP09 (Frequency Code)	7	2300 REF*F8 (Payer Claim Control Number)	Not sent	2200D REF02	C2
				2330B REF01 (Signal Code)	Т4		
				2330B REF02	Y		
				2330B REF01 (Original Reference Number)	F8		

Provider to MCE	Value	Payer (MCE)	Value	Encounter From MCE to Medicaid	Value	SENDPro to MCE	Value
				2330B REF02	C2		
				2330B REF01	BP		
				(Adjustment			
				Control Number)			
				2330B REF02	C1		
Subsequent		<u>Subsequent</u>		Subsequent_		<u>Subsequent</u>	
Adjustment		Adjusted ERA -		Adjusted PACDR		Adjusted 277DRA	
		<u>835</u>					
2300 CLM05-3	7	2100 CLP01	Р3	2300 CLM05-3	7	2200D TRN02	С3
(Frequency Code)		(Patient Control		(Frequency Code)			
		Number)					
2300 CLM01 (Patient	P3	2100 CLP07 (Payer	СЗ	2300 CLM01 (MCE	C3	2200D REF01	1K
Control Number)		Claim Control		Claim Number)		(Payer's Claim	
		Number)				Number)	
2300 REF*F8 (Payer	C2	2100 CLP09	7	2300 REF*F8	Not sent	2200D REF02	С3
Claim Control		(Frequency Code)		(Payer Claim			
Number)				Control Number)			
				2330B REF01	T4		
				(Signal Code)			
				2330B REF02	Y		
				2330B REF01	F8		
				(Original			
				Reference			
				Number)			
				2330B REF02	С3		
				2330B REF01	BP		
				(Adjustment			
				Control Number)			
				2330B REF02	C2		
Second Subsequent		Second_		Second_		<u>Second</u>	
Adjustment		<u>Subsequent</u>		<u>Subsequent</u>		Subsequent	
		<u> Adjusted ERA -</u>		Adjusted PACDR		Adjusted 277DRA	
		<u>835</u>					
2300 CLM05-3	7	2100 CLP01	P4	2300 CLM05-3	7	2200D TRN02	C4
(Frequency Code)		(Patient Control Number)		(Frequency Code)			

Provider to MCE	Value	Payer (MCE)	Value	Encounter From MCE to Medicaid	Value	SENDPro to MCE	Value
2300 CLM01 (Patient	P4	2100 CLP07 (Payer	C4	2300 CLM01 (MCE	C4	2200D REF01	1K
Control Number)		Claim Control		Claim Number)		(Payer's Claim	
		Number)				Number)	
2300 REF*F8 (Payer	C3	2100 CLP09	7	2300 REF*F8	Not sent	2200D REF02	C4
Claim Control		(Frequency Code)		(Payer Claim			
Number)				Control Number)			
				2330B REF01	Т4		
				(Signal Code)			
				2330B REF02	Y		
				2330B REF01	F8		
				(Original			
				Reference			
				Number)			
				2330B REF02	C4		
				2330B REF01	BP		
				(Adjustment			
				Control Number)			
				2330B REF02	С3		
Subsequent Void		Subsequent Void		Subsequent Void		Subsequent Void	
		<u>ERA - 835</u>		<u>PACDR</u>		277DRA	
2300 CLM05-3	8	2100 CLP01	Р5	2300 CLM05-3	8	2200D TRN02	C5
(Frequency Code)		(Patient Control		(Frequency Code)			
		Number)					
2300 CLM01 (Patient	P5	2100 CLP07 (Payer	C5	2300 CLM01 (MCE	C5	2200D REF01	1K
Control Number)		Claim Control		Claim Number)		(Payer's Claim	
		Number)				Number)	
2300 REF*F8 (Payer	C4	2100 CLP09	8	2300 REF*F8	Not sent	2200D REF02	C5
Claim Control		(Frequency Code)		(Payer Claim			
Number)				Control Number)			
				2330B REF01	T4		
				(Signal Code)			
				2330B REF02	Y		
				2330B REF01	F8		
				(Original			
				Reference			
1	1	1	1	1			1

Provider to MCE	Value	Payer (MCE)	Value	Encounter From MCE to Medicaid	Value	SENDPro to MCE	Value
				2330B REF02	C5		
				2330B REF01 (Adjustment Control Number)	BP		
				2330B REF02	C4		

### 8. PACDR Initial Fully Denied Encounter and then Subsequently Fully Paid in MCE Claims System

Claims submitted as shown below would be accepted by MassHealth using either Scenario 1A or Scenario 1B.

Scenario 1A (Denied then Paid)	Value	SENDPro to MCE 277 DRA	Value
Initially Submitted DENIED Claim			
2300 CLM05-3 (Frequency Code)	1	2200D TRN02	C1
2300 CLM01 (MCE Claim Number)	C1	2200D REF01 (Payer's Claim Number)	1К
2300 CN104	D	2200D REF02	C1
2320 CAS	Populate valid X12 CARC - Send header CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	C1		
2330B REF01			
2330B REF02			
2420 CAS	Populate valid X12 CARC at line level		
PAID Claim Submitted as an Adjustment to the			
Above DENIED Claim			
2300 CLM05-3 (Frequency Code)	7	2200D TRN02	C2

2300 CLM01 (MCE Claim Number)	C2	2200D REF01 (Payer's Claim Number)	1K
2300 CN104	Р	2200D REF02	C2
2320 CAS	Populate valid X12 CARC - Send header CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Signal Code)	T4		
2330B REF02	Y		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	C2		
2330B REF01 (Adjustment Control Number)	BP		
2330B REF02	C1		
2420 CAS	Populate valid X12 CARC at line level		

Scenario 1B (Denied then Paid)	Value	SENDPro to MCE 277 DRA	Value
Initially Submitted DENIED Claim			
2300 CLM05-3 (Frequency Code)	1	2200D TRN02	C1
2300 CLM01 (MCE Claim Number)	C1	2200D REF01 (Payer's Claim Number)	1К
2300 CN104	D	2200D REF02	C1
2320 CAS	Populate valid X12 CARC - Send header CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	C1		
2330B REF01			

2330B REF02			
2420 CAS	Populate valid X12 CARC at line level		
PAID Claim Submitted as an Original to the Above			
<u>Claim</u>			
2300 CLM05-3 (Frequency Code)	1	2200D TRN02	C2
2300 CLM01 (MCE Claim Number)	C2	2200D REF01	1K
		(Payer's Claim	
		Number)	
2300 CN104	Р	2200D REF02	C2
2320 CAS	Populate valid X12		
	CARC - Send header		
	CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	C2		
2330B REF01			
2330B REF02			
2420 CAS	Populate valid X12		
	CARC at line level		

## 9. PACDR Initial Fully Denied Encounter then Subsequently Partially Denied in MCE Claims System

Claims submitted as shown below would NOT be accepted by MassHealth Scenario 2A.

Scenario 2A (Denied then Partially Denied)	Value	SENDPro to MCE 277 DRA	Value
Initially Submitted DENIED Claim			
2300 CLM05-3 (Frequency Code)	1	2200D TRN02	C5
2300 CLM01 (MCE Claim Number)	C5	2200D REF01 (Payer's Claim Number)	1К
2300 CN104	D	2200D REF02	C5

Scenario 2A (Denied then Partially Denied)	Value	SENDPro to MCE 277 DRA	Value
2320 CAS	Populate valid X12 CARC - Send header CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	C5		
2330B REF01			
2330B REF02			
2420 CAS	Populate valid X12 CARC at line level		
PARTIALLY DENIED Claim Submitted as an			
Adjustment to the Above DENIED Claim – $\operatorname{NOT}$			
ACCEPTED			
2300 CLM05-3 (Frequency Code)	7	2200D TRN02	C6
2300 CLM01 (MCE Claim Number)	C6	2200D REF01 (Payer's Claim Number)	1K
2300 CN104	R	2200D REF02	C6
2320 CAS	Populate valid X12 CARC - Send header CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Signal Code)	T4		
2330B REF02	Y		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	C6		
2330B REF01 (Adjustment Control Number)	BP		
2330B REF02	C5		
2420 CAS	Populate appropriate line		

Scenario 2A (Denied then Partially Denied)	Value	SENDPro to MCE 277 DRA	Value
	level CARC as per MH instruction		

Rather, they should be submitted as shown below in Scenario 2B.

Scenario 2B (Denied then Partially Denied)	Value	SENDPro to MCE 277 DRA	Value
Initially Submitted DENIED Claim			
2300 CLM05-3 (Frequency Code)	1	2200D TRN02	C5
2300 CLM01 (MCE Claim Number)	C5	2200D REF01 (Payer's Claim Number)	1К
2300 CN104	D	2200D REF02	C5
2320 CAS	Populate valid X12 CARC - Send header CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	C5		
2330B REF01			
2330B REF02			
2420 CAS	Populate valid X12 CARC at line level		
PARTIALLY DENIED Claim Submitted as an			
Original to the Above Claim			
2300 CLM05-3 (Frequency Code)	1	2200D TRN02	C6
2300 CLM01 (MCE Claim Number)	C6	2200D REF01 (Payer's Claim Number)	1К
2300 CN104	R	2200D REF02	C6

2320 CAS	Populate valid X12 CARC - Send header CAS as applicable	
2300 REF*F8 (Payer Claim Control Number)	Not sent	
2330B REF01 (Original Reference Number)	F8	
2330B REF02	C6	
2330B REF01		
2330B REF02		
2420 CAS	Populate appropriate line level CARC as per MH instruction	

### 10. PACDR Initial Partially Denied Encounter then Subsequently Fully Paid in MCE Claims System

Claims submitted as shown below would be accepted by MassHealth using either Scenario 3A or Scenario 3B.

Scenario 3A (Partially Denied then Paid)	Value	SENDPro to MCE 277 DRA	Value
Initially Submitted PARTIALLY DENIED Claim			
2300 CLM05-3 (Frequency Code)	1	2200D TRN02	С3
2300 CLM01 (MCE Claim Number)	C3	2200D REF01 (Payer's Claim Number)	1K
2300 CN104	R	2200D REF02	C3
2320 CAS	Populate valid X12 CARC - Send header CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	C3		
2330B REF01			
2330B REF02			

Scenario 3A (Partially Denied then Paid)	Value	SENDPro to MCE 277 DRA	Value
2420 CAS	Populate appropriate line		
	level CARC as per		
	MH instruction		
PAID Claim Submitted as an Adjustment to the			
Above PARTIALLY DENIED Claim			
2300 CLM05-3 (Frequency Code)	7	2200D TRN02	C4
2300 CLM01 (MCE Claim Number)	C4	2200D REF01	1K
		(Payer's Claim	
		Number)	
2300 CN104	Р	2200D REF02	C4
2320 CAS	Populate valid X12		
	CARC - Send header		
	CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Signal Code)	Т4		
2330B REF02	Y		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	C4		
2330B REF01 (Adjustment Control Number)	BP		
2330B REF02	C3		
2420 CAS	Populate valid X12		
	CARC at line level		

Scenario 3B (Partially Denied then Paid)	Value	SENDPro to MCE 277 DRA	Value
Initially Submitted PARTIALLY DENIED Claim			
2300 CLM05-3 (Frequency Code)	1	2200D TRN02	C3
2300 CLM01 (MCE Claim Number)	C3	2200D REF01 (Payer's Claim Number)	1K

Scenario 3B (Partially Denied then Paid)	Value	SENDPro to MCE 277 DRA	Value
2300 CN104	R	2200D REF02	C3
2320 CAS	Populate valid X12 CARC - Send header CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	С3		
2330B REF01			
2330B REF02			
2420 CAS	Populate appropriate line level CARC as per MH instruction		
PAID Claim Submitted as a Void to the Above			
<u>Claim</u>			
2300 CLM05-3 (Frequency Code)	8	2200D TRN02	C4
2300 CLM01 (MCE Claim Number)	C4	2200D REF01 (Payer's Claim Number)	1K
2300 CN104	R	2200D REF02	C4
2320 CAS	Populate valid X12 CARC - Send header CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Signal Code)	T4		
2330B REF02	Y		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	C4		
2330B REF01 (Adjustment Control Number)	BP		
2330B REF02	C3		
2420 CAS	Populate appropriate line		

Scenario 3B (Partially Denied then Paid)	Value	SENDPro to MCE 277 DRA	Value
	level CARC as per		
	MH instruction		
PAID Claim Submitted as an Original to the Above	-		
<u>Claim</u>			
2300 CLM05-3 (Frequency Code)	1	2200D TRN02	C7
2300 CLM01 (MCE Claim Number)	С7	2200D REF01 (Payer's	1K
		Claim Number)	
2300 CN104	Р	2200D REF02	С7
2320 CAS	Populate valid X12		
	CARC - Send header		
	CAS as applicable		
2300 REF*F8 (Payer Claim Control Number)	Not sent		
2330B REF01 (Original Reference Number)	F8		
2330B REF02	С7		
2330B REF01			
2330B REF02			
2420 CAS	Populate valid X12		
	CARC at line level		

# **Appendix D. Frequently Asked Questions**

This appendix contains a link to the FAQ document published on mass.gov.

## **Appendix E. Change Summary**

This version of the MassHealth Companion Guide follows the CAQH CORE V5010 Companion Guide template. All references to the ASCX12 Implementation Guide are necessary to convey MassHealth's specific usage of the data elements to support electronic processing of the transaction with its Trading Partners, including codes and specific program instructions. The following changes were made to this MassHealth Companion Guide.

TR3 Page #	Loop ID	Reference	Name	Codes	Notes/Comments
n/a	n/a	n/a	Section 3: Testing with SENDPro		Updated document contents to include additional details.
n/a	n/a	n/a	Section 7: MassHealth Specific Business Rules and Limitations		Updated document contents to include additional details.
95	2300	CLM05-03	Claim Frequency Code	1, 2, 3, 4, 5, 7, 8	Added notes, including descriptions for codes to be populated in this field.
300	2400	CN104	Contract Code	P, D	Removed 'R = for Partially Paid' as an accepted adjudication status at the line level. Note that 'R' is still an accepted status at the claim header level.
n/a	n/a	n/a	Appendix B: Business Scenarios		Updated with scenarios for which examples have been provided, identified in Section 7.
n/a	n/a	n/a	Appendix C: Transmission Examples		Updated with example EDI files based on scenarios identified in Section 7.

Date	Page Number	Section	Notes/Comments
April 2024	4	Section 3: Testing with SENDPro	Updated document contents to include additional details.
April 2024	10	Section 7: MassHealth Specific Business Rules and Limitations	Updated document contents to include additional details.
April 2024	21	Section 10: Transaction-Specific Information	Added notes including descriptions for codes to be populated in CLM05-03.
April 2024	25	Section 10: Transaction-Specific Information	Updated CN104 to remove 'R = for Partially Paid' as an accepted adjudication status at the line level. Note that 'R' is still an accepted status at the claim header level.
April 2024	Арр-З	Appendix B: Business Scenarios	Updated with scenarios for which examples have been provided, identified in Section 7.
April 2024	Арр-4	Appendix C: Transmission Examples	Updated with example EDI files based on scenarios identified in Section 7.
November 2024	5 and 6	Section 4: Connectivity with SENDPro/Communications	Updated file naming convention and example.
November 2024	10 and 11	Section 7: MassHealth Specific Business Rules and Limitations	Updated submission frequency and file construction guidelines.
November 2024	12	Section 7: MassHealth Specific Business Rules and Limitations	Updated TMSIS providers.
November 2024	12–14	Section 7: MassHealth Specific Business Rules and Limitations	Updated Provider ID guidelines.
November 2024	14	Section 7: MassHealth Specific Business Rules and Limitations	Updated guidance on voids and adjustments.
November 2024	15	Section 7: MassHealth Specific Business Rules and Limitations	Updated guidance for denied claims submissions.
November 2024	15	Section 7: MassHealth Specific Business Rules and Limitations	Updated guidance for bundled claims submissions.
November 2024	19–25	Section 10: Transaction-Specific Information	Updated guidance for populating Provider IDs in segments 2010AA, 2310A, 2310B, 2310C, 2310D, 2310E, 2420A, 2420B, and 2420C
November 2024	20 and 23	Section 10: Transaction-Specific Information	Updated guidance for populating former claim number based on frequency in CLM05-03.
November 2024	22	Section 10: Transaction-Specific Information	Updated guidance for Laboratory or Service Facility Primary Identifier.
November 2024	Арр-3–6	Appendix C: Transmission Examples	Updated example EDI.

Date	Page Number	Section	Notes/Comments
February 2025	14–15	Section 7: MassHealth Specific Business Rules and Limitations	Updated guidance for submission of voids and adjustments.
February 2025	14	Section 7: MassHealth Specific Business Rules and Limitations	Added guidance for population of Claim Adjustment Reason Codes.
February 2025	21	Section 10: Transaction-Specific Information	Updated guidance for diagnosis segments HI*ABN.
February 2025	23 and 26	Section 10: Transaction-Specific Information	Updated guidance for population of CARCs in CAS02.
February 2025	Арр-2	Appendix B: Business Scenarios	Added examples for submission of voids and adjustments.
February 2025	Арр-8–20	Appendix C: Transmission Examples	Added examples for submission of voids and adjustments.
August 2025	4-5	Section 3: Testing with SENDPro	Added guidance for Pre-Testing Activities and Trading Partner Testing
August 2025	5	Section 4: Connectivity with SENDPro/Communications	Added guidance for ISA per file.
August 2025	6	Section 4: Connectivity with SENDPro/Communications	Added guidance about file naming in alignment with Partially Denied/Denied Claims File Split Memo
August 2025	11	Section 7: MassHealth Specific Business Rules and Limitations	Added guidance about bi-weekly submission cadence.
August 2025	11,14	Section 7: MassHealth Specific Business Rules and Limitations	Added PIDSL Guidance
August 2025	17-18	Section 7: MassHealth Specific Business Rules and Limitations	Updated to include Code Set Validations
August 2025	21	Section 10: Transaction-Specific Information	Updated to clarify language in guidance on L1000a PER segment
August 2025	22-23	Section 10: Transaction-Specific Information	Added additional guidance for CN102 and CN103.

Date	Page Number	Section	Notes/Comments
August 2025	28	Section 10: Transaction-Specific Information	Added guidance for to CAS07,10, 13, 16, & 19 for segments 2320 and 2430
August 2025	Арр-3-4	Appendix C: Transmission Examples	Added updated examples
August 2025	Арр-17	Appendix D: Frequently Asked Questions	Updated to include link to a newly created external FAQ document

#### Copyright © 2025 MassHealth

All rights reserved. This document may be copied.

CG 837D (Rev 08-25) TR