

**Prevalence of All Types of Diabetes in Massachusetts Students
Aged 5-14 by Community of Child's Residence, 2008-2009**

City/Town†	Number of Students with All Types Combined**	Total Enrollment	Prevalence*	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Statistical Significance
ABINGTON	6	1792	335	123	730	Not Statistically Significantly Different
ACTON	11	3420	322	160	576	Not Statistically Significantly Different
ACUSHNET	NS	NS	NS	NS	NS	NS
ADAMS	NS	NS	NS	NS	NS	NS
AGAWAM	3	3019	99	20	290	Not Statistically Significantly Different
ALFORD	0	31	0	0	0	Statistically Significantly Lower
AMESBURY	8	1745	458	198	903	Not Statistically Significantly Different
AMHERST	2	1945	103	12	371	Not Statistically Significantly Different
ANDOVER	15	4534	331	185	546	Not Statistically Significantly Different
AQUINNAH	0	31	0	0	0	Statistically Significantly Lower
ARLINGTON	11	3977	277	138	495	Not Statistically Significantly Different
ASHBURNHAM	NS	NS	NS	NS	NS	NS
ASHBY	0	401	0	0	0	Statistically Significantly Lower
ASHFIELD	NS	NS	NS	NS	NS	NS
ASHLAND	11	1990	553	276	989	Not Statistically Significantly Different
ATHOL	3	1259	238	49	696	Not Statistically Significantly Different
ATTELEBORO	12	4446	270	140	472	Not Statistically Significantly Different
AUBURN	3	1711	175	36	512	Not Statistically Significantly Different
AVON	NS	NS	NS	NS	NS	NS
AYER	NS	NS	NS	NS	NS	NS
BARNSTABLE	11	4137	266	133	476	Not Statistically Significantly Different
BARRE	NS	NS	NS	NS	NS	NS
BECKET	0	153	0	0	0	Statistically Significantly Lower
BEDFORD	1	1639	61	2	340	Not Statistically Significantly Different
BELCHERTOWN	11	1898	580	289	1037	Statistically Significantly Higher
BELLINGHAM	4	1862	215	58	550	Not Statistically Significantly Different
BELMONT	5	2891	173	56	403	Not Statistically Significantly Different
BERKLEY	NS	NS	NS	NS	NS	NS
BERLIN	NS	NS	NS	NS	NS	NS
BERNARDSTON	NS	NS	NS	NS	NS	NS
BEVERLY	14	3580	391	214	657	Not Statistically Significantly Different
BILLERICA	21	4717	445	255	635	Not Statistically Significantly Different
BLACKSTONE	8	1058	756	326	1490	Statistically Significantly Higher
BLANDFORD	0	128	0	0	0	Statistically Significantly Lower
BOLTON	0	790	0	0	0	Statistically Significantly Lower
BOSTON	116	48199	241	197	284	Not Statistically Significantly Different
BOURNE	4	1793	223	61	571	Not Statistically Significantly Different
BOXBOROUGH	NS	NS	NS	NS	NS	NS
BOXFORD	2	1274	157	19	567	Not Statistically Significantly Different
BOYLSTON	0	497	0	0	0	Statistically Significantly Lower
BRAINTREE	19	3955	480	289	749	Statistically Significantly Higher
BREWSTER	NS	NS	NS	NS	NS	NS
BRIDGEWATER	13	2886	450	240	770	Not Statistically Significantly Different
BRIMFIELD	NS	NS	NS	NS	NS	NS

† City/Town refers to the city/town of the child's residence

* per 100,000 students

** all types combined includes 18 students with diabetes of unknown type

NS--Data not shown due to small numbers

**Prevalence of All Types of Diabetes in Massachusetts Students
Aged 5-14 by Community of Child's Residence, 2008-2009**

City/Town†	Number of Students with All Types Combined**	Total Enrollment	Prevalence*	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Statistical Significance
BROCKTON	27	11406	237	148	326	Not Statistically Significantly Different
BROOKFIELD	0	345	0	0	0	Statistically Significantly Lower
BROOKLINE	8	4586	174	75	344	Not Statistically Significantly Different
BUCKLAND	0	184	0	0	0	Statistically Significantly Lower
BURLINGTON	6	2725	220	81	480	Not Statistically Significantly Different
CAMBRIDGE	7	5260	133	53	274	Not Statistically Significantly Different
CANTON	11	2555	431	215	771	Not Statistically Significantly Different
CARLISLE	0	767	0	0	0	Statistically Significantly Lower
CARVER	3	1423	211	43	616	Not Statistically Significantly Different
CHARLEMONT	0	121	0	0	0	Statistically Significantly Lower
CHARLTON	6	1741	345	126	751	Not Statistically Significantly Different
CHATHAM	NS	NS	NS	NS	NS	NS
CHELMSFORD	9	3949	228	104	433	Not Statistically Significantly Different
CHELSEA	5	4152	120	39	281	Not Statistically Significantly Different
CHESHIRE	NS	NS	NS	NS	NS	NS
CHESTER	0	133	0	0	0	Statistically Significantly Lower
CHESTERFIELD	0	134	0	0	0	Statistically Significantly Lower
CHICOPEE	17	5555	306	178	490	Not Statistically Significantly Different
CHILMARK	0	72	0	0	0	Statistically Significantly Lower
CLARKSBURG	0	200	0	0	0	Statistically Significantly Lower
CLINTON	5	1412	354	115	825	Not Statistically Significantly Different
COHASSET	NS	NS	NS	NS	NS	NS
COLRAIN	NS	NS	NS	NS	NS	NS
CONCORD	10	2077	481	231	886	Not Statistically Significantly Different
CONWAY	0	233	0	0	0	Statistically Significantly Lower
CUMMINGTON	0	74	0	0	0	Statistically Significantly Lower
DALTON	NS	NS	NS	NS	NS	NS
DANVERS	7	2770	253	101	521	Not Statistically Significantly Different
DARTMOUTH	11	3109	354	177	633	Not Statistically Significantly Different
DEDHAM	5	2428	206	67	480	Not Statistically Significantly Different
DEERFIELD	NS	NS	NS	NS	NS	NS
DENNIS	NS	NS	NS	NS	NS	NS
DIGHTON	NS	NS	NS	NS	NS	NS
DOUGLAS	4	1234	324	88	830	Not Statistically Significantly Different
DOVER	0	1035	0	0	0	Statistically Significantly Lower
DRACUT	8	3480	230	99	453	Not Statistically Significantly Different
DUDLEY	4	1315	304	83	779	Not Statistically Significantly Different
DUNSTABLE	0	498	0	0	0	Statistically Significantly Lower
DUXBURY	6	2323	258	95	563	Not Statistically Significantly Different
EAST BRIDGEWATER	2	1806	111	13	400	Not Statistically Significantly Different
EAST BROOKFIELD	NS	NS	NS	NS	NS	NS
EAST LONGMEADOW	0	1898	0	0	0	Statistically Significantly Lower
EASTHAM	NS	NS	NS	NS	NS	NS
EASTHAMPTON	1	1346	74	2	414	Not Statistically Significantly Different

† City/Town refers to the city/town of the child's residence

* per 100,000 students

** all types combined includes 18 students with diabetes of unknown type

NS--Data not shown due to small numbers

**Prevalence of All Types of Diabetes in Massachusetts Students
Aged 5-14 by Community of Child's Residence, 2008-2009**

City/Town†	Number of Students with All Types Combined**	Total Enrollment	Prevalence*	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Statistical Significance
EASTON	3	2763	109	22	317	Not Statistically Significantly Different
EDGARTOWN	NS	NS	NS	NS	NS	NS
EGREMONT	0	79	0	0	0	Statistically Significantly Lower
ERVING	0	208	0	0	0	Statistically Significantly Lower
ESSEX	0	397	0	0	0	Statistically Significantly Lower
EVERETT	6	4199	143	52	312	Not Statistically Significantly Different
FAIRHAVEN	5	1487	336	109	783	Not Statistically Significantly Different
FALL RIVER	26	9239	281	173	389	Not Statistically Significantly Different
FALMOUTH	10	2718	368	177	677	Not Statistically Significantly Different
FITCHBURG	8	4237	189	81	372	Not Statistically Significantly Different
FLORIDA	0	88	0	0	0	Statistically Significantly Lower
FOXBOROUGH	3	2110	142	29	415	Not Statistically Significantly Different
FRAMINGHAM	18	6403	281	167	444	Not Statistically Significantly Different
FRANKLIN	13	4883	266	142	455	Not Statistically Significantly Different
FREETOWN	6	999	601	220	1309	Not Statistically Significantly Different
GARDNER	3	2014	149	31	435	Not Statistically Significantly Different
GEORGETOWN	6	1179	509	187	1109	Not Statistically Significantly Different
GILL	0	136	0	0	0	Statistically Significantly Lower
GLOUCESTER	10	2718	368	177	677	Not Statistically Significantly Different
GOSHEN	0	96	0	0	0	Statistically Significantly Lower
GOSNOLD	0	1	0	0	0	Statistically Significantly Lower
GRAFTON	10	2314	432	207	795	Not Statistically Significantly Different
GRANBY	NS	NS	NS	NS	NS	NS
GRANVILLE	NS	NS	NS	NS	NS	NS
GREAT BARRINGTON	NS	NS	NS	NS	NS	NS
GREENFIELD	2	1522	131	16	474	Not Statistically Significantly Different
GROTON	4	1680	238	65	610	Not Statistically Significantly Different
GROVELAND	NS	NS	NS	NS	NS	NS
HADLEY	NS	NS	NS	NS	NS	NS
HALIFAX	NS	NS	NS	NS	NS	NS
HAMILTON	NS	NS	NS	NS	NS	NS
HAMPDEN	NS	NS	NS	NS	NS	NS
HANCOCK	0	61	0	0	0	Statistically Significantly Lower
HANOVER	5	2145	233	76	543	Not Statistically Significantly Different
HANSON	6	1414	424	156	925	Not Statistically Significantly Different
HARDWICK	0	349	0	0	0	Statistically Significantly Lower
HARVARD	NS	NS	NS	NS	NS	NS
HARWICH	NS	NS	NS	NS	NS	NS
HATFIELD	0	284	0	0	0	Statistically Significantly Lower
HAVERHILL	13	6379	204	108	348	Not Statistically Significantly Different
HAWLEY	0	19	0	0	0	Statistically Significantly Lower
HEATH	0	78	0	0	0	Statistically Significantly Lower
HINGHAM	7	2858	245	98	505	Not Statistically Significantly Different
HINSDALE	NS	NS	NS	NS	NS	NS

† City/Town refers to the city/town of the child's residence

* per 100,000 students

** all types combined includes 18 students with diabetes of unknown type

NS--Data not shown due to small numbers

**Prevalence of All Types of Diabetes in Massachusetts Students
Aged 5-14 by Community of Child's Residence, 2008-2009**

City/Town†	Number of Students with All Types Combined**	Total Enrollment	Prevalence*	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Statistical Significance
HOLBROOK	NS	NS	NS	NS	NS	NS
HOLDEN	6	2720	221	81	481	Not Statistically Significantly Different
HOLLAND	NS	NS	NS	NS	NS	NS
HOLLISTON	7	1931	363	145	747	Not Statistically Significantly Different
HOLYOKE	9	3947	228	104	433	Not Statistically Significantly Different
HOPEDALE	NS	NS	NS	NS	NS	NS
HOPKINTON	8	2345	341	147	672	Not Statistically Significantly Different
HUBBARDSTON	6	626	958	352	2089	Statistically Significantly Higher
HUDSON	3	2087	144	30	420	Not Statistically Significantly Different
HULL	NS	NS	NS	NS	NS	NS
HUNTINGTON	0	241	0	0	0	Statistically Significantly Lower
IPSWICH	7	1424	492	197	1013	Not Statistically Significantly Different
KINGSTON	3	1714	175	36	511	Not Statistically Significantly Different
LAKEVILLE	2	1442	139	17	501	Not Statistically Significantly Different
LANCASTER	0	785	0	0	0	Statistically Significantly Lower
LANESBOROUGH	NS	NS	NS	NS	NS	NS
LAWRENCE	16	10280	156	89	252	Statistically Significantly Lower
LEE	0	550	0	0	0	Statistically Significantly Lower
LEICESTER	7	1265	553	222	1140	Not Statistically Significantly Different
LENOX	NS	NS	NS	NS	NS	NS
LEOMINSTER	15	4797	313	175	516	Not Statistically Significantly Different
LEVERETT	NS	NS	NS	NS	NS	NS
LEXINGTON	11	4352	253	126	452	Not Statistically Significantly Different
LEYDEN	NS	NS	NS	NS	NS	NS
LINCOLN	NS	NS	NS	NS	NS	NS
LITTLETON	1	1284	78	2	434	Not Statistically Significantly Different
LONGMEADOW	3	2186	137	28	401	Not Statistically Significantly Different
LOWELL	27	11550	234	146	322	Not Statistically Significantly Different
LUDLOW	10	2161	463	222	851	Not Statistically Significantly Different
LUNENBURG	3	1220	246	51	718	Not Statistically Significantly Different
LYNN	17	10326	165	96	263	Not Statistically Significantly Different
LYNNFIELD	4	1681	238	65	609	Not Statistically Significantly Different
MALDEN	9	4701	191	88	364	Not Statistically Significantly Different
MANCHESTER	NS	NS	NS	NS	NS	NS
MANSFIELD	14	3607	388	212	652	Not Statistically Significantly Different
MARBLEHEAD	14	2652	528	288	887	Statistically Significantly Higher
MARION	NS	NS	NS	NS	NS	NS
MARLBOROUGH	14	3884	360	197	606	Not Statistically Significantly Different
MARSHFIELD	15	3369	445	249	735	Not Statistically Significantly Different
MASHPEE	3	1286	233	48	681	
MATTAPOISETT	NS	NS	NS	NS	NS	NS
MAYNARD	NS	NS	NS	NS	NS	NS
MEDFIELD	8	2153	372	160	732	Not Statistically Significantly Different
MEDFORD	16	4012	399	228	646	Not Statistically Significantly Different

† City/Town refers to the city/town of the child's residence

* per 100,000 students

** all types combined includes 18 students with diabetes of unknown type

NS--Data not shown due to small numbers

**Prevalence of All Types of Diabetes in Massachusetts Students
Aged 5-14 by Community of Child's Residence, 2008-2009**

City/Town [†]	Number of Students with All Types Combined**	Total Enrollment	Prevalence*	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Statistical Significance
MEDWAY	9	1972	456	209	867	Not Statistically Significantly Different
MELROSE	7	2924	239	96	493	Not Statistically Significantly Different
MENDON	NS	NS	NS	NS	NS	NS
MERRIMAC	NS	NS	NS	NS	NS	NS
METHUEN	19	5718	332	200	518	Not Statistically Significantly Different
MIDDLEBOROUGH	11	2800	393	196	703	Not Statistically Significantly Different
MIDDLEFIELD	0	45	0	0	0	Statistically Significantly Lower
MIDDLETON	NS	NS	NS	NS	NS	NS
MILFORD	9	3022	298	136	566	Not Statistically Significantly Different
MILLBURY	4	1362	294	80	752	Not Statistically Significantly Different
MILLIS	NS	NS	NS	NS	NS	NS
MILLVILLE	0	468	0	0	0	Statistically Significantly Lower
MILTON	5	3299	152	49	353	Not Statistically Significantly Different
MONROE	0	16	0	0	0	Statistically Significantly Lower
MONSON	NS	NS	NS	NS	NS	NS
MONTAGUE	NS	NS	NS	NS	NS	NS
MONTEREY	0	62	0	0	0	Statistically Significantly Lower
MONTGOMERY	0	69	0	0	0	Statistically Significantly Lower
MOUNT WASHINGTON	0	11	0	0	0	Statistically Significantly Lower
NAHANT	NS	NS	NS	NS	NS	NS
NANTUCKET	NS	NS	NS	NS	NS	NS
NATICK	10	3909	256	123	471	Not Statistically Significantly Different
NEEDHAM	9	4282	210	96	399	Not Statistically Significantly Different
NEW ASHFORD	0	25	0	0	0	Statistically Significantly Lower
NEW BEDFORD	29	9948	292	186	397	Not Statistically Significantly Different
NEW BRAINTREE	NS	NS	NS	NS	NS	NS
NEW MARLBOROUGH	NS	NS	NS	NS	NS	NS
NEW SALEM	0	87	0	0	0	Statistically Significantly Lower
NEWBURY	0	783	0	0	0	Statistically Significantly Lower
NEWBURYPORT	3	1782	168	35	492	Not Statistically Significantly Different
NEWTON	22	9261	238	138	337	Not Statistically Significantly Different
NORFOLK	4	1436	279	76	713	Not Statistically Significantly Different
NORTH ADAMS	NS	NS	NS	NS	NS	NS
NORTH ANDOVER	11	3839	287	143	513	Not Statistically Significantly Different
NORTH ATTLEBORO	9	3805	237	108	449	Not Statistically Significantly Different
NORTH BROOKFIELD	NS	NS	NS	NS	NS	NS
NORTH READING	5	2051	244	79	568	Not Statistically Significantly Different
NORTHAMPTON	7	2195	319	128	657	Not Statistically Significantly Different
NORTHBOROUGH	7	1980	354	142	728	Not Statistically Significantly Different
NORTHBRIDGE	3	2041	147	30	429	Not Statistically Significantly Different
NORTHFIELD	0	375	0	0	0	Statistically Significantly Lower
NORTON	6	2353	255	94	556	Not Statistically Significantly Different
NORWELL	3	1731	173	36	506	Not Statistically Significantly Different
NORWOOD	12	2710	443	229	775	Not Statistically Significantly Different

† City/Town refers to the city/town of the child's residence

* per 100,000 students

** all types combined includes 18 students with diabetes of unknown type

NS--Data not shown due to small numbers

**Prevalence of All Types of Diabetes in Massachusetts Students
Aged 5-14 by Community of Child's Residence, 2008-2009**

City/Town†	Number of Students with All Types Combined**	Total Enrollment	Prevalence*	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Statistical Significance
OAK BLUFFS	NS	NS	NS	NS	NS	NS
OAKHAM	NS	NS	NS	NS	NS	NS
ORANGE	NS	NS	NS	NS	NS	NS
ORLEANS	NS	NS	NS	NS	NS	NS
OTIS	NS	NS	NS	NS	NS	NS
OXFORD	1	1437	70	2	388	Not Statistically Significantly Different
PALMER	9	1371	656	301	1247	Statistically Significantly Higher
PAXTON	0	532	0	0	0	Statistically Significantly Lower
PEABODY	14	4914	285	156	479	Not Statistically Significantly Different
PELHAM	NS	NS	NS	NS	NS	NS
PEMBROKE	9	2558	352	161	668	Not Statistically Significantly Different
PEPPERELL	4	1518	264	72	675	Not Statistically Significantly Different
PERU	0	95	0	0	0	Statistically Significantly Lower
PETERSHAM	0	135	0	0	0	Statistically Significantly Lower
PHILLIPSTON	NS	NS	NS	NS	NS	NS
PITTSFIELD	10	4606	217	104	399	Not Statistically Significantly Different
PLAINFIELD	0	49	0	0	0	Statistically Significantly Lower
PLAINVILLE	NS	NS	NS	NS	NS	NS
PLYMOUTH	16	6179	259	148	419	Not Statistically Significantly Different
PLYMPTON	0	317	0	0	0	Statistically Significantly Lower
PRINCETON	0	436	0	0	0	Statistically Significantly Lower
PROVINCETOWN	0	90	0	0	0	Statistically Significantly Lower
QUINCY	19	6679	284	171	444	Not Statistically Significantly Different
RANDOLPH	2	2900	69	8	249	Statistically Significantly Lower
RAYNHAM	7	1684	416	167	856	Not Statistically Significantly Different
READING	4	3195	125	34	321	Not Statistically Significantly Different
REHOBOTH	6	1350	444	163	969	Not Statistically Significantly Different
REVERE	12	4525	265	137	464	Not Statistically Significantly Different
RICHMOND	1	132	758	19	4220	Not Statistically Significantly Different
ROCHESTER	NS	NS	NS	NS	NS	NS
ROCKLAND	7	2025	346	139	712	Not Statistically Significantly Different
ROCKPORT	0	650	0	0	0	Statistically Significantly Lower
ROWE	0	42	0	0	0	Statistically Significantly Lower
ROWLEY	0	742	0	0	0	Statistically Significantly Lower
ROYALSTON	0	132	0	0	0	Statistically Significantly Lower
RUSSELL	NS	NS	NS	NS	NS	NS
RUTLAND	10	1251	799	384	1471	Statistically Significantly Higher
SALEM	6	3385	177	65	386	Not Statistically Significantly Different
SALISBURY	1	793	126	3	702	Not Statistically Significantly Different
SANDISFIELD	0	74	0	0	0	Statistically Significantly Lower
SANDWICH	11	2707	406	203	727	Not Statistically Significantly Different
SAUGUS	11	2475	444	222	796	Not Statistically Significantly Different
SAVOY	0	88	0	0	0	Statistically Significantly Lower
SCITUATE	10	2487	402	193	740	Not Statistically Significantly Different

† City/Town refers to the city/town of the child's residence

* per 100,000 students

** all types combined includes 18 students with diabetes of unknown type

NS--Data not shown due to small numbers

**Prevalence of All Types of Diabetes in Massachusetts Students
Aged 5-14 by Community of Child's Residence, 2008-2009**

City/Town†	Number of Students with All Types Combined**	Total Enrollment	Prevalence*	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Statistical Significance
SEEKONK	5	1491	335	109	781	Not Statistically Significantly Different
SHARON	5	2558	195	63	455	Not Statistically Significantly Different
SHEFFIELD	0	339	0	0	0	Statistically Significantly Lower
SHELBURNE	NS	NS	NS	NS	NS	NS
SHERBORN	NS	NS	NS	NS	NS	NS
SHIRLEY	NS	NS	NS	NS	NS	NS
SHREWSBURY	15	4555	329	184	543	Not Statistically Significantly Different
SHUTESBURY	0	161	0	0	0	Statistically Significantly Lower
SOMERSET	2	1752	114	14	412	Not Statistically Significantly Different
SOMERVILLE	4	3849	104	28	266	Not Statistically Significantly Different
SOUTH HADLEY	6	1507	398	146	868	Not Statistically Significantly Different
SOUTHAMPTON	NS	NS	NS	NS	NS	NS
SOUTHBOROUGH	7	1625	431	173	887	Not Statistically Significantly Different
SOUTHBRIDGE	7	1837	381	153	785	Not Statistically Significantly Different
SOUTHWICK	4	1210	331	90	846	Not Statistically Significantly Different
SPENCER	2	1270	157	19	569	Not Statistically Significantly Different
SPRINGFIELD	47	20848	225	161	290	Not Statistically Significantly Different
STERLING	NS	NS	NS	NS	NS	NS
STOCKBRIDGE	0	132	0	0	0	Statistically Significantly Lower
STONEHAM	7	2172	322	129	664	Not Statistically Significantly Different
STOUGHTON	7	2753	254	102	524	Not Statistically Significantly Different
STOW	NS	NS	NS	NS	NS	NS
STURBRIDGE	NS	NS	NS	NS	NS	NS
SUDBURY	11	3097	355	177	636	Not Statistically Significantly Different
SUNDERLAND	0	280	0	0	0	Statistically Significantly Lower
SUTTON	7	1274	549	220	1132	Not Statistically Significantly Different
SWAMPSCOTT	4	1513	264	72	677	Not Statistically Significantly Different
SWANSEA	4	1605	249	68	638	Not Statistically Significantly Different
TAUNTON	22	6268	351	205	497	Not Statistically Significantly Different
TEMPLETON	NS	NS	NS	NS	NS	NS
TEWKSBURY	9	3435	262	120	498	Not Statistically Significantly Different
TISBURY	NS	NS	NS	NS	NS	NS
TOLLAND	0	51	0	0	0	Statistically Significantly Lower
TOPSFIELD	NS	NS	NS	NS	NS	NS
TOWNSEND	NS	NS	NS	NS	NS	NS
TRURO	NS	NS	NS	NS	NS	NS
TYNGSBOROUGH	1	1544	65	2	361	Not Statistically Significantly Different
TYRINGHAM	0	23	0	0	0	Statistically Significantly Lower
UPTON	NS	NS	NS	NS	NS	NS
UXBRIDGE	6	1698	353	130	770	Not Statistically Significantly Different
WAKEFIELD	6	2567	234	86	510	Not Statistically Significantly Different
WALES	NS	NS	NS	NS	NS	NS
WALPOLE	10	3198	313	150	575	Not Statistically Significantly Different
WALTHAM	6	3519	171	63	372	Not Statistically Significantly Different

† City/Town refers to the city/town of the child's residence

* per 100,000 students

** all types combined includes 18 students with diabetes of unknown type

NS--Data not shown due to small numbers

**Prevalence of All Types of Diabetes in Massachusetts Students
Aged 5-14 by Community of Child's Residence, 2008-2009**

City/Town [†]	Number of Students with All Types Combined**	Total Enrollment	Prevalence*	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Statistical Significance
WARE	NS	NS	NS	NS	NS	NS
WAREHAM	5	2279	219	71	511	Not Statistically Significantly Different
WARREN	NS	NS	NS	NS	NS	NS
WARWICK	0	74	0	0	0	Statistically Significantly Lower
WASHINGTON	0	38	0	0	0	Statistically Significantly Lower
WATERTOWN	2	2032	98	12	355	Not Statistically Significantly Different
WAYLAND	4	1869	214	58	548	Not Statistically Significantly Different
WEBSTER	4	1691	237	64	606	Not Statistically Significantly Different
WELLESLEY	13	4237	307	163	525	Not Statistically Significantly Different
WELLFLEET	NS	NS	NS	NS	NS	NS
WENDELL	NS	NS	NS	NS	NS	NS
WENHAM	NS	NS	NS	NS	NS	NS
WEST BOYLSTON	NS	NS	NS	NS	NS	NS
WEST BRIDGEWATER	NS	NS	NS	NS	NS	NS
WEST BROOKFIELD	NS	NS	NS	NS	NS	NS
WEST NEWBURY	NS	NS	NS	NS	NS	NS
WEST SPRINGFIELD	8	2853	280	121	552	Not Statistically Significantly Different
WEST STOCKBRIDGE	NS	NS	NS	NS	NS	NS
WEST TISBURY	0	263	0	0	0	Statistically Significantly Lower
WESTBOROUGH	11	2440	451	225	807	Not Statistically Significantly Different
WESTFIELD	16	4302	372	213	603	Not Statistically Significantly Different
WESTFORD	15	3760	399	223	658	Not Statistically Significantly Different
WESTHAMPTON	NS	NS	NS	NS	NS	NS
WESTMINSTER	0	924	0	0	0	Statistically Significantly Lower
WESTON	8	1829	437	189	862	Not Statistically Significantly Different
WESTPORT	8	1539	520	224	1024	Not Statistically Significantly Different
WESTWOOD	11	2358	466	233	835	Not Statistically Significantly Different
WEYMOUTH	12	5347	224	116	393	Not Statistically Significantly Different
WHATELY	0	177	0	0	0	Statistically Significantly Lower
WHITMAN	6	1758	341	125	744	Not Statistically Significantly Different
WILBRAHAM	3	1799	167	34	487	Not Statistically Significantly Different
WILLIAMSBURG	0	200	0	0	0	Statistically Significantly Lower
WILLIAMSTOWN	NS	NS	NS	NS	NS	NS
WILMINGTON	10	2918	343	164	631	Not Statistically Significantly Different
WINCHENDON	1	1333	75	2	418	Not Statistically Significantly Different
WINCHESTER	7	2949	237	95	489	Not Statistically Significantly Different
WINDSOR	NS	NS	NS	NS	NS	NS
WINTHROP	0	1543	0	0	0	Statistically Significantly Lower
WOBURN	11	3526	312	156	558	Not Statistically Significantly Different
WORCESTER	44	18836	234	165	303	Not Statistically Significantly Different
WORTHINGTON	0	94	0	0	0	Statistically Significantly Lower
WRENTHAM	5	1564	320	104	745	Not Statistically Significantly Different
YARMOUTH	4	1797	223	61	570	Not Statistically Significantly Different
STATEWIDE	1890	696105	272	259	284	---

† City/Town refers to the city/town of the child's residence

* per 100,000 students

** all types combined includes 18 students with diabetes of unknown type

NS--Data not shown due to small numbers