



# Department of Environmental Protection

Southeast Regional Office • 20 Riverside Drive, Lakeville MA 02347 • 508-946-2700

Charles D. Baker  
Governor

Karyn E. Polito  
Lieutenant Governor

Bethany A. Card  
Secretary

Martin Suuberg  
Commissioner

## PUBLIC NOTICE

September 8, 2022

Pursuant to Regulation 310 CMR 7.02(3)(h), notice is given of the following Non-Major Plan Application and MassDEP's proposed decision on a Non-Major Plan Application for the following Facility:

<b>City/Town:</b>	WRENTHAM
<b>Facility Name</b>	Capstan Atlantic
<b>Applicant</b>	Mr. Michael Smith
<b>Location</b>	10 Cushing Drive, Wrentham, MA
<b>eplace Application No.:</b>	22-AQ02P-0007-APP
<b>Proposed Action</b>	Non-Major Comprehensive Plan Approval
<b>Purpose:</b>	The Application proposes to operate ten existing sintering lines, and to construct two additional sintering lines at the Capstan Atlantic facility.

The Plan Application and MassDEP's proposed decision are available on the EEA ePLACE Public Access Portal at <https://eeaonline.eea.state.ma.us/EEA/PublicApp/>. \* The Plan Application, MassDEP's proposed decision, and the administrative record also are available for inspection by contacting the undersigned at the above letterhead address or at (505) 946-2824. Comments on the proposed decision must be submitted in writing by October 10, 2022. Comments may be submitted via the Public Access Portal, via electronic mail to [thomas.cushing@Mass.gov](mailto:thomas.cushing@Mass.gov), or via mail to the letterhead address above.

Failure of a person or group of ten persons to provide written comments on MassDEP's proposed decision shall result in the waiver of any right to request an adjudicatory hearing on MassDEP's decision pursuant to 310 CMR 7.51(1), Rules to Request an Adjudicatory Hearing.

Any person, or group of ten persons, who wants to receive a copy of MassDEP's final decision on the date MassDEP issues the decision to the applicant, must submit a written request via electronic mail or regular mail to:

Thomas Cushing  
Permit Chief, Bureau of Air and Waste  
Email: [thomas.cushing@Mass.gov](mailto:thomas.cushing@Mass.gov)  
Mail: 20 Riverside Drive, Lakeville, MA 02347

\* On the Main page, click on the orange "Search and/ or Comment" button and click on the application you wish to review or comment on.

This information is available in alternate format. Contact Glynis Bugg at 617-348-4040.

TTY# MassRelay Service 1-800-439-2370

MassDEP Website: [www.mass.gov/dep](http://www.mass.gov/dep)

Printed on Recycled Paper