#### 101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

#### Section

320.01: General Provisions

320.02: Definitions

320.03: Covered and Excluded Billing Situations 320.04: General Rate Provisions and Maximum Fees

320.05: Allowable Fees

320.06: Filing and Reporting Requirements

320.07: Severability

#### 320.01: General Provisions

- (1) <u>Scope and Purpose</u>. 101 CMR 320.00 governs the payment rates for clinical laboratory services rendered to publicly aided individuals. The rates set forth in 101 CMR 320.00 do not apply to individuals covered by M.G.L. c. 152 (the Workers' Compensation Act). Rates for services rendered to such individuals are set forth in 114.3 CMR 40.00: *Rates for Services under M.G.L. c.* 152, Workers' Compensation Act.
- (2) <u>Applicable Dates of Service</u>. Rates contained in 101 CMR 320.00 apply for dates of service provided on or after <u>August September</u> 1, 202<u>42</u>.
- (3) <u>Coverage</u>. The payment rates in 101 CMR 320.00 are full compensation for clinical laboratory services rendered to publicly aided individuals.
- (4) <u>Coding Updates and Corrections</u>. EOHHS may publish procedure code updates and corrections in the form of an administrative bulletin. Updates may reference coding systems including, but not limited to, the American Medical Association's *Current Procedural Terminology (CPT)*. The publication of such updates and corrections lists
  - (a) codes for which only the code numbers changed, with the corresponding cross-references between existing and new codes;
  - (b) deleted codes for which there are no corresponding new codes; and
  - (c) codes for entirely new services that require pricing. EOHHS may list and price these codes according to the rate methodology used in setting clinical laboratory rates when Medicare fees are available (including, for codes relating to Coronavirus Disease 2019 (COVID-19), at 100% of Medicare fees). When Medicare fees are not available, EOHHS may apply individual consideration (I.C.) in reimbursing for these codes until appropriate rates can be developed.
- (5) Administrative Bulletins. EOHHS may issue administrative bulletins to:
  - (a) clarify its policy on and understanding of substantive provisions of 101 CMR 320.00;
  - (b) specify any clinical laboratory services subject to selective, volume purchase, preferred supplier, or preferred provider contract(s) between a vendor or provider and governmental unit(s), the governmental unit(s) and eligible vendor(s) or provider(s) subject to the contract; the duration of the contract, the prices at which such clinical laboratory services will be

#### 101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

available to eligible providers (as defined by the contract, if applicable), the rates which eligible providers (as defined by the contract) will be paid by the relevant governmental unit(s) for such clinical laboratory services, and any other information deemed necessary by EOHHS;

- (c) specify any clinical laboratory services subject to rebate agreement(s) between a manufacturer and governmental unit(s), the governmental unit(s) and eligible providers subject to the agreement, the duration of the rebate agreement, the rates which will be paid to eligible providers (as defined by the applicable rebate agreement) by the relevant governmental unit(s) for the specified clinical laboratory services, and any other information deemed necessary by EOHHS.
- (6) <u>Disclaimer of Authorization of Services</u>. 101 CMR 320.00 is neither authorization for nor approval of the substantive services for which rates are determined pursuant to 101 CMR 320.00. governmental units that purchase care are responsible for the definition, authorization, and approval of care and services extended to publicly aided individuals.

#### 320.02: Definitions

As used in 101 CMR 320.00, terms have the meanings ascribed in 101 CMR 320.02.

<u>Allowable Fee</u>. The amount of reimbursement that is paid by all governmental units for a laboratory service, as set forth in 101 CMR 320.04 and 101 CMR 320.05.

<u>Bulk Purchase</u>. A single purchase of a laboratory service (one or more tests) to be uniformly and concurrently performed on a minimum of 40 specimens of the same type. A single purchase of various, non-uniform laboratory services, such as by a physician, is not considered a bulk purchase, regardless of the number of specimens presented by such a purchaser to the laboratory.

<u>Charge</u>. The price of a laboratory service as determined by the clinical laboratory performing the service.

<u>Clinical Laboratory</u>. A laboratory where microbiological, chemical, hematological, biophysical, cytological, immuno-hematological, or pathological examinations are performed on materials derived from the human body to provide information for the diagnosis, prevention, or treatment of a disease or assessment of a medical condition.

Center. The Center for Health Information and Analysis established under M.G.L. c. 12C.

Eligible Provider of Laboratory Services. A person licensed by an appropriate Board of Registration to perform clinical laboratory services, such registration being in accordance with the provisions of M.G.L. c. 112; or an independent laboratory. Such persons and laboratories must meet all conditions of participation that have been or may be adopted by a governmental unit that purchases laboratory services. For purposes of 101 CMR 320.00, eligible providers of laboratory services do not include hospital laboratories.

EOHHS. The Executive Office of Health and Human Services established under M.G.L. c. 6A.

#### 101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

<u>Fee Schedule</u>. (Description of Service and HCPCS/CPT Procedure Code). The Healthcare Common Procedure Coding System (HCPCS), which is based upon the American Medical Association (AMA) Current Procedural Terminology (CPT), is the basis by which all procedures are performed. The CPT handbook is updated by the AMA annually. All non-physician codes and terminology is defined by the Centers for Medicare & Medicaid Services (CMS) and set forth in the HCPCS file.

Governmental Unit. The Commonwealth, any department, division, agency, board, or commission of the Commonwealth and any political subdivision of the Commonwealth.

<u>Independent Clinical Laboratory</u>. A clinical laboratory that is operated independently from a hospital or from an attending or consulting physician's office. If the laboratory is operated or directed by one or more licensed physicians, it must offer its services to other physicians to qualify as an independent clinical laboratory. In cases where two or more distinct, physically separated laboratory facilities operate under the same name and the same director, each facility that performs clinical laboratory services is treated as a separate independent clinical laboratory.

<u>Profile (or Panel) Tests</u>. Any group of tests, whether performed manually, automated, or semi-automated, that is ordered for a specific patient on a specified day, and has at least one of the following characteristics.

- (a) The group of tests is designated as a profile or panel by the clinical laboratory performing the tests.
- (b) The group of tests is performed by the clinical laboratory and the customary charge is less than the sum of that clinical laboratory's usual and customary charges for the individual tests in that group.

<u>Publicly Aided Individual</u>. A person who receives medical care and services for which a governmental unit is liable, in whole or in part, under a statutory program of public assistance.

Rate. The lesser of the charge or the allowable fee, as defined in 101 CMR 320.02.

<u>Usual and Customary Charge</u>. The lowest fee charged by an independent clinical laboratory for any laboratory service (including individual and profile tests) specified by 101 CMR 320.00 or by such independent clinical laboratory, which fee is in effect at the time such laboratory service is performed, other than a fee offered for a bulk purchase, as defined in 101 CMR 320.02.

#### 320.03: Covered and Excluded Billing Situations

- (1) <u>Covered Billing Situations</u>. Except as provided in 101 CMR 320.03(2), the method of determining rates of payment contained in 101 CMR 320.00 apply to clinical laboratory services provided to publicly aided individuals, with the following conditions.
  - (a) If clinical laboratory services are performed by an independent clinical laboratory, then the independent clinical laboratory must bill the governmental unit directly. The independent clinical laboratory may not bill indirectly by having a physician or dentist bill either the payer or the patient for services performed by the independent clinical laboratory.

#### 101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

- (b) If clinical laboratory services are performed by a registered physician or dentist, or by an agent under his or her direct supervision, in his or her private medical office or clinic, then the registered physician or dentist must bill the governmental unit directly.
- (2) <u>Excluded Billing Situations</u>. 101 CMR 320.00 and the rates of payment contained in 101 CMR 320.00 do not govern the rates of payment for clinical laboratory services if
  - (a) the service is provided in state institutions by a state-employed physician, dentist, or dentist consultant;
  - (b) the service is provided by a physician or dentist whose salary from a hospital or affiliated medical school includes compensation for professional services rendered to patients; or
  - (c) the physician, dentist, or independent laboratory does not customarily bill private patients without health insurance under comparable circumstances.
- (3) <u>Professional and Technical Component Services</u>. Some laboratory services have both professional and technical components. The professional component is set forth in 101 CMR 316.00: *Rates for Surgery and Anesthesia Services*, while the technical component is set forth in 101 CMR 320.00.
  - (a) The relevant codes for laboratory services containing both professional and technical components are 83020, 84165, 84166, 84181, 84182, 85390, 85576, 86255, 86256, 86320, 86325, 86327, 86334, 86335, 87164, 87207, and 89060.
  - (b) Surgical pathology services are excluded from 101 CMR 320.00 and instead included in 101 CMR 316.00: *Rates for Surgery and Anesthesia Services*. Surgical pathology services include codes 80503, 80504, 80505, 80506, 85060, 85097, 85396, 86077, 86078, 86079, 86153, 86486, 86490, 86510, 86580, 88104, 88106, 88108, 88112, 88120, 88121, 88125, 88141, 88160, 88161, 88162, 88172, 88173, 88177, 88182, 88184, 88185, 88187, 88188, 88189, 88199, 88291, 88299, 88300, 88302, 88304, 88305, 88307, 88309, 88311, 88312, 88313, 88314, 88319, 88321, 88323, 88325, 88329, 88331, 88332, 88333, 88334, 88341, 88344, 88346, 88348, 88350, 88355, 88356, 88358, 88360, 88361, 88362, 88363, 88365, 88366, 88367, 88368, 88369, 88374, 88375, 88377, 88380, 88381, 88387, 88388, 88399, 89049, 89060, 89220, 89230, and 89240.

#### 320.04: General Rate Provisions and Maximum Fees

- (1) Rate Determination. Payment rates are the lowest of
  - (a) the eligible provider's usual and customary charge to patients other than publicly aided individuals or industrial accident patients;
  - (b) the applicable listing from the schedule of allowable fees listed in 101 CMR 320.05; or
  - (c) the amount that is allowable under 42 U.S.C. § 1396b(i)(7).
- (2) <u>Individual Consideration (I.C.)</u>. Unlisted procedures and laboratory tests designated I.C. are individually considered items. The eligible provider's bill for such a test must be accompanied by a brief report of the procedure or test performed and the eligible provider's usual and customary charge for that procedure or test. Determination of appropriate payments for procedures and tests designated I.C. are in accordance with the following standards and criteria:
  - (a) time required to perform the procedure;
  - (b) degree of skill required in the procedure performed;

#### 101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

- (c) severity or complexity of the patient's disease, disorder, or disability;
- (d) policies, procedures, and practices of other third-party purchasers of care;
- (e) prevailing medical-laboratory ethics and accepted custom of the medical-laboratory community; and
- (f) such other standards and criteria as may be adopted by EOHHS. In no event may an eligible provider bill or be paid in excess of the usual and customary charge for the service.
- (3) <u>Administrative and Supervisory Duties</u>. The rates of payment under 101 CMR 320.00 are full compensation for clinical laboratory services rendered to publicly aided individuals, as well as any related administrative or supervisory duties in connection with clinical laboratory services, without regard to where the service is rendered.
- (4) <u>Profile (or Panel) Tests</u>. In no event may an eligible provider bill or be paid separately for each of the tests included within a profile test when a profile test has either been performed by the provider or requested by an authorized person.

#### (5) <u>Limitations on Payment for Panel Tests</u>.

- (a) Any combination of the following tests when performed on a single patient on a single date of service is regarded as a single panel test:
- 80047 Basic Metabolic Panel -calcium, ionized (Consists of 82330, 82374, 82435, 82565, 82947, 84132, 84295, 84520): eight individual tests
- 80048 Basic Metabolic Panel -calcium, total (Consists of 82310, 82374, 82435, 82565, 82947, 84132, 84295, 84520): eight individual tests
- 80051 Electrolyte Panel (Consists of 82374, 82435, 84132, 84295): four individual tests
- 80053 Comprehensive Metabolic Panel (Consists of 82040, 82247, 82310, 82374, 82435, 82565, 82947, 84075, 84132, 84155, 84295, 84460, 84450, 84520): 14 individual tests
- 80061 Lipid Panel (Consists of 82465, 83718, 84478): three individual tests
- 80069 Renal Function Panel (Consists of 82040, 82310, 82374, 82435, 82565, 82947, 84100, 84132, 84295, 84520): ten individual tests
- 80076 Hepatic Function Panel (Consists of 82040, 82247, 82248, 84075, 84155, 84460, 84450): seven individual tests
- 82040 Albumin; serum
- 82247 Bilirubin: total
- 82248 Bilirubin; direct
- 82310 Calcium; total
- 82374 Carbon dioxide (bicarbonate)
- 82435 Chloride; blood
- 82465 Cholesterol, serum or whole blood, total
- 82550 Creatine kinase (CK), (CPK); total
- 82565 Creatinine; blood
- 82947 Glucose; quantitative
- 82977 Glutamyltransferase, gamma (GGT)
- 83615 Lactate dehydrogenase (LD), (LDH)
- 84075 Phosphatase, alkaline
- 84100 Phosphorus, inorganic (phosphate)

- 84132 Potassium; serum, plasma or whole blood
- 84155 Protein, total, except refractometry
- 84295 Sodium; serum, plasma or whole blood
- 84450 Transferase; aspatrate amino (AST) (SGOT)
- 84460 Transferase; alanine amino (ALT) (SGPT)
- 84478 Triglycerides
- 84520 Urea nitrogen; quantitative
- 84550 Uric acid; blood
- (b) Panel tests are reimbursed according to the following schedule.

Code	Rate	<del>Description</del>
ATP02	<del>\$5.45</del>	Auto Test Panel Pricing Code, 1-2 Tests
ATP03	<del>\$6.95</del>	Auto Test Panel Pricing Code, 3 Tests
ATP04	<del>\$7.34</del>	Auto Test Panel Pricing Code, 4 Tests
ATP05	<del>\$8.17</del>	Auto Test Panel Pricing Code, 5 Tests
ATP06	<del>\$8.19</del>	Auto Test Panel Pricing Code, 6 Tests
ATP07	<del>\$8.55</del>	Auto Test Panel Pricing Code, 7 Tests
ATP08	<del>\$8.85</del>	Auto Test Panel Pricing Code, 8 Tests
ATP09	<del>\$9.09</del>	Auto Test Panel Pricing Code, 9 Tests
ATP10	<del>\$9.09</del>	Auto Test Panel Pricing Code, 10 Tests
ATP11	<del>\$9.24</del>	Auto Test Panel Pricing Code, 11 Tests
ATP12	<del>\$9.43</del>	Auto Test Panel Pricing Code, 12 Tests
ATP13	<del>\$11.04</del>	Auto Test Panel Pricing Code, 13 Tests
ATP14	<del>\$11.04</del>	Auto Test Panel Pricing Code, 14 Tests
ATP15	<del>\$11.04</del>	Auto Test Panel Pricing Code, 15 Tests
ATP16	<del>\$11.04</del>	Auto Test Panel Pricing Code, 16 Tests
ATP17	<del>\$11.12</del>	Auto Test Panel Pricing Code, 17 Tests
ATP18	<del>\$11.12</del>	Auto Test Panel Pricing Code, 18 Tests
ATP19	<del>\$11.57</del>	Auto Test Panel Pricing Code, 19 Tests
ATP20	<del>\$11.95</del>	Auto Test Panel Pricing Code, 20 Tests
ATP21	<del>\$12.32</del>	Auto Test Panel Pricing Code, 21 Tests
ATP22	<del>\$12.69</del>	Auto Test Panel Pricing Code, 22 Tests
ATP23	<del>\$12.69</del>	Auto Test Panel Pricing Code, 23 or more Tests
<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>ATP02</u>	<u>\$5.60</u>	Auto Test Panel Pricing Code, 1-2 Tests
<u>ATP03</u>	<u>\$7.14</u>	Auto Test Panel Pricing Code, 3 Tests
<u>ATP04</u>	<u>\$7.54</u>	Auto Test Panel Pricing Code, 4 Tests
<u>ATP05</u>	<u>\$8.39</u>	Auto Test Panel Pricing Code, 5 Tests
<u>ATP06</u>	<u>\$8.41</u>	Auto Test Panel Pricing Code, 6 Tests
<u>ATP07</u>	<u>\$8.78</u>	Auto Test Panel Pricing Code, 7 Tests

## 101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

<u>ATP08</u>	\$9.09	Auto Test Panel Pricing Code, 8 Tests
<u>ATP09</u>	<u>\$9.34</u>	Auto Test Panel Pricing Code, 9 Tests
<u>ATP10</u>	\$9.34	Auto Test Panel Pricing Code, 10 Tests
<u>ATP11</u>	\$9.49	Auto Test Panel Pricing Code, 11 Tests
ATP12	<u>\$9.69</u>	Auto Test Panel Pricing Code, 12 Tests
ATP13	\$11.34	Auto Test Panel Pricing Code, 13 Tests
<u>ATP14</u>	<u>\$11.34</u>	Auto Test Panel Pricing Code, 14 Tests
<u>ATP15</u>	<u>\$11.34</u>	Auto Test Panel Pricing Code, 15 Tests
<u>ATP16</u>	<u>\$11.34</u>	Auto Test Panel Pricing Code, 16 Tests
<u>ATP17</u>	<u>\$11.42</u>	Auto Test Panel Pricing Code, 17 Tests
<u>ATP18</u>	<u>\$11.42</u>	Auto Test Panel Pricing Code, 18 Tests
<u>ATP19</u>	<u>\$11.89</u>	Auto Test Panel Pricing Code, 19 Tests
ATP20	<u>\$12.28</u>	Auto Test Panel Pricing Code, 20 Tests
<u>ATP21</u>	<u>\$12.66</u>	Auto Test Panel Pricing Code, 21 Tests
ATP22	<u>\$13.04</u>	Auto Test Panel Pricing Code, 22 Tests
<u>ATP23</u>	<u>\$13.04</u>	Auto Test Panel Pricing Code, 23 or more Tests

#### 320.05: Allowable Fees

<u>Code</u>	<u>Rate</u>	<u>Description</u>
	<u>Organ</u>	and Disease Oriented Panels
80047	<u>\$12.11</u>	Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)
80048	<u>\$7.46</u>	Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)
80050	<u>\$17.65</u>	General health panel This panel must include the following: Comprehensive metabolic panel (80053) Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Thyroid stimulating hormone (TSH) (84443)

<u>Code</u>	Rate	<b>Description</b>
80051	<u>\$6.18</u>	Electrolyte panel This panel must include the following: Carbon dioxide (bicarbonate) (82374) Chloride (82435) Potassium (84132) Sodium (84295)
<u>80053</u>	<u>\$9.31</u>	Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)
<u>80055</u>	<u>\$42.16</u>	Obstetric panel This panel must include the following: Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Hepatitis B surface antigen (HBsAg) (87340) Antibody, rubella (86762) Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART) (86592) Antibody screen, RBC, each serum technique (86850) Blood typing, ABO (86900) AND Blood typing, Rh (D) (86901)
<u>80061</u>	<u>\$11.81</u>	Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)
80069	<u>\$7.65</u>	Renal function panel This panel must include the following: Albumin (82040) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)
80074	<u>\$42.00</u>	Acute hepatitis panel This panel must include the following: Hepatitis A antibody (HAAb), IgM antibody (86709) Hepatitis B core antibody (HBcAb), IgM antibody (86705) Hepatitis B surface antigen (HBsAg) (87340) Hepatitis C antibody (86803)
<u>80076</u>	<u>\$7.20</u>	Hepatic function panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Bilirubin, direct (82248) Phosphatase, alkaline (84075) Protein, total (84155) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450)

<u>Code</u>	Rate	<b>Description</b>	
<u>80081</u>	\$66.02	Obstetric panel (includes HIV testing)	
Drug Testing and Therapeutic Assays			
<u>80143</u>	<u>\$16.44</u>	<u>Acetaminophen</u>	
<u>80145</u>	<u>\$34.01</u>	Adalimumab	
<u>80150</u>	<u>\$13.30</u>	<u>Amikacin</u>	
<u>80151</u>	<u>\$16.44</u>	Amiodarone	
<u>80155</u>	<u>\$34.01</u>	<u>Caffeine</u>	
<u>80156</u>	<u>\$12.85</u>	Carbamazepine; total	
<u>80157</u>	<u>\$11.68</u>	Carbamazepine; free	
<u>80158</u>	<u>\$15.92</u>	Cyclosporine	
<u>80159</u>	<u>\$17.77</u>	Clozapine	
<u>80161</u>	<u>\$16.44</u>	Carbamazepine; -10,11-epoxide	
<u>80162</u>	<u>\$11.71</u>	Digoxin; total	
<u>80163</u>	<u>\$11.71</u>	Digoxin; free	
<u>80164</u>	<u>\$11.94</u>	Valproic acid (dipropylacetic acid); total	
<u>80165</u>	<u>\$11.94</u>	Valproic acid (dipropylacetic acid); free	
<u>80167</u>	<u>\$16.44</u>	<u>Felbamate</u>	
<u>80168</u>	<u>\$14.41</u>	Ethosuximide	
<u>80169</u>	<u>\$12.11</u>	Everolimus	
<u>80170</u>	<u>\$14.45</u>	Gentamicin	
<u>80171</u>	<u>\$19.11</u>	Gabapentin, whole blood, serum, or plasma	
<u>80173</u>	<u>\$13.92</u>	<u>Haloperidol</u>	
<u>80175</u>	<u>\$11.68</u>	Lamotrigine	
<u>80176</u>	<u>\$12.95</u>	Lidocaine	
<u>80177</u>	<u>\$11.68</u>	Levetiracetam	
<u>80178</u>	<u>\$5.83</u>	<u>Lithium</u>	
<u>80179</u>	<u>\$16.44</u>	Salicylate	
<u>80180</u>	<u>\$15.92</u>	Mycophenolate (mycophenolic acid)	
<u>80181</u>	<u>\$16.44</u>	Flecainide	
<u>80183</u>	<u>\$11.68</u>	<u>Oxcarbazepine</u>	
<u>80184</u>	<u>\$13.49</u>	<u>Phenobarbital</u>	
<u>80185</u>	<u>\$11.68</u>	Phenytoin; total	
<u>80186</u>	<u>\$12.13</u>	Phenytoin; free	
<u>80187</u>	<u>\$23.91</u>	<u>Posaconazole</u>	
<u>80188</u>	<u>\$14.63</u>	Primidone	
<u>80189</u>	<u>\$23.91</u>	<u>Itraconazole</u>	
<u>80190</u>	<u>\$52.91</u>	Procainamide;	
<u>80192</u>	<u>\$14.77</u>	Procainamide; with metabolites (eg, n-acetyl procainamide)	
<u>80193</u>	<u>\$34.01</u>	<u>Leflunomide</u>	

<u>Code</u>	<u>Rate</u>	<u>Description</u>
80194	<u>\$12.88</u>	Quinidine
<u>80195</u>	<u>\$12.11</u>	Sirolimus
<u>80197</u>	<u>\$12.11</u>	<u>Tacrolimus</u>
<u>80198</u>	<u>\$12.47</u>	<u>Theophylline</u>
<u>80199</u>	<u>\$23.91</u>	<u>Tiagabine</u>
<u>80200</u>	<u>\$14.22</u>	<u>Tobramycin</u>
<u>80201</u>	<u>\$10.51</u>	<u>Topiramate</u>
<u>80202</u>	<u>\$11.94</u>	<u>Vancomycin</u>
<u>80203</u>	<u>\$11.68</u>	Zonisamide
<u>80204</u>	<u>\$34.01</u>	<u>Methotrexate</u>
<u>80210</u>	<u>\$23.91</u>	Rufinamide
<u>80220</u>	<u>\$16.44</u>	<u>Hydroxychloroquine</u>
<u>80230</u>	<u>\$34.01</u>	<u>Infliximab</u>
<u>80235</u>	<u>\$23.91</u>	<u>Lacosamide</u>
<u>80280</u>	<u>\$34.01</u>	<u>Vedolizumab</u>
<u>80285</u>	<u>\$23.91</u>	<u>Voriconazole</u>
	Evo	cative Suppression Testing
<u>80299</u>	<u>\$16.44</u>	Quantitation of therapeutic drug, not elsewhere specified
<u>80305</u>	<u>\$8.92</u>	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; capable of being read by direct optical observation only (eg, utilizing immunoassay [eg, dipsticks, cups, cards, or cartridges]), includes sample validation when performed, per date of service
80306	\$11.89	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; read by instrument assisted direct optical observation (eg, utilizing immunoassay [eg, dipsticks, cups, cards, or cartridges]), includes sample validation when performed, per date of service
<u>80307</u>	<u>\$47.55</u>	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service
80400	<u>\$28.77</u>	ACTH stimulation panel; for adrenal insufficiency This panel must include the following: Cortisol (82533 x 2)

<u>Code</u>	Rate	<b>Description</b>
80402	<u>\$76.69</u>	ACTH stimulation panel; for 21 hydroxylase deficiency This panel must include the following: Cortisol (82533 x 2) 17 hydroxyprogesterone (83498 x 2)
<u>80406</u>	<u>\$69.02</u>	ACTH stimulation panel; for 3 beta-hydroxydehydrogenase deficiency This panel must include the following: Cortisol (82533 x 2) 17 hydroxypregnenolone (84143 x 2)
80408	<u>\$110.68</u>	Aldosterone suppression evaluation panel (eg, saline infusion) This panel must include the following: Aldosterone (82088 x 2) Renin (84244 x 2)
80410	<u>\$70.88</u>	Calcitonin stimulation panel (eg, calcium, pentagastrin) This panel must include the following: Calcitonin (82308 x 3)
80412	<u>\$706.93</u>	Corticotropic releasing hormone (CRH) stimulation panel This panel must include the following: Cortisol (82533 x 6)  Adrenocorticotropic hormone (ACTH) (82024 x 6)
80414	<u>\$45.54</u>	Chorionic gonadotropin stimulation panel; testosterone response This panel must include the following: Testosterone (84403 x 2 on 3 pooled blood samples)
<u>80415</u>	<u>\$49.29</u>	Chorionic gonadotropin stimulation panel; estradiol response This panel must include the following: Estradiol, total (82670 x 2 on 3 pooled blood samples)
<u>80416</u>	\$184.59	Renal vein renin stimulation panel (eg, captopril) This panel must include the following: Renin (84244 x 6)
80417	\$38.79	Peripheral vein renin stimulation panel (eg, captopril) This panel must include the following: Renin (84244 x 2)
<u>80418</u>	<u>\$511.03</u>	Combined rapid anterior pituitary evaluation panel This panel must include the following: Adrenocorticotropic hormone (ACTH) (82024 x 4) Luteinizing hormone (LH) (83002 x 4) Follicle stimulating hormone (FSH) (83001 x 4) Prolactin (84146 x 4) Human growth hormone (HGH) (83003 x 4) Cortisol (82533 x 4) Thyroid stimulating hormone (TSH) (84443 x 4)
80420	<u>\$142.76</u>	Dexamethasone suppression panel, 48 hour This panel must include the following: Free cortisol, urine (82530 x 2) Cortisol (82533 x 2) Volume measurement for timed collection (81050 x 2)
80422	<u>\$40.63</u>	Glucagon tolerance panel; for insulinoma This panel must include the following: Glucose (82947 x 3) Insulin (83525 x 3)
80424	<u>\$44.53</u>	Glucagon tolerance panel; for pheochromocytoma This panel must include the following: Catecholamines, fractionated (82384 x 2)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
80426	<u>\$130.88</u>	Gonadotropin releasing hormone stimulation panel This panel must include the following: Follicle stimulating hormone (FSH) (83001 x 4) Luteinizing hormone (LH) (83002 x 4)
80428	<u>\$58.82</u>	Growth hormone stimulation panel (eg, arginine infusion, l-dopa administration) This panel must include the following: Human growth hormone (HGH) (83003 x 4)
80430	<u>\$114.05</u>	Growth hormone suppression panel (glucose administration) This panel must include the following: Glucose (82947 x 3) Human growth hormone (HGH) (83003 x 4)
80432	<u>\$146.05</u>	Insulin-induced C-peptide suppression panel This panel must include the following: Insulin (83525) C-peptide (84681 x 5) Glucose (82947 x 5)
80434	<u>\$251.36</u>	Insulin tolerance panel; for ACTH insufficiency This panel must include the following: Cortisol (82533 x 5) Glucose (82947 x 5)
80435	<u>\$90.83</u>	Insulin tolerance panel; for growth hormone deficiency This panel must include the following: Glucose (82947 x 5) Human growth hormone (HGH) (83003 x 5)
<u>80436</u>	<u>\$80.39</u>	Metyrapone panel This panel must include the following: Cortisol (82533 x 2) 11 deoxycortisol (82634 x 2)
80438	<u>\$44.46</u>	Thyrotropin releasing hormone (TRH) stimulation panel; 1 hour This panel must include the following: Thyroid stimulating hormone (TSH) (84443 x 3)
80439	<u>\$59.27</u>	Thyrotropin releasing hormone (TRH) stimulation panel; 2 hour This panel must include the following: Thyroid stimulating hormone (TSH) (84443 x 4)
		<u>Urinalysis</u>
<u>81000</u>	<u>\$3.55</u>	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy
81001	\$2.80	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy
81002	\$3.07	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<u>81003</u>	<u>\$1.98</u>	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy
<u>81005</u>	<u>\$1.91</u>	Urinalysis; qualitative or semiquantitative, except immunoassays
<u>81007</u>	\$26.44	Urinalysis; bacteriuria screen, except by culture or dipstick
<u>81015</u>	<u>\$2.69</u>	<u>Urinalysis; microscopic only</u>
<u>81020</u>	<u>\$4.14</u>	<u>Urinalysis</u> ; 2 or 3 glass test
<u>81025</u>	<u>\$7.59</u>	Urine pregnancy test, by visual color comparison methods
<u>81050</u>	\$3.21	Volume measurement for timed collection, each
<u>81099</u>	<u>I.C.</u>	<u>Unlisted urinalysis procedure</u>
	•	Chemistry
82009	\$3.99	Ketone body(s) (eg. acetone, acetoacetic acid, beta- hydroxybutyrate); qualitative
82010	\$7.20	Ketone body(s) (eg, acetone, acetoacetic acid, beta- hydroxybutyrate); quantitative
<u>82013</u>	<u>\$10.84</u>	Acetylcholinesterase
<u>82016</u>	<u>\$14.54</u>	Acylcarnitines; qualitative, each specimen
<u>82017</u>	<u>\$14.88</u>	Acylcarnitines; quantitative, each specimen
82024	<u>\$34.06</u>	Adrenocorticotropic hormone (ACTH)
<u>82030</u>	<u>\$22.75</u>	Adenosine, 5-monophosphate, cyclic (cyclic AMP)
<u>82040</u>	<u>\$4.37</u>	Albumin; serum, plasma or whole blood
<u>82042</u>	<u>\$6.86</u>	Albumin; other source, quantitative, each specimen
<u>82043</u>	<u>\$5.10</u>	Albumin; urine (eg, microalbumin), quantitative
<u>82044</u>	<u>\$5.49</u>	Albumin; urine (eg, microalbumin), semiquantitative (eg, reagent strip assay)
<u>82045</u>	\$29.93	Albumin; ischemia modified
<u>82075</u>	\$26.46	Alcohol (ethanol); breath
82077	<u>\$15.23</u>	Alcohol (ethanol); any specimen except urine and breath, immunoassay (eg, IA, EIA, ELISA, RIA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)
<u>82085</u>	<u>\$8.56</u>	Aldolase
<u>82088</u>	<u>\$35.94</u>	Aldosterone
<u>82103</u>	<u>\$11.85</u>	Alpha-1-antitrypsin; total
<u>82104</u>	<u>\$12.75</u>	Alpha-1-antitrypsin; phenotype
<u>82105</u>	<u>\$14.79</u>	Alpha-fetoprotein (AFP); serum
<u>82106</u>	<u>\$14.99</u>	Alpha-fetoprotein (AFP); amniotic fluid

<u>Code</u>	<u>Rate</u>	<b>Description</b>
92107	Ø5.C 9.O	Alpha-fetoprotein (AFP); AFP-L3 fraction isoform and total
<u>82107</u>	<u>\$56.80</u>	AFP (including ratio)
<u>82108</u>	<u>\$22.47</u>	Aluminum
<u>82120</u>	<u>\$5.28</u>	Amines, vaginal fluid, qualitative
<u>82127</u>	<u>\$12.50</u>	Amino acids; single, qualitative, each specimen
<u>82128</u>	<u>\$12.23</u>	Amino acids; multiple, qualitative, each specimen
<u>82131</u>	<u>\$20.27</u>	Amino acids; single, quantitative, each specimen
<u>82135</u>	<u>\$14.51</u>	Aminolevulinic acid, delta (ALA)
<u>82136</u>	<u>\$17.29</u>	Amino acids, 2 to 5 amino acids, quantitative, each specimen
82139	<u>\$14.88</u>	Amino acids, 6 or more amino acids, quantitative, each specimen
<u>82140</u>	<u>\$12.85</u>	Ammonia
82143	\$8.25	Amniotic fluid scan (spectrophotometric)
<u>82150</u>	<u>\$5.71</u>	Amylase
<u>82154</u>	\$25.42	Androstanediol glucuronide
<u>82157</u>	<u>\$25.82</u>	Androstenedione
<u>82160</u>	\$22.53	Androsterone
<u>82163</u>	\$18.10	Angiotensin II
<u>82164</u>	\$12.88	Angiotensin I - converting enzyme (ACE)
<u>82172</u>	<u>\$18.60</u>	Apolipoprotein, each
<u>82175</u>	<u>\$16.73</u>	Arsenic
<u>82180</u>	\$8.72	Ascorbic acid (Vitamin C), blood
<u>82190</u>	<u>\$14.02</u>	Atomic absorption spectroscopy, each analyte
<u>82232</u>	<u>\$14.27</u>	Beta-2 microglobulin
<u>82239</u>	<u>\$15.10</u>	Bile acids; total
<u>82240</u>	<u>\$23.44</u>	Bile acids; cholylglycine
<u>82247</u>	<u>\$4.43</u>	Bilirubin; total
<u>82248</u>	<u>\$4.43</u>	Bilirubin; direct
<u>82252</u>	<u>\$4.02</u>	Bilirubin; feces, qualitative
<u>82261</u>	<u>\$14.88</u>	Biotinidase, each specimen
<u>82270</u>	<u>\$3.86</u>	Blood, occult, by peroxidase activity (eg. guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie. patient was provided 3 cards or single triple card for consecutive collection)
<u>82271</u>	<u>\$4.69</u>	Blood, occult, by peroxidase activity (eg. guaiac), qualitative; other sources

Proposed Final Adoption
Date published in the Mass. Register: xx xx July 22, 20242

## 101 CMR: EXECUTIVE OFFICE OF HEALTH AND HUMAN SERVICES

<u>Code</u>	Rate	<b>Description</b>
<u>82272</u>	<u>\$3.73</u>	Blood, occult, by peroxidase activity (eg, guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening
<u>82274</u>	<u>\$14.04</u>	Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous determinations
<u>82286</u>	<u>\$4.55</u>	<u>Bradykinin</u>
<u>82300</u>	<u>\$20.85</u>	Cadmium
<u>82306</u>	<u>\$26.10</u>	Vitamin D; 25 hydroxy, includes fraction(s), if performed
<u>82308</u>	\$23.63	Calcitonin
<u>82310</u>	<u>\$4.55</u>	Calcium; total
<u>82330</u>	<u>\$12.06</u>	Calcium; ionized
<u>82331</u>	<u>\$11.76</u>	Calcium; after calcium infusion test
82340	\$5.32	Calcium; urine quantitative, timed specimen
<u>82355</u>	\$10.21	Calculus; qualitative analysis
<u>82360</u>	\$11.3 <u>5</u>	Calculus; quantitative analysis, chemical
<u>82365</u>	\$11.38	Calculus; infrared spectroscopy
<u>82370</u>	<u>\$11.04</u>	Calculus; X-ray diffraction
82373	<u>\$15.93</u>	Carbohydrate deficient transferrin
82374	\$4.30	Carbon dioxide (bicarbonate)
<u>82375</u>	<u>\$10.86</u>	Carboxyhemoglobin; quantitative
<u>82376</u>	<u>\$12.41</u>	Carboxyhemoglobin; qualitative
<u>82378</u>	\$16.72	Carcinoembryonic antigen (CEA)
<u>82379</u>	<u>\$14.88</u>	Carnitine (total and free), quantitative, each specimen
<u>82380</u>	<u>\$8.13</u>	Carotene
<u>82382</u>	<u>\$24.08</u>	Catecholamines; total urine
<u>82383</u>	\$25.64	Catecholamines; blood
<u>82384</u>	<u>\$22.27</u>	<u>Catecholamines</u> ; <u>fractionated</u>
<u>82387</u>	<u>\$15.93</u>	<u>Cathepsin-D</u>
<u>82390</u>	<u>\$9.47</u>	Ceruloplasmin
<u>82397</u>	<u>\$12.45</u>	Chemiluminescent assay
<u>82415</u>	<u>\$11.17</u>	Chloramphenicol
<u>82435</u>	<u>\$4.06</u>	Chloride; blood
<u>82436</u>	<u>\$5.07</u>	Chloride; urine
<u>82438</u>	<u>\$4.41</u>	<u>Chloride</u> ; other source
<u>82441</u>	<u>\$5.30</u>	<u>Chlorinated hydrocarbons, screen</u>
<u>82465</u>	<u>\$3.84</u>	Cholesterol, serum or whole blood, total
<u>82480</u>	<u>\$6.94</u>	<u>Cholinesterase; serum</u>
<u>82482</u>	<u>\$8.65</u>	<u>Cholinesterase; RBC</u>

<u>Code</u>	Rate	<b>Description</b>
<u>82485</u>	<u>\$18.21</u>	Chondroitin B sulfate, quantitative
<u>82495</u>	<u>\$17.88</u>	<u>Chromium</u>
<u>82507</u>	<u>\$24.52</u>	<u>Citrate</u>
<u>82523</u>	\$16.47	Collagen cross links, any method
<u>82525</u>	<u>\$10.94</u>	Copper
<u>82528</u>	<u>\$19.86</u>	Corticosterone
<u>82530</u>	<u>\$14.74</u>	Cortisol; free
<u>82533</u>	<u>\$14.37</u>	Cortisol; total
<u>82540</u>	<u>\$4.09</u>	Creatine
<u>82542</u>	\$21.24	Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen
<u>82550</u>	<u>\$5.74</u>	Creatine kinase (CK), (CPK); total
<u>82552</u>	<u>\$11.81</u>	Creatine kinase (CK), (CPK); isoenzymes
<u>82553</u>	<u>\$10.19</u>	Creatine kinase (CK), (CPK); MB fraction only
<u>82554</u>	<u>\$10.47</u>	Creatine kinase (CK), (CPK); isoforms
<u>82565</u>	<u>\$4.52</u>	Creatinine; blood
<u>82570</u>	<u>\$4.57</u>	<u>Creatinine</u> ; other source
<u>82575</u>	<u>\$8.34</u>	<u>Creatinine</u> ; <u>clearance</u>
<u>82585</u>	<u>\$12.47</u>	Cryofibrinogen
<u>82595</u>	<u>\$5.71</u>	Cryoglobulin, qualitative or semi-quantitative (eg, cryocrit)
<u>82600</u>	<u>\$17.11</u>	Cyanide
<u>82607</u>	<u>\$13.30</u>	Cyanocobalamin (Vitamin B-12);
<u>82608</u>	<u>\$12.63</u>	Cyanocobalamin (Vitamin B-12); unsaturated binding capacity
<u>82610</u>	<u>\$16.33</u>	<u>Cystatin C</u>
<u>82615</u>	<u>\$8.42</u>	Cystine and homocystine, urine, qualitative
<u>82626</u>	<u>\$22.28</u>	<u>Dehydroepiandrosterone (DHEA)</u>
<u>82627</u>	<u>\$19.60</u>	<u>Dehydroepiandrosterone-sulfate (DHEA-S)</u>
<u>82633</u>	<u>\$27.32</u>	<u>Desoxycorticosterone</u> , 11-
<u>82634</u>	<u>\$25.82</u>	Deoxycortisol, 11-
<u>82638</u>	<u>\$10.80</u>	<u>Dibucaine number</u>
<u>82642</u>	<u>\$25.82</u>	<u>Dihydrotestosterone (DHT)</u>
<u>82652</u>	<u>\$33.95</u>	Vitamin D; 1, 25 dihydroxy, includes fraction(s), if performed
<u>82653</u>	<u>\$20.26</u>	Elastase, pancreatic (EL-1), fecal; quantitative
<u>82656</u>	<u>\$10.17</u>	Elastase, pancreatic (EL-1), fecal; qualitative or semi- quantitative
<u>82657</u>	<u>\$19.55</u>	Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen

<u>Code</u>	<u>Rate</u>	<u>Description</u>
92659	\$20.02	Enzyme activity in blood cells, cultured cells, or tissue, not
<u>82658</u>	<u>\$38.83</u>	elsewhere specified; radioactive substrate, each specimen
<u>82664</u>	\$54.24	Electrophoretic technique, not elsewhere specified
82668	\$16.57	<u>Erythropoietin</u>
<u>82670</u>	<u>\$24.64</u>	Estradiol; total
<u>82671</u>	\$28.48	Estrogens; fractionated
82672	\$19.14	Estrogens; total
82677	\$21.32	<u>Estriol</u>
<u>82679</u>	\$22.00	<u>Estrone</u>
82681	\$24.64	Estradiol; free, direct measurement (eg, equilibrium dialysis)
82693	<u>\$13.14</u>	Ethylene glycol
82696	\$23.14	<u>Etiocholanolone</u>
82705	<u>\$4.50</u>	Fat or lipids, feces; qualitative
82710	\$14.82	Fat or lipids, feces; quantitative
<u>82715</u>	<u>\$20.26</u>	Fat differential, feces, quantitative
82725	<u>\$16.55</u>	Fatty acids, nonesterified
82726	<u>\$17.42</u>	Very long chain fatty acids
82728	\$12.02	Ferritin
82731	<u>\$56.80</u>	Fetal fibronectin, cervicovaginal secretions, semi-quantitative
82735	<u>\$16.35</u>	Fluoride
<u>82746</u>	<u>\$12.96</u>	Folic acid; serum
82747	\$15.57	Folic acid; RBC
82757	\$15.29	Fructose, semen
82759	\$18.94	Galactokinase, RBC
82760	\$9.88	Galactose
<u>82775</u>	\$18.58	Galactose-1-phosphate uridyl transferase; quantitative
<u>82776</u>	<u>\$10.35</u>	Galactose-1-phosphate uridyl transferase; screen
82777	\$39.02	Galectin-3
82784	\$8.20	Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each
<u>82785</u>	<u>\$14.52</u>	Gammaglobulin (immunoglobulin); IgE
92797	\$7.07	Gammaglobulin (immunoglobulin); immunoglobulin subclasses
<u>82787</u>	<u>\$7.07</u>	(eg, IgG1, 2, 3, or 4), each
<u>82800</u>	<u>\$9.70</u>	Gases, blood, pH only
<u>82803</u>	\$22.99	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation);
<u>82805</u>	<u>\$69.47</u>	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry

<u>Code</u>	<u>Rate</u>	<u>Description</u>
92910	\$0.60	Gases, blood, O2 saturation only, by direct measurement,
<u>82810</u>	<u>\$8.62</u>	except pulse oximetry
92920	¢11.76	Hemoglobin-oxygen affinity (pO2 for 50% hemoglobin
82820	<u>\$11.76</u>	saturation with oxygen)
<u>82930</u>	<u>\$5.92</u>	Gastric acid analysis, includes pH if performed, each specimen
<u>82938</u>	<u>\$15.60</u>	Gastrin after secretin stimulation
<u>82941</u>	<u>\$15.55</u>	<u>Gastrin</u>
<u>82943</u>	<u>\$12.60</u>	Glucagon
<u>82945</u>	<u>\$3.47</u>	Glucose, body fluid, other than blood
<u>82946</u>	<u>\$15.67</u>	Glucagon tolerance test
<u>82947</u>	<u>\$3.47</u>	Glucose; quantitative, blood (except reagent strip)
<u>82948</u>	<u>\$4.44</u>	Glucose; blood, reagent strip
<u>82950</u>	<u>\$4.19</u>	Glucose; post glucose dose (includes glucose)
<u>82951</u>	<u>\$11.35</u>	Glucose; tolerance test (GTT), 3 specimens (includes glucose)
82952	\$3.4 <u>6</u>	Glucose; tolerance test, each additional beyond 3 specimens
<u>82932</u>	φ3.40	(List separately in addition to code for primary procedure)
<u>82955</u>	<u>\$8.55</u>	Glucose-6-phosphate dehydrogenase (G6PD); quantitative
<u>82960</u>	<u>\$5.34</u>	Glucose-6-phosphate dehydrogenase (G6PD); screen
82962	\$2.89	Glucose, blood by glucose monitoring device(s) cleared by the
	Ψ2.07	FDA specifically for home use
<u>82963</u>	<u>\$18.94</u>	Glucosidase, beta
<u>82965</u>	<u>\$11.60</u>	Glutamate dehydrogenase
<u>82977</u>	<u>\$6.35</u>	Glutamyltransferase, gamma (GGT)
<u>82978</u>	<u>\$13.62</u>	Glutathione
<u>82979</u>	<u>\$8.32</u>	Glutathione reductase, RBC
<u>82985</u>	<u>\$14.78</u>	Glycated protein
<u>83001</u>	<u>\$16.39</u>	Gonadotropin; follicle stimulating hormone (FSH)
<u>83002</u>	<u>\$16.33</u>	Gonadotropin; luteinizing hormone (LH)
<u>83003</u>	<u>\$14.70</u>	Growth hormone, human (HGH) (somatotropin)
<u>83006</u>	\$66.67	Growth stimulation expressed gene 2 (ST2, Interleukin 1
05000	φου.στ	receptor like-1)
83009	\$59.40	Helicobacter pylori, blood test analysis for urease activity, non-
05007	Ψ37.40	radioactive isotope (eg, C-13)
<u>83010</u>	<u>\$11.09</u>	Haptoglobin; quantitative
<u>83012</u>	<u>\$23.71</u>	Haptoglobin; phenotypes
<u>83013</u>	\$59.40	Helicobacter pylori; breath test analysis for urease activity, non-
	<u>\$39.40</u>	radioactive isotope (eg, C-13)
<u>83014</u>	<u>\$6.93</u>	Helicobacter pylori; drug administration

<u>Code</u>	Rate	<b>Description</b>
92015	¢10.47	Heavy metal (eg, arsenic, barium, beryllium, bismuth,
<u>83015</u>	<u>\$18.47</u>	antimony, mercury); qualitative, any number of analytes
92019	¢10.27	Heavy metal (eg, arsenic, barium, beryllium, bismuth,
83018	<u>\$19.37</u>	antimony, mercury); quantitative, each, not elsewhere specified
83020	\$11.3 <u>5</u>	Hemoglobin fractionation and quantitation; electrophoresis (eg.
83020	<u>\$11.55</u>	<u>A2, S, C, and/or F)</u>
83021	\$15.93	Hemoglobin fractionation and quantitation; chromatography
83021	<u>φ13.93</u>	(eg, A2, S, C, and/or F)
<u>83026</u>	<u>\$3.54</u>	Hemoglobin; by copper sulfate method, non-automated
<u>83030</u>	<u>\$9.47</u>	Hemoglobin; F (fetal), chemical
<u>83033</u>	<u>\$7.06</u>	Hemoglobin; F (fetal), qualitative
<u>83036</u>	<u>\$8.56</u>	Hemoglobin; glycosylated (A1C)
83037	\$8.56	Hemoglobin; glycosylated (A1C) by device cleared by FDA for
<u>83037</u>	<u>φο.συ</u>	<u>home use</u>
<u>83045</u>	<u>\$5.72</u>	Hemoglobin; methemoglobin, qualitative
<u>83050</u>	<u>\$7.23</u>	Hemoglobin; methemoglobin, quantitative
<u>83051</u>	<u>\$6.45</u>	Hemoglobin; plasma
<u>83060</u>	<u>\$7.76</u>	Hemoglobin; sulfhemoglobin, quantitative
<u>83065</u>	<u>\$7.94</u>	Hemoglobin; thermolabile
<u>83068</u>	<u>\$8.35</u>	Hemoglobin; unstable, screen
<u>83069</u>	<u>\$3.48</u>	Hemoglobin; urine
<u>83070</u>	<u>\$4.19</u>	<u>Hemosiderin, qualitative</u>
<u>83080</u>	<u>\$14.88</u>	<u>b-Hexosaminidase</u> , each assay
<u>83088</u>	<u>\$26.04</u>	<u>Histamine</u>
<u>83090</u>	<u>\$15.80</u>	<u>Homocysteine</u>
<u>83150</u>	<u>\$19.76</u>	Homovanillic acid (HVA)
<u>83491</u>	<u>\$15.79</u>	<u>Hydroxycorticosteroids</u> , 17- (17-OHCS)
<u>83497</u>	<u>\$11.38</u>	Hydroxyindolacetic acid, 5-(HIAA)
<u>83498</u>	<u>\$23.96</u>	<u>Hydroxyprogesterone</u> , 17-d
<u>83500</u>	<u>\$19.97</u>	Hydroxyproline; free
<u>83505</u>	<u>\$21.43</u>	<u>Hydroxyproline</u> ; total
<u>83516</u>	<b>440.4</b>	Immunoassay for analyte other than infectious agent antibody
	<u>\$10.17</u>	or infectious agent antigen; qualitative or semiquantitative,
		multiple step method
02510	\$9.50	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative,
83518	<u>\$8.50</u>	<u>or infectious agent antigen; qualitative or semiquantitative,</u> <u>single step method (eg, reagent strip)</u>
		single step method (eg, reagent strip)

Code	Rate	<u>Description</u>
		Immunoassay for analyte other than infectious agent antibody
<u>83519</u>	<u>\$16.23</u>	or infectious agent antigen; quantitative, by radioimmunoassay
		(eg, RIA)
83520	\$15.23	Immunoassay for analyte other than infectious agent antibody
		or infectious agent antigen; quantitative, not otherwise specified
<u>83521</u>	\$15.23	Immunoglobulin light chains (ie, kappa, lambda), free, each
83525	\$10.08	Insulin; total
83527	\$11.42	Insulin; free
83528	<u>\$17.48</u>	Intrinsic factor
83529	\$15.23	Interleukin-6 (IL-6)
83540	\$5.71	Iron
83550	<u>\$7.71</u>	Iron binding capacity
83570	\$7.80	Isocitric dehydrogenase (IDH)
<u>83582</u>	<u>\$13.64</u>	Ketogenic steroids, fractionation
<u>83586</u>	<u>\$11.29</u>	Ketosteroids, 17- (17-KS); total
<u>83593</u>	<u>\$25.13</u>	Ketosteroids, 17- (17-KS); fractionation
<u>83605</u>	<u>\$10.20</u>	Lactate (lactic acid)
<u>83615</u>	<u>\$5.33</u>	Lactate dehydrogenase (LD), (LDH);
83625	\$11.28	Lactate dehydrogenase (LD), (LDH); isoenzymes, separation
		and quantitation
<u>83630</u>	<u>\$17.37</u>	<u>Lactoferrin, fecal; qualitative</u>
<u>83631</u>	<u>\$17.31</u>	<u>Lactoferrin, fecal; quantitative</u>
83632	\$17.83	Lactogen, human placental (HPL) human chorionic
		somatomammotropin
83633	\$9.92	<u>Lactose, urine, qualitative</u>
<u>83655</u>	<u>\$10.68</u>	Lead
<u>83661</u>	<u>\$19.39</u>	Fetal lung maturity assessment; lecithin sphingomyelin (L/S) ratio
83662	\$16.68	Fetal lung maturity assessment; foam stability test
<u>83663</u>	<u>\$16.68</u>	Fetal lung maturity assessment; fluorescence polarization
<u>83664</u>	<u>\$17.04</u>	Fetal lung maturity assessment; lamellar body density
<u>83670</u>	\$8.65	Leucine aminopeptidase (LAP)
<u>83690</u>	<u>\$6.08</u>	<u>Lipase</u>
<u>83695</u>	\$12.63	Lipoprotein (a)
83698	\$40.84	Lipoprotein-associated phospholipase A2 (Lp-PLA2)
83700	\$9.93	Lipoprotein, blood; electrophoretic separation and quantitation
_		Lipoprotein, blood; high resolution fractionation and
<u>83701</u>	<u>\$29.86</u>	quantitation of lipoproteins including lipoprotein subclasses
		when performed (eg, electrophoresis, ultracentrifugation)

<u>Code</u>	Rate	<u>Description</u>
92704	¢20.15	Lipoprotein, blood; quantitation of lipoprotein particle
<u>83704</u>	<u>\$30.15</u>	number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed
02710	Φ7.00	Lipoprotein, direct measurement; high density cholesterol
83718	<u>\$7.22</u>	(HDL cholesterol)
<u>83719</u>	<u>\$11.24</u>	Lipoprotein, direct measurement; VLDL cholesterol
<u>83721</u>	<u>\$9.26</u>	Lipoprotein, direct measurement; LDL cholesterol
<u>83722</u>	<u>\$30.15</u>	Lipoprotein, direct measurement; small dense LDL cholesterol
<u>83727</u>	<u>\$15.16</u>	<u>Luteinizing releasing factor (LRH)</u>
<u>83735</u>	<u>\$5.91</u>	<u>Magnesium</u>
<u>83775</u>	<u>\$6.50</u>	Malate dehydrogenase
<u>83785</u>	<u>\$23.50</u>	Manganese
		Mass spectrometry and tandem mass spectrometry (eg, MS,
<u>83789</u>	<u>\$21.26</u>	MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not
		elsewhere specified, qualitative or quantitative, each specimen
<u>83825</u>	<u>\$14.34</u>	Mercury, quantitative
<u>83835</u>	<u>\$14.94</u>	<u>Metanephrines</u>
<u>83857</u>	<u>\$9.47</u>	<u>Methemalbumin</u>
<u>83861</u>	\$10.82	Microfluidic analysis utilizing an integrated collection and
<u>05001</u>	\$19.82	analysis device, tear osmolarity
<u>83864</u>	<u>\$25.13</u>	Mucopolysaccharides, acid, quantitative
<u>83872</u>	<u>\$5.17</u>	Mucin, synovial fluid (Ropes test)
<u>83873</u>	<u>\$15.17</u>	Myelin basic protein, cerebrospinal fluid
<u>83874</u>	<u>\$11.39</u>	<u>Myoglobin</u>
<u>83876</u>	<u>\$44.85</u>	Myeloperoxidase (MPO)
<u>83880</u>	<u>\$34.62</u>	Natriuretic peptide
<u>83883</u>	<u>\$11.99</u>	Nephelometry, each analyte not elsewhere specified
<u>83885</u>	<u>\$21.61</u>	<u>Nickel</u>
<u>83915</u>	<u>\$9.83</u>	Nucleotidase 5'-
<u>83916</u>	<u>\$24.15</u>	Oligoclonal immune (oligoclonal bands)
<u>83918</u>	<u>\$20.81</u>	Organic acids; total, quantitative, each specimen
83919	<u>\$14.51</u>	Organic acids; qualitative, each specimen
83921	<u>\$18.70</u>	Organic acid, single, quantitative
83930	<u>\$5.83</u>	Osmolality; blood
83935	<u>\$6.01</u>	Osmolality; urine
83937	\$26.32	Osteocalcin (bone g1a protein)
83945	\$12.74	<u>Oxalate</u>
83950	\$56.80	Oncoprotein; HER-2/neu
83951	<u>\$56.80</u>	Oncoprotein; des-gamma-carboxy-prothrombin (DCP)

<u>Code</u>	Rate	<u>Description</u>
83970	<u>\$36.40</u>	Parathormone (parathyroid hormone)
<u>83986</u>	<u>\$3.16</u>	pH; body fluid, not otherwise specified
83987	<u>\$3.16</u>	pH; exhaled breath condensate
83992	<u>\$15.79</u>	Phencyclidine (PCP)
<u>83993</u>	<u>\$17.31</u>	Calprotectin, fecal
<u>84030</u>	<u>\$4.85</u>	Phenylalanine (PKU), blood
<u>84035</u>	<u>\$3.51</u>	Phenylketones, qualitative
<u>84060</u>	<u>\$6.74</u>	Phosphatase, acid; total
<u>84066</u>	<u>\$8.52</u>	Phosphatase, acid; prostatic
<u>84075</u>	<u>\$4.57</u>	Phosphatase, alkaline;
84078	<u>\$7.28</u>	Phosphatase, alkaline; heat stable (total not included)
<u>84080</u>	<u>\$13.03</u>	Phosphatase, alkaline; isoenzymes
<u>84081</u>	<u>\$14.57</u>	Phosphatidylglycerol
<u>84085</u>	\$8.32	Phosphogluconate, 6-, dehydrogenase, RBC
84087	<u>\$9.46</u>	Phosphohexose isomerase
<u>84100</u>	<u>\$4.18</u>	Phosphorus inorganic (phosphate):
<u>84105</u>	<u>\$5.10</u>	Phosphorus inorganic (phosphate); urine
<u>84106</u>	<u>\$5.13</u>	Porphobilinogen, urine; qualitative
<u>84110</u>	<u>\$7.44</u>	Porphobilinogen, urine; quantitative
<u>84112</u>	<u>\$86.52</u>	Evaluation of cervicovaginal fluid for specific amniotic fluid protein(s) (eg, placental alpha microglobulin-1 [PAMG-1], placental protein 12 [PP12], alpha-fetoprotein), qualitative, each specimen
84119	\$11.78	Porphyrins, urine; qualitative
<u>84120</u>	<u>\$12.97</u>	Porphyrins, urine; quantitation and fractionation
<u>84126</u>	\$34.49	Porphyrins, feces, quantitative
<u>84132</u>	<u>\$4.20</u>	Potassium; serum, plasma or whole blood
<u>84133</u>	<u>\$4.17</u>	Potassium; urine
<u>84134</u>	<u>\$12.87</u>	<u>Prealbumin</u>
<u>84135</u>	<u>\$18.76</u>	Pregnanediol
<u>84138</u>	<u>\$18.56</u>	<u>Pregnanetriol</u>
84140	<u>\$18.23</u>	Pregnenolone
<u>84143</u>	<u>\$20.12</u>	17-hydroxypregnenolone
<u>84144</u>	<u>\$18.40</u>	<u>Progesterone</u>
<u>84145</u>	<u>\$24.00</u>	Procalcitonin (PCT)
<u>84146</u>	<u>\$17.09</u>	<u>Prolactin</u>
<u>84150</u>	<u>\$36.84</u>	Prostaglandin, each
<u>84152</u>	\$16.22	Prostate specific antigen (PSA); complexed (direct measurement)

<u>Code</u>	Rate	<u>Description</u>
<u>84153</u>	<u>\$16.22</u>	Prostate specific antigen (PSA); total
<u>84154</u>	<u>\$16.22</u>	Prostate specific antigen (PSA); free
<u>84155</u>	<u>\$3.24</u>	Protein, total, except by refractometry; serum, plasma or whole blood
<u>84156</u>	<u>\$3.24</u>	Protein, total, except by refractometry; urine
<u>84157</u>	<u>\$3.53</u>	Protein, total, except by refractometry; other source (eg, synovial fluid, cerebrospinal fluid)
<u>84160</u>	<u>\$4.95</u>	Protein, total, by refractometry, any source
<u>84163</u>	<u>\$13.27</u>	Pregnancy-associated plasma protein-A (PAPP-A)
<u>84165</u>	<u>\$9.47</u>	Protein; electrophoretic fractionation and quantitation, serum
<u>84166</u>	\$15.72	Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, urine, CSF)
<u>84181</u>	\$15.02	Protein; Western Blot, with interpretation and report, blood or other body fluid
84182	<u>\$25.76</u>	Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each
<u>84202</u>	<u>\$12.65</u>	Protoporphyrin, RBC; quantitative
<u>84203</u>	\$8.59	Protoporphyrin, RBC; screen
<u>84206</u>	\$23.54	<u>Proinsulin</u>
84207	<u>\$24.78</u>	Pyridoxal phosphate (Vitamin B-6)
<u>84210</u>	<u>\$12.77</u>	<u>Pyruvate</u>
<u>84220</u>	<u>\$8.32</u>	Pyruvate kinase
<u>84228</u>	<u>\$10.26</u>	Quinine
<u>84233</u>	<u>\$77.50</u>	Receptor assay; estrogen
<u>84234</u>	<u>\$57.22</u>	Receptor assay; progesterone
<u>84235</u>	<u>\$62.82</u>	Receptor assay; endocrine, other than estrogen or progesterone (specify hormone)
<u>84238</u>	<u>\$32.25</u>	Receptor assay; non-endocrine (specify receptor)
<u>84244</u>	<u>\$19.39</u>	Renin
<u>84252</u>	<u>\$17.85</u>	Riboflavin (Vitamin B-2)
<u>84255</u>	<u>\$22.51</u>	Selenium
<u>84260</u>	<u>\$27.32</u>	Serotonin
<u>84270</u>	<u>\$19.16</u>	Sex hormone binding globulin (SHBG)
<u>84275</u>	<u>\$11.85</u>	Sialic acid
<u>84285</u>	<u>\$22.23</u>	Silica
<u>84295</u>	<u>\$4.24</u>	Sodium; serum, plasma or whole blood
<u>84300</u>	<u>\$4.46</u>	Sodium; urine
<u>84302</u>	<u>\$4.29</u>	Sodium; other source

<u>Code</u>	Rate	<b>Description</b>
<u>84305</u>	<u>\$18.75</u>	Somatomedin
84307	\$16.12	<u>Somatostatin</u>
84311	<u>\$7.14</u>	Spectrophotometry, analyte not elsewhere specified
84315	\$2.89	Specific gravity (except urine)
84375	\$34.39	Sugars, chromatographic, TLC or paper chromatography
<u>84376</u>	<u>\$4.85</u>	Sugars (mono-, di-, and oligosaccharides); single qualitative, each specimen
84377	<u>\$4.85</u>	Sugars (mono-, di-, and oligosaccharides); multiple qualitative, each specimen
84378	<u>\$10.17</u>	Sugars (mono-, di-, and oligosaccharides); single quantitative, each specimen
84379	<u>\$10.17</u>	Sugars (mono-, di-, and oligosaccharides); multiple quantitative, each specimen
<u>84392</u>	<u>\$4.84</u>	Sulfate, urine
<u>84402</u>	<u>\$22.46</u>	<u>Testosterone</u> ; free
<u>84403</u>	<u>\$22.76</u>	Testosterone; total
84410	\$45.22	<u>Testosterone</u> ; bioavailable, direct measurement (eg, differential precipitation)
84425	<u>\$18.72</u>	Thiamine (Vitamin B-1)
84430	<u>\$10.26</u>	Thiocyanate
<u>84431</u>	<u>\$30.96</u>	Thromboxane metabolite(s), including thromboxane if performed, urine
84432	<u>\$14.16</u>	Thyroglobulin
84433	<u>\$19.55</u>	Thiopurine S-methyltransferase (TPMT)
<u>84436</u>	<u>\$6.06</u>	Thyroxine; total
<u>84437</u>	<u>\$5.71</u>	Thyroxine; requiring elution (eg, neonatal)
<u>84439</u>	<u>\$7.95</u>	Thyroxine; free
<u>84442</u>	<u>\$13.03</u>	Thyroxine binding globulin (TBG)
<u>84443</u>	<u>\$14.82</u>	Thyroid stimulating hormone (TSH)
<u>84445</u>	<u>\$44.85</u>	Thyroid stimulating immune globulins (TSI)
<u>84446</u>	<u>\$12.50</u>	Tocopherol alpha (Vitamin E)
<u>84449</u>	<u>\$15.87</u>	<u>Transcortin (cortisol binding globulin)</u>
<u>84450</u>	<u>\$4.57</u>	<u>Transferase</u> ; aspartate amino (AST) (SGOT)
<u>84460</u>	<u>\$4.67</u>	Transferase; alanine amino (ALT) (SGPT)
<u>84466</u>	<u>\$11.25</u>	<u>Transferrin</u>
<u>84478</u>	<u>\$5.06</u>	<u>Triglycerides</u>
84479	<u>\$5.71</u>	Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio (THBR)
<u>84480</u>	<u>\$12.50</u>	Triiodothyronine T3; total (TT-3)

<u>Code</u>	Rate	<b>Description</b>
<u>84481</u>	<u>\$14.94</u>	Triiodothyronine T3; free
84482	\$13.90	Triiodothyronine T3; reverse
<u>84484</u>	\$11.00	Troponin, quantitative
84485	<u>\$6.35</u>	Trypsin; duodenal fluid
<u>84488</u>	<u>\$6.44</u>	Trypsin; feces, qualitative
<u>84490</u>	\$8.76	Trypsin; feces, quantitative, 24-hour collection
<u>84510</u>	\$9.37	Tyrosine
<u>84512</u>	\$8.90	<u>Troponin, qualitative</u>
<u>84520</u>	<u>\$3.48</u>	<u>Urea nitrogen; quantitative</u>
<u>84525</u>	<u>\$4.52</u>	<u>Urea nitrogen; semiquantitative (eg, reagent strip test)</u>
<u>84540</u>	<u>\$4.90</u>	<u>Urea nitrogen, urine</u>
<u>84545</u>	<u>\$6.35</u>	<u>Urea nitrogen, clearance</u>
<u>84550</u>	<u>\$3.99</u>	<u>Uric acid; blood</u>
<u>84560</u>	<u>\$4.48</u>	<u>Uric acid; other source</u>
<u>84577</u>	<u>\$14.82</u>	<u>Urobilinogen, feces, quantitative</u>
<u>84578</u>	<u>\$3.94</u>	<u>Urobilinogen, urine; qualitative</u>
<u>84580</u>	<u>\$8.42</u>	<u>Urobilinogen</u> , <u>urine</u> ; <u>quantitative</u> , <u>timed specimen</u>
<u>84583</u>	<u>\$5.34</u>	<u>Urobilinogen, urine; semiquantitative</u>
<u>84585</u>	<u>\$13.67</u>	Vanillylmandelic acid (VMA), urine
<u>84586</u>	<u>\$31.16</u>	<u>Vasoactive intestinal peptide (VIP)</u>
<u>84588</u>	<u>\$29.93</u>	<u>Vasopressin (antidiuretic hormone, ADH)</u>
<u>84590</u>	<u>\$10.24</u>	<u>Vitamin A</u>
<u>84591</u>	<u>\$15.04</u>	<u>Vitamin, not otherwise specified</u>
<u>84597</u>	<u>\$12.10</u>	<u>Vitamin K</u>
<u>84600</u>	<u>\$15.09</u>	<u>Volatiles (eg, acetic anhydride, diethylether)</u>
<u>84620</u>	<u>\$11.39</u>	Xylose absorption test, blood and/or urine
<u>84630</u>	<u>\$10.04</u>	Zinc
<u>84681</u>	<u>\$18.35</u>	<u>C-peptide</u>
<u>84702</u>	<u>\$13.27</u>	Gonadotropin, chorionic (hCG); quantitative
<u>84703</u>	<u>\$6.63</u>	Gonadotropin, chorionic (hCG); qualitative
<u>84704</u>	<u>\$13.48</u>	Gonadotropin, chorionic (hCG); free beta chain
84830	\$11.20	Ovulation tests, by visual color comparison methods for human
		<u>luteinizing hormone</u>
<u>84999</u>	<u>\$4.46</u>	<u>Unlisted chemistry procedure</u>
	_	Hematology and Coagulation
<u>85002</u>	<u>\$4.25</u>	Bleeding time
<u>85004</u>	<u>\$5.71</u>	Blood count; automated differential WBC count
85007	\$3. <u>35</u>	Blood count; blood smear, microscopic examination with
33001	Ψυ.υυ	manual differential WBC count

<u>Code</u>	<u>Rate</u>	<u>Description</u>
95009	\$2.02	Blood count; blood smear, microscopic examination without
<u>85008</u>	<u>\$3.02</u>	manual differential WBC count
<u>85009</u>	<u>\$4.47</u>	Blood count; manual differential WBC count, buffy coat
<u>85013</u>	<u>\$6.17</u>	Blood count; spun microhematocrit
<u>85014</u>	<u>\$2.09</u>	Blood count; hematocrit (Hct)
<u>85018</u>	<u>\$2.09</u>	Blood count; hemoglobin (Hgb)
<u>85025</u>	<u>\$6.85</u>	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count
<u>85027</u>	<u>\$5.71</u>	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)
<u>85032</u>	<u>\$3.80</u>	Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each
<u>85041</u>	<u>\$2.66</u>	Blood count; red blood cell (RBC), automated
<u>85044</u>	<u>\$3.80</u>	Blood count; reticulocyte, manual
<u>85045</u>	\$3.52	Blood count; reticulocyte, automated
<u>85046</u>	<u>\$4.91</u>	Blood count; reticulocytes, automated, including 1 or more cellular parameters (eg, reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement
<u>85048</u>	<u>\$2.24</u>	Blood count; leukocyte (WBC), automated
<u>85049</u>	<u>\$3.95</u>	Blood count; platelet, automated
<u>85055</u>	<u>\$31.52</u>	Reticulated platelet assay
<u>85130</u>	<u>\$10.49</u>	Chromogenic substrate assay
<u>85170</u>	<u>\$14.37</u>	<u>Clot retraction</u>
<u>85175</u>	<u>\$17.96</u>	Clot lysis time, whole blood dilution
<u>85210</u>	<u>\$11.45</u>	Clotting; factor II, prothrombin, specific
<u>85220</u>	<u>\$15.57</u>	Clotting; factor V (AcG or proaccelerin), labile factor
<u>85230</u>	<u>\$15.79</u>	Clotting; factor VII (proconvertin, stable factor)
<u>85240</u>	<u>\$15.79</u>	Clotting; factor VIII (AHG), 1-stage
<u>85244</u>	<u>\$18.01</u>	Clotting; factor VIII related antigen
<u>85245</u>	<u>\$20.23</u>	Clotting; factor VIII, VW factor, ristocetin cofactor
<u>85246</u>	<u>\$20.23</u>	Clotting; factor VIII, VW factor antigen
<u>85247</u>	<u>\$20.23</u>	Clotting; factor VIII, von Willebrand factor, multimetric analysis
<u>85250</u>	<u>\$16.79</u>	Clotting; factor IX (PTC or Christmas)
<u>85260</u>	<u>\$15.79</u>	Clotting; factor X (Stuart-Prower)
<u>85270</u>	<u>\$15.79</u>	Clotting; factor XI (PTA)
<u>85280</u>	<u>\$17.06</u>	Clotting; factor XII (Hageman)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>85290</u>	<u>\$14.41</u>	Clotting; factor XIII (fibrin stabilizing)
<u>85291</u>	<u>\$8.03</u>	Clotting; factor XIII (fibrin stabilizing), screen solubility
<u>85292</u>	<u>\$16.69</u>	Clotting; prekallikrein assay (Fletcher factor assay)
<u>85293</u>	\$16.69	Clotting; high molecular weight kininogen assay (Fitzgerald factor assay)
<u>85300</u>	<u>\$10.45</u>	Clotting inhibitors or anticoagulants; antithrombin III, activity
<u>85301</u>	<u>\$9.53</u>	Clotting inhibitors or anticoagulants; antithrombin III, antigen assay
<u>85302</u>	<u>\$10.59</u>	Clotting inhibitors or anticoagulants; protein C, antigen
<u>85303</u>	<u>\$12.21</u>	Clotting inhibitors or anticoagulants; protein C, activity
<u>85305</u>	<u>\$10.24</u>	Clotting inhibitors or anticoagulants; protein S, total
<u>85306</u>	<u>\$13.51</u>	Clotting inhibitors or anticoagulants; protein S, free
<u>85307</u>	<u>\$13.51</u>	Activated Protein C (APC) resistance assay
<u>85335</u>	<u>\$11.35</u>	Factor inhibitor test
<u>85337</u>	<u>\$15.23</u>	<u>Thrombomodulin</u>
<u>85345</u>	<u>\$4.14</u>	Coagulation time; Lee and White
<u>85347</u>	<u>\$3.77</u>	Coagulation time; activated
<u>85348</u>	<u>\$3.96</u>	Coagulation time; other methods
<u>85360</u>	<u>\$7.42</u>	Euglobulin lysis
<u>85362</u>	<u>\$6.08</u>	Fibrin(ogen) degradation (split) products (FDP) (FSP); agglutination slide, semiquantitative
<u>85366</u>	<u>\$70.96</u>	Fibrin(ogen) degradation (split) products (FDP) (FSP); paracoagulation
<u>85370</u>	<u>\$10.96</u>	Fibrin(ogen) degradation (split) products (FDP) (FSP); quantitative
<u>85378</u>	<u>\$8.57</u>	Fibrin degradation products, D-dimer; qualitative or semiquantitative
<u>85379</u>	<u>\$8.98</u>	Fibrin degradation products, D-dimer; quantitative
<u>85380</u>	<u>\$8.98</u>	Fibrin degradation products, D-dimer; ultrasensitive (eg, for evaluation for venous thromboembolism), qualitative or semiquantitative
85384	\$8.57	Fibrinogen; activity
85385	\$12.75	Fibrinogen; antigen
85390	\$13.65	Fibrinolysins or coagulopathy screen, interpretation and report
<u>85397</u>	\$27.21	Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, ADAMTS-13), each analyte
<u>85400</u>	<u>\$6.80</u>	Fibrinolytic factors and inhibitors; plasmin
<u>85410</u>	\$6.80	Fibrinolytic factors and inhibitors; alpha-2 antiplasmin
<u>85415</u>	<u>\$15.16</u>	Fibrinolytic factors and inhibitors; plasminogen activator

Proposed Final Adoption
Date published in the Mass. Register: xx xx July 22, 20242

## 101 CMR: EXECUTIVE OFFICE OF HEALTH AND HUMAN SERVICES

<u>Code</u>	Rate	<b>Description</b>
95420	<u>\$5.76</u>	Fibrinolytic factors and inhibitors; plasminogen, except
<u>85420</u>		antigenic assay
<u>85421</u>	<u>\$8.98</u>	Fibrinolytic factors and inhibitors; plasminogen, antigenic assay
<u>85441</u>	\$3.70	Heinz bodies; direct
<u>85445</u>	<u>\$6.01</u>	Heinz bodies; induced, acetyl phenylhydrazine
<u>85460</u>	<u>\$6.82</u>	Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer-Betke)
<u>85461</u>	<u>\$8.25</u>	Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette
<u>85475</u>	<u>\$7.82</u>	Hemolysin, acid
<u>85520</u>	<u>\$11.54</u>	<u>Heparin assay</u>
<u>85525</u>	<u>\$10.44</u>	Heparin neutralization
<u>85530</u>	<u>\$11.54</u>	Heparin-protamine tolerance test
<u>85536</u>	<u>\$6.07</u>	Iron stain, peripheral blood
<u>85540</u>	<u>\$7.58</u>	Leukocyte alkaline phosphatase with count
<u>85547</u>	<u>\$7.58</u>	Mechanical fragility, RBC
<u>85549</u>	<u>\$16.54</u>	Muramidase
<u>85555</u>	<u>\$6.59</u>	Osmotic fragility, RBC; unincubated
<u>85557</u>	<u>\$11.78</u>	Osmotic fragility, RBC; incubated
<u>85576</u>	<u>\$21.97</u>	Platelet, aggregation (in vitro), each agent
<u>85597</u>	<u>\$15.86</u>	Phospholipid neutralization; platelet
<u>85598</u>	<u>\$15.86</u>	Phospholipid neutralization; hexagonal phospholipid
<u>85610</u>	<u>\$3.78</u>	Prothrombin time;
<u>85611</u>	<u>\$3.47</u>	Prothrombin time; substitution, plasma fractions, each
<u>85612</u>	<u>\$15.42</u>	Russell viper venom time (includes venom); undiluted
<u>85613</u>	<u>\$8.45</u>	Russell viper venom time (includes venom); diluted
<u>85635</u>	<u>\$8.69</u>	Reptilase test
<u>85651</u>	<u>\$3.77</u>	Sedimentation rate, erythrocyte; non-automated
<u>85652</u>	<u>\$2.38</u>	Sedimentation rate, erythrocyte; automated
<u>85660</u>	<u>\$4.86</u>	Sickling of RBC, reduction
<u>85670</u>	<u>\$5.09</u>	Thrombin time; plasma
<u>85675</u>	<u>\$6.04</u>	Thrombin time; titer
<u>85705</u>	<u>\$8.49</u>	Thromboplastin inhibition, tissue
<u>85730</u>	<u>\$5.30</u>	Thromboplastin time, partial (PTT); plasma or whole blood
<u>85732</u>	<u>\$5.71</u>	Thromboplastin time, partial (PTT); substitution, plasma fractions, each
<u>85810</u>	<u>\$10.29</u>	Viscosity
<u>85999</u>	<u>I.C.</u>	Unlisted hematology and coagulation procedure
		Immunology

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>86000</u>	<u>\$6.16</u>	Agglutinins, febrile (eg, Brucella, Francisella, Murine typhus, Q fever, Rocky Mountain spotted fever, scrub typhus), each antigen
<u>86001</u>	<u>\$6.90</u>	Allergen specific IgG quantitative or semiquantitative, each allergen
<u>86003</u>	<u>\$4.60</u>	Allergen specific IgE; quantitative or semiquantitative, crude allergen extract, each
<u>86005</u>	<u>\$7.03</u>	Allergen specific IgE; qualitative, multiallergen screen (eg, disk, sponge, card)
<u>86008</u>	<u>\$15.81</u>	Allergen specific IgE; quantitative or semiquantitative, recombinant or purified component, each
<u>86015</u>	<u>\$10.63</u>	Actin (smooth muscle) antibody (ASMA), each
<u>86021</u>	<u>\$13.27</u>	Antibody identification; leukocyte antibodies
86022	\$16.20	Antibody identification; platelet antibodies
86023	<u>\$10.99</u>	Antibody identification; platelet associated immunoglobulin assay
<u>86036</u>	<u>\$10.63</u>	Antineutrophil cytoplasmic antibody (ANCA); screen, each antibody
<u>86037</u>	<u>\$10.63</u>	Antineutrophil cytoplasmic antibody (ANCA); titer, each antibody
<u>86038</u>	<u>\$10.66</u>	Antinuclear antibodies (ANA);
<u>86039</u>	<u>\$9.84</u>	Antinuclear antibodies (ANA); titer
<u>86051</u>	<u>\$10.17</u>	Aquaporin-4 (neuromyelitis optica [NMO]) antibody; enzyme- linked immunosorbent immunoassay (ELISA)
86052	<u>\$10.63</u>	Aquaporin-4 (neuromyelitis optica [NMO]) antibody; cell-based immunofluorescence assay (CBA), each
<u>86053</u>	<u>\$33.27</u>	Aquaporin-4 (neuromyelitis optica [NMO]) antibody; flow cytometry (ie, fluorescence-activated cell sorting [FACS]), each
86060	\$6.44	Antistreptolysin 0; titer
86063	\$5.09	Antistreptolysin 0; screen
86140	\$4.57	C-reactive protein;
86141	\$11.42	C-reactive protein; high sensitivity (hsCRP)
86146	\$22.44	Beta 2 Glycoprotein I antibody, each
86147	\$22.44	Cardiolipin (phospholipid) antibody, each Ig class
86148	\$14.17	Anti-phosphatidylserine (phospholipid) antibody
<u>86152</u>	<u>\$221.16</u>	Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood);

<u>Code</u>	Rate	<u>Description</u>
<u>86155</u>	<u>\$14.10</u>	Chemotaxis assay, specify method
<u>86156</u>	<u>\$7.12</u>	Cold agglutinin; screen
<u>86157</u>	<u>\$7.11</u>	Cold agglutinin; titer
<u>86160</u>	<u>\$10.58</u>	Complement; antigen, each component
<u>86161</u>	<u>\$10.58</u>	Complement; functional activity, each component
<u>86162</u>	<u>\$17.92</u>	Complement; total hemolytic (CH50)
<u>86171</u>	<u>\$8.83</u>	Complement fixation tests, each antigen
<u>86200</u>	<u>\$11.42</u>	Cyclic citrullinated peptide (CCP), antibody
<u>86215</u>	<u>\$11.68</u>	Deoxyribonuclease, antibody
<u>86225</u>	<u>\$12.12</u>	Deoxyribonucleic acid (DNA) antibody; native or double stranded
<u>86226</u>	\$10.68	Deoxyribonucleic acid (DNA) antibody; single stranded
<u>86231</u>	<u>\$10.66</u>	Endomysial antibody (EMA), each immunoglobulin (Ig) class
<u>86235</u>	<u>\$15.81</u>	Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody
<u>86255</u>	\$10.63	Fluorescent noninfectious agent antibody; screen, each antibody
<u>86256</u>	\$10.63	Fluorescent noninfectious agent antibody; titer, each antibody
<u>86258</u>	<u>\$10.63</u>	Gliadin (deamidated) (DGP) antibody, each immunoglobulin (Ig) class
<u>86277</u>	<u>\$13.88</u>	Growth hormone, human (HGH), antibody
<u>86280</u>	<u>\$7.22</u>	Hemagglutination inhibition test (HAI)
86294	<u>\$22.55</u>	Immunoassay for tumor antigen, qualitative or semiquantitative (eg, bladder tumor antigen)
<u>86300</u>	<u>\$18.35</u>	Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)
<u>86301</u>	<u>\$18.35</u>	Immunoassay for tumor antigen, quantitative; CA 19-9
<u>86304</u>	<u>\$18.35</u>	Immunoassay for tumor antigen, quantitative; CA 125
<u>86305</u>	<u>\$18.35</u>	Human epididymis protein 4 (HE4)
<u>86308</u>	<u>\$4.57</u>	Heterophile antibodies; screening
<u>86309</u>	<u>\$5.71</u>	<u>Heterophile antibodies; titer</u>
<u>86310</u>	<u>\$6.50</u>	Heterophile antibodies; titers after absorption with beef cells and guinea pig kidney
<u>86316</u>	<u>\$18.35</u>	Immunoassay for tumor antigen, other antigen, quantitative (eg. CA 50, 72-4, 549), each
86317	\$13.22	Immunoassay for infectious agent antibody, quantitative, not otherwise specified
86318	<u>\$15.95</u>	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single-step method (eg, reagent strip);
<u>86320</u>	<u>\$26.39</u>	Immunoelectrophoresis; serum

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>86325</u>	ΦΦΦ 40	Immunoelectrophoresis; other fluids (eg, urine, cerebrospinal
	<u>\$20.40</u>	fluid) with concentration
<u>86327</u>	<u>\$26.39</u>	Immunoelectrophoresis; crossed (2-dimensional assay)
<u>86328</u>	<u>\$45.28</u>	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single step method (eg, reagent strip); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19])
<u>86329</u>	<u>\$12.39</u>	Immunodiffusion; not elsewhere specified
<u>86331</u>	<u>\$10.56</u>	Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody
<u>86332</u>	<u>\$21.49</u>	Immune complex assay
<u>86334</u>	<u>\$19.70</u>	Immunofixation electrophoresis; serum
<u>86335</u>	\$25.88	Immunofixation electrophoresis; other fluids with concentration (eg, urine, CSF)
<u>86336</u>	<u>\$13.75</u>	Inhibin A
<u>86337</u>	<u>\$18.88</u>	<u>Insulin antibodies</u>
<u>86340</u>	\$13.30	Intrinsic factor antibodies
<u>86341</u>	\$20.79	Islet cell antibody
86343	\$10.99	Leukocyte histamine release test (LHR)
86344	<u>\$9.16</u>	Leukocyte phagocytosis
<u>86352</u>	<u>\$119.81</u>	Cellular function assay involving stimulation (eg, mitogen or antigen) and detection of biomarker (eg, ATP)
<u>86353</u>	<u>\$43.24</u>	Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis
<u>86355</u>	<u>\$33.27</u>	B cells, total count
<u>86356</u>	<u>\$23.62</u>	Mononuclear cell antigen, quantitative (eg, flow cytometry), not otherwise specified, each antigen
<u>86357</u>	<u>\$33.27</u>	Natural killer (NK) cells, total count
<u>86359</u>	<u>\$33.27</u>	T cells; total count
<u>86360</u>	<u>\$41.43</u>	T cells; absolute CD4 and CD8 count, including ratio
<u>86361</u>	<u>\$23.62</u>	T cells; absolute CD4 count
86362	<u>\$10.63</u>	Myelin oligodendrocyte glycoprotein (MOG-IgG1) antibody; cell-based immunofluorescence assay (CBA), each
<u>86363</u>	<u>\$33.27</u>	Myelin oligodendrocyte glycoprotein (MOG-IgG1) antibody; flow cytometry (ie, fluorescence-activated cell sorting [FACS]), each
<u>86364</u>	<u>\$10.17</u>	Tissue transglutaminase, each immunoglobulin (Ig) class
<u>86367</u>	<u>\$68.59</u>	Stem cells (ie, CD34), total count
<u>86376</u>	<u>\$12.83</u>	Microsomal antibodies (eg, thyroid or liver-kidney), each

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>86381</u>	\$22.44	Mitochondrial antibody (eg, M2), each
86382	<u>\$14.91</u>	Neutralization test, viral
<u>86384</u>	\$12.00	Nitroblue tetrazolium dye test (NTD)
<u>86386</u>	<u>\$19.21</u>	Nuclear Matrix Protein 22 (NMP22), qualitative
86403	\$10.18	Particle agglutination; screen, each antibody
<u>86406</u>	<u>\$9.38</u>	Particle agglutination; titer, each antibody
<u>86408</u>	<u>\$42.13</u>	Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]); screen
<u>86409</u>	<u>\$105.33</u>	Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]); titer
<u>86413</u>	<u>\$51.43</u>	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) antibody, quantitative
<u>86430</u>	<u>\$5.41</u>	Rheumatoid factor; qualitative
<u>86431</u>	<u>\$5.00</u>	Rheumatoid factor; quantitative
<u>86480</u>	<u>\$54.66</u>	<u>Tuberculosis test, cell mediated immunity antigen response</u> <u>measurement; gamma interferon</u>
<u>86481</u>	<u>\$88.19</u>	<u>Tuberculosis test, cell mediated immunity antigen response</u> <u>measurement; enumeration of gamma interferon-producing T-cells in cell suspension</u>
<u>86485</u>	<u>\$25.15</u>	Skin test; candida
<u>86590</u>	<u>\$11.16</u>	Streptokinase, antibody
<u>86592</u>	<u>\$3.77</u>	Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)
86593	\$3.88	Syphilis test, non-treponemal antibody; quantitative
<u>86596</u>	<u>\$10.63</u>	Voltage-gated calcium channel antibody, each
<u>86602</u>	<u>\$8.98</u>	Antibody; actinomyces
<u>86603</u>	<u>\$11.35</u>	Antibody; adenovirus
<u>86606</u>	<u>\$13.27</u>	Antibody; Aspergillus
<u>86609</u>	<u>\$11.36</u>	Antibody; bacterium, not elsewhere specified
<u>86611</u>	<u>\$8.98</u>	Antibody; Bartonella
<u>86612</u>	<u>\$11.38</u>	Antibody; Blastomyces
<u>86615</u>	<u>\$11.63</u>	Antibody; Bordetella
<u>86617</u>	<u>\$13.66</u>	Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)
<u>86618</u>	<u>\$15.02</u>	Antibody; Borrelia burgdorferi (Lyme disease)
<u>86619</u>	<u>\$11.80</u>	Antibody; Borrelia (relapsing fever)
<u>86622</u>	<u>\$7.88</u>	Antibody; Brucella

<u>Code</u>	Rate	<u>Description</u>
<u>86625</u>	<u>\$11.57</u>	Antibody; Campylobacter
<u>86628</u>	<u>\$10.59</u>	Antibody; Candida
86631	\$10.42	Antibody; Chlamydia
86632	<u>\$11.18</u>	Antibody; Chlamydia, IgM
<u>86635</u>	<u>\$10.12</u>	Antibody; Coccidioides
<u>86638</u>	<u>\$10.69</u>	Antibody; Coxiella burnetii (Q fever)
<u>86641</u>	<u>\$12.71</u>	Antibody; Cryptococcus
<u>86644</u>	<u>\$12.69</u>	Antibody; cytomegalovirus (CMV)
<u>86645</u>	<u>\$14.86</u>	Antibody; cytomegalovirus (CMV), IgM
<u>86648</u>	<u>\$13.41</u>	Antibody; Diphtheria
<u>86651</u>	<u>\$11.63</u>	Antibody; encephalitis, California (La Crosse)
<u>86652</u>	<u>\$11.63</u>	Antibody; encephalitis, Eastern equine
<u>86653</u>	<u>\$11.63</u>	Antibody; encephalitis, St. Louis
<u>86654</u>	<u>\$11.63</u>	Antibody; encephalitis, Western equine
<u>86658</u>	<u>\$11.49</u>	Antibody; enterovirus (eg, coxsackie, echo, polio)
<u>86663</u>	<u>\$11.57</u>	Antibody; Epstein-Barr (EB) virus, early antigen (EA)
<u>86664</u>	<u>\$13.48</u>	Antibody; Epstein-Barr (EB) virus, nuclear antigen (EBNA)
<u>86665</u>	<u>\$16.00</u>	Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)
<u>86666</u>	<u>\$8.98</u>	Antibody; Ehrlichia
<u>86668</u>	<u>\$12.49</u>	Antibody; Francisella tularensis
<u>86671</u>	<u>\$10.80</u>	Antibody; fungus, not elsewhere specified
<u>86674</u>	<u>\$12.98</u>	Antibody; Giardia lamblia
<u>86677</u>	<u>\$14.86</u>	Antibody; Helicobacter pylori
<u>86682</u>	<u>\$11.47</u>	Antibody; helminth, not elsewhere specified
<u>86684</u>	<u>\$13.97</u>	Antibody; Haemophilus influenza
<u>86687</u>	<u>\$8.02</u>	Antibody; HTLV-I
<u>86688</u>	<u>\$12.35</u>	Antibody; HTLV-II
<u>86689</u>	<u>\$17.06</u>	Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)
86692	\$15.13	Antibody; hepatitis, delta agent
86694	\$12.69	Antibody; herpes simplex, non-specific type test
<u>86695</u>	<u>\$11.63</u>	Antibody; herpes simplex, type 1
<u>86696</u>	<u>\$17.06</u>	Antibody; herpes simplex, type 2
86698	<u>\$12.16</u>	Antibody; histoplasma
<u>86701</u>	<u>\$7.84</u>	Antibody; HIV-1
<u>86702</u>	<u>\$11.92</u>	Antibody; HIV-2
<u>86703</u>	<u>\$12.09</u>	Antibody; HIV-1 and HIV-2, single result
<u>86704</u>	<u>\$10.63</u>	Hepatitis B core antibody (HBcAb); total
<u>86705</u>	<u>\$10.38</u>	Hepatitis B core antibody (HBcAb); IgM antibody

<u>Code</u>	Rate	<u>Description</u>
<u>86706</u>	\$9.47	Hepatitis B surface antibody (HBsAb)
<u>86707</u>	\$10.20	Hepatitis Be antibody (HBeAb)
<u>86708</u>	\$10.93	Hepatitis A antibody (HAAb)
<u>86709</u>	\$9.93	Hepatitis A antibody (HAAb), IgM antibody
<u>86710</u>	\$11.95	Antibody; influenza virus
<u>86711</u>	<u>\$14.89</u>	Antibody; JC (John Cunningham) virus
<u>86713</u>	<u>\$13.49</u>	Antibody; Legionella
<u>86717</u>	\$10.80	Antibody; Leishmania
<u>86720</u>	\$14.29	Antibody; Leptospira
<u>86723</u>	<u>\$11.63</u>	Antibody; Listeria monocytogenes
<u>86727</u>	<u>\$11.35</u>	Antibody; lymphocytic choriomeningitis
<u>86732</u>	<u>\$13.23</u>	Antibody; mucormycosis
<u>86735</u>	<u>\$11.51</u>	Antibody; mumps
<u>86738</u>	<u>\$11.68</u>	Antibody; mycoplasma
<u>86741</u>	<u>\$11.63</u>	Antibody; Neisseria meningitidis
<u>86744</u>	<u>\$14.10</u>	Antibody; Nocardia
<u>86747</u>	<u>\$13.25</u>	Antibody; parvovirus
<u>86750</u>	<u>\$11.63</u>	Antibody; Plasmodium (malaria)
<u>86753</u>	<u>\$10.93</u>	Antibody; protozoa, not elsewhere specified
<u>86756</u>	<u>\$14.01</u>	Antibody; respiratory syncytial virus
<u>86757</u>	<u>\$17.06</u>	Antibody; Rickettsia
<u>86759</u>	<u>\$16.08</u>	Antibody; rotavirus
<u>86762</u>	<u>\$12.69</u>	Antibody; rubella
<u>86765</u>	<u>\$11.36</u>	Antibody; rubeola
<u>86768</u>	<u>\$11.63</u>	Antibody; Salmonella
86769	\$42.13	Antibody; severe acute respiratory syndrome coronavirus 2
0.6551		(SARS-CoV-2) (coronavirus disease [COVID-19])
86771	\$21.59	Antibody; Shigella
<u>86774</u>	\$13.05 \$12.60	Antibody; tetanus
<u>86777</u>	\$12.69 \$12.71	Antibody; Toxoplasma
<u>86778</u>	\$12.71	Antibody; Toxoplasma, IgM
<u>86780</u>	\$11.68	Antibody; Treponema pallidum
86784	\$11.08	Antibody; Trichinella
<u>86787</u>	\$11.36	Antibody; varicella-zoster
86788	\$14.86	Antibody; West Nile virus, IgM
<u>86789</u>	\$12.69	Antibody; West Nile virus
86790	\$11.36	Antibody; virus, not elsewhere specified
<u>86793</u>	\$11.63	Antibody; Yersinia
<u>86794</u>	<u>\$14.86</u>	Antibody; Zika virus, IgM

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>86800</u>	\$14.03	Thyroglobulin antibody
<u>86803</u>	<u>\$12.58</u>	Hepatitis C antibody;
<u>86804</u>	<u>\$13.66</u>	Hepatitis C antibody; confirmatory test (eg, immunoblot)
<u>86805</u>	<u>\$167.12</u>	Lymphocytotoxicity assay, visual crossmatch; with titration
<u>86806</u>	<u>\$41.97</u>	Lymphocytotoxicity assay, visual crossmatch; without titration
<u>86807</u>	<u>\$69.36</u>	Serum screening for cytotoxic percent reactive antibody (PRA): standard method
<u>86808</u>	<u>\$26.17</u>	Serum screening for cytotoxic percent reactive antibody (PRA); quick method
<u>86812</u>	<u>\$22.76</u>	HLA typing; A, B, or C (eg, A10, B7, B27), single antigen
<u>86813</u>	<u>\$51.15</u>	HLA typing; A, B, or C, multiple antigens
<u>86816</u>	<u>\$26.61</u>	HLA typing; DR/DQ, single antigen
<u>86817</u>	<u>\$93.60</u>	HLA typing; DR/DQ, multiple antigens
<u>86821</u>	<u>\$32.24</u>	HLA typing; lymphocyte culture, mixed (MLC)
<u>86825</u>	<u>\$96.56</u>	Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution
<u>86826</u>	\$32.21	Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)
86828	<u>\$56.61</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I and Class II HLA antigens
86829	<u>\$56.61</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I or Class II HLA antigens
<u>86830</u>	\$84.24	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class I
<u>86831</u>	<u>\$72.21</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class II

<u>Code</u>	<u>Rate</u>	<u>Description</u>
86832	<u>\$285.51</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I
<u>86833</u>	<u>\$287.31</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II
<u>86834</u>	<u>\$315.32</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class I
<u>86835</u>	<u>\$284.81</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class II
86849	<u>I.C.</u>	<u>Unlisted immunology procedure</u>
		Transformation
<u>86850</u>	\$8.62	Antibody screen, RBC, each serum technique
86860	<u>I.C.</u>	Antibody elution (RBC), each elution
<u>86870</u>	<u>I.C.</u>	Antibody identification, RBC antibodies, each panel for each serum technique
<u>86880</u>	<u>\$4.75</u>	Antihuman globulin test (Coombs test); direct, each antiserum
<u>86885</u>	<u>\$5.04</u>	Antihuman globulin test (Coombs test); indirect, qualitative, each reagent red cell
<u>86886</u>	<u>\$4.57</u>	Antihuman globulin test (Coombs test); indirect, each antibody titer
86890	<u>I.C.</u>	Autologous blood or component, collection processing and storage; predeposited
<u>86891</u>	<u>I.C.</u>	Autologous blood or component, collection processing and storage; intra- or postoperative salvage
<u>86900</u>	<u>\$2.64</u>	Blood typing, serologic; ABO
<u>86901</u>	<u>\$2.64</u>	Blood typing, serologic; Rh (D)
86902	<u>\$5.60</u>	Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test
<u>86904</u>	<u>\$14.41</u>	Blood typing, serologic; antigen screening for compatible unit using patient serum, per unit screened
<u>86905</u>	<u>\$3.38</u>	Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each

<u>Code</u>	Rate	<b>Description</b>	
<u>86906</u>	<u>\$6.83</u>	Blood typing, serologic; Rh phenotyping, complete	
<u>86920</u>	<u>I.C.</u>	Compatibility test each unit; immediate spin technique	
<u>86921</u>	<u>I.C.</u>	Compatibility test each unit; incubation technique	
<u>86922</u>	<u>I.C.</u>	Compatibility test each unit; antiglobulin technique	
<u>86923</u>	<u>I.C.</u>	Compatibility test each unit; electronic	
<u>86927</u>	<u>I.C.</u>	Fresh frozen plasma, thawing, each unit	
<u>86930</u>	<u>I.C.</u>	Frozen blood, each unit; freezing (includes preparation)	
<u>86931</u>	<u>I.C.</u>	Frozen blood, each unit; thawing	
<u>86932</u>	<u>I.C.</u>	Frozen blood, each unit; freezing (includes preparation) and thawing	
<u>86940</u>	<u>\$7.73</u>	Hemolysins and agglutinins; auto, screen, each	
<u>86941</u>	<u>\$10.68</u>	Hemolysins and agglutinins; incubated	
<u>86945</u>	<u>\$24.12</u>	<u>Irradiation of blood product, each unit</u>	
<u>86960</u>	<u>I.C.</u>	Volume reduction of blood or blood product (eg, red blood cells or platelets), each unit	
<u>86965</u>	<u>\$24.12</u>	Pooling of platelets or other blood products	
<u>86970</u>	<u>\$19.27</u>	Pretreatment of RBCs for use in RBC antibody detection, identification, and/or compatibility testing; incubation with chemical agents or drugs, each	
<u>86971</u>	<u>\$19.27</u>	Pretreatment of RBCs for use in RBC antibody detection, identification, and/or compatibility testing; incubation with enzymes, each	
<u>86976</u>	\$19.27	Pretreatment of serum for use in RBC antibody identification; by dilution	
<u>86977</u>	\$19.27	Pretreatment of serum for use in RBC antibody identification; incubation with inhibitors, each	
<u>86978</u>	<u>\$19.27</u>	Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption	
<u>86985</u>	<u>I.C.</u>	Splitting of blood or blood products, each unit	
<u>86999</u>	<u>I.C.</u>	<u>Unlisted transfusion medicine procedure</u>	
Microbiology			
<u>87003</u>	<u>\$14.85</u>	Animal inoculation, small animal, with observation and dissection	
<u>87015</u>	<u>\$5.89</u>	Concentration (any type), for infectious agents	
87040	\$9.10	Culture, bacterial; blood, aerobic, with isolation and presumptive identification of isolates (includes anaerobic culture, if appropriate)	

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87045</u>	\$8.32	Culture, bacterial; stool, aerobic, with isolation and preliminary examination (eg, KIA, LIA), Salmonella and Shigella species
<u>87046</u>	\$8.32	Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate
<u>87070</u>	<u>\$7.60</u>	Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates
<u>87071</u>	\$8.72	Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool
<u>87073</u>	\$8.52	Culture, bacterial; quantitative, anaerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool
<u>87075</u>	\$8.35	Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates
<u>87076</u>	<u>\$7.13</u>	Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate
<u>87077</u>	<u>\$7.13</u>	Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate
<u>87081</u>	<u>\$5.85</u>	<u>Culture</u> , presumptive, pathogenic organisms, screening only;
<u>87084</u>	<u>\$23.87</u>	<u>Culture</u> , presumptive, pathogenic organisms, screening only; with colony estimation from density chart
<u>87086</u>	<u>\$7.12</u>	Culture, bacterial; quantitative colony count, urine
<u>87088</u>	<u>\$7.13</u>	<u>Culture</u> , bacterial; with isolation and presumptive identification of each isolate, urine
<u>87101</u>	<u>\$6.80</u>	Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; skin, hair, or nail
<u>87102</u>	\$7.42	Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)
<u>87103</u>	<u>\$18.04</u>	Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; blood
<u>87106</u>	<u>\$9.10</u>	Culture, fungi, definitive identification, each organism; yeast
<u>87107</u>	<u>\$9.10</u>	Culture, fungi, definitive identification, each organism; mold
<u>87109</u>	<u>\$13.57</u>	<u>Culture, mycoplasma, any source</u>
<u>87110</u>	<u>\$17.28</u>	<u>Culture, chlamydia, any source</u>
<u>87116</u>	<u>\$9.52</u>	Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates
<u>87118</u>	<u>\$12.88</u>	Culture, mycobacterial, definitive identification, each isolate
<u>87140</u>	<u>\$4.91</u>	Culture, typing; immunofluorescent method, each antiserum

<u>Code</u>	Rate	<b>Description</b>
<u>87143</u>	<u>\$11.04</u>	Culture, typing; gas liquid chromatography (GLC) or high pressure liquid chromatography (HPLC) method
<u>87147</u>	<u>\$4.57</u>	Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum
<u>87149</u>	<u>\$17.68</u>	<u>Culture, typing; identification by nucleic acid (DNA or RNA)</u> probe, direct probe technique, per culture or isolate, each <u>organism probed</u>
<u>87150</u>	<u>\$30.94</u>	Culture, typing; identification by nucleic acid (DNA or RNA) probe, amplified probe technique, per culture or isolate, each organism probed
<u>87152</u>	<u>\$6.83</u>	Culture, typing; identification by pulse field gel typing
<u>87153</u>	<u>\$101.73</u>	Culture, typing; identification by nucleic acid sequencing method, each isolate (eg, sequencing of the 16S rRNA gene)
<u>87154</u>	\$192.30	Culture, typing; identification of blood pathogen and resistance typing, when performed, by nucleic acid (DNA or RNA) probe, multiplexed amplified probe technique including multiplex reverse transcription, when performed, per culture or isolate, 6 or more targets
<u>87158</u>	<u>\$6.83</u>	Culture, typing; other methods
<u>87164</u>	<u>\$9.47</u>	Dark field examination, any source (eg, penile, vaginal, oral, skin); includes specimen collection
<u>87166</u>	\$9.97	Dark field examination, any source (eg, penile, vaginal, oral, skin); without collection
<u>87168</u>	<u>\$3.77</u>	Macroscopic examination; arthropod
<u>87169</u>	<u>\$3.80</u>	Macroscopic examination; parasite
<u>87172</u>	<u>\$3.77</u>	Pinworm exam (eg, cellophane tape prep)
<u>87176</u>	<u>\$5.19</u>	<u>Homogenization, tissue, for culture</u>
<u>87177</u>	<u>\$7.85</u>	Ova and parasites, direct smears, concentration and identification
<u>87181</u>	<u>\$4.19</u>	Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)
<u>87184</u>	<u>\$6.60</u>	Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)
<u>87185</u>	<u>\$4.19</u>	Susceptibility studies, antimicrobial agent; enzyme detection (eg, beta lactamase), per enzyme
<u>87186</u>	<u>\$7.63</u>	Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<u>87187</u>	\$35.42	Susceptibility studies, antimicrobial agent; microdilution or agar dilution, minimum lethal concentration (MLC), each plate (List separately in addition to code for primary procedure)
<u>87188</u>	<u>\$5.86</u>	Susceptibility studies, antimicrobial agent; macrobroth dilution method, each agent
<u>87190</u>	<u>\$6.45</u>	Susceptibility studies, antimicrobial agent; mycobacteria, proportion method, each agent
<u>87197</u>	<u>\$13.25</u>	Serum bactericidal titer (Schlichter test)
<u>87205</u>	\$3.77	Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types
<u>87206</u>	<u>\$4.75</u>	Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types
<u>87207</u>	<u>\$5.28</u>	Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)
<u>87209</u>	<u>\$15.86</u>	Smear, primary source with interpretation; complex special stain (eg. trichrome, iron hemotoxylin) for ova and parasites
<u>87210</u>	<u>\$5.13</u>	Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)
<u>87220</u>	<u>\$3.77</u>	Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or ectoparasite ova or mites (eg, scabies)
<u>87230</u>	<u>\$17.41</u>	Toxin or antitoxin assay, tissue culture (eg, Clostridium difficile toxin)
<u>87250</u>	<u>\$17.25</u>	Virus isolation; inoculation of embryonated eggs, or small animal, includes observation and dissection
<u>87252</u>	<u>\$22.99</u>	Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect
87253	<u>\$17.81</u>	Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate
87254	<u>\$17.25</u>	Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus
<u>87255</u>	<u>\$29.86</u>	Virus isolation; including identification by non-immunologic method, other than by cytopathic effect (eg, virus specific enzymatic activity)
<u>87260</u>	<u>\$12.73</u>	Infectious agent antigen detection by immunofluorescent technique; adenovirus

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87265</u>	<u>\$10.56</u>	Infectious agent antigen detection by immunofluorescent technique; Bordetella pertussis/parapertussis
<u>87267</u>	<u>\$11.83</u>	Infectious agent antigen detection by immunofluorescent technique; Enterovirus, direct fluorescent antibody (DFA)
<u>87269</u>	<u>\$12.00</u>	Infectious agent antigen detection by immunofluorescent technique; giardia
<u>87270</u>	<u>\$10.56</u>	Infectious agent antigen detection by immunofluorescent technique; Chlamydia trachomatis
<u>87271</u>	<u>\$11.83</u>	<u>Infectious agent antigen detection by immunofluorescent</u> <u>technique; Cytomegalovirus, direct fluorescent antibody (DFA)</u>
<u>87272</u>	<u>\$10.56</u>	<u>Infectious agent antigen detection by immunofluorescent technique; cryptosporidium</u>
<u>87273</u>	<u>\$10.56</u>	<u>Infectious agent antigen detection by immunofluorescent technique; Herpes simplex virus type 2</u>
<u>87274</u>	<u>\$10.56</u>	Infectious agent antigen detection by immunofluorescent technique; Herpes simplex virus type 1
<u>87275</u>	<u>\$10.80</u>	Infectious agent antigen detection by immunofluorescent technique; influenza B virus
<u>87276</u>	<u>\$14.17</u>	Infectious agent antigen detection by immunofluorescent technique; influenza A virus
<u>87278</u>	<u>\$13.76</u>	Infectious agent antigen detection by immunofluorescent technique; Legionella pneumophila
<u>87279</u>	<u>\$14.49</u>	Infectious agent antigen detection by immunofluorescent technique; Parainfluenza virus, each type
<u>87280</u>	\$11.83	Infectious agent antigen detection by immunofluorescent technique; respiratory syncytial virus
<u>87281</u>	<u>\$10.56</u>	Infectious agent antigen detection by immunofluorescent technique; Pneumocystis carinii
<u>87283</u>	<u>\$53.62</u>	Infectious agent antigen detection by immunofluorescent technique; Rubeola
<u>87285</u>	<u>\$10.74</u>	Infectious agent antigen detection by immunofluorescent technique; Treponema pallidum
<u>87290</u>	<u>\$11.83</u>	Infectious agent antigen detection by immunofluorescent technique; Varicella zoster virus
87299	<u>\$14.20</u>	Infectious agent antigen detection by immunofluorescent technique; not otherwise specified, each organism
<u>87300</u>	<u>\$10.56</u>	Infectious agent antigen detection by immunofluorescent technique, polyvalent for multiple organisms, each polyvalent antiserum

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87301</u>	<u>\$10.56</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; adenovirus enteric types 40/41
<u>87305</u>	<u>\$10.56</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Aspergillus
87320	\$13.23	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Chlamydia trachomatis
87324	<u>\$10.56</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Clostridium difficile toxin(s)
<u>87327</u>	<u>\$11.83</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Cryptococcus neoformans
<u>87328</u>	<u>\$12.19</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; cryptosporidium
87329	<u>\$10.56</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; giardia
87332	<u>\$10.56</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; cytomegalovirus

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87335</u>	<u>\$11.16</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Escherichia coli 0157
<u>87336</u>	<u>\$14.11</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Entamoeba histolytica dispar group
<u>87337</u>	<u>\$10.56</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Entamoeba histolytica group
<u>87338</u>	<u>\$12.68</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Helicobacter pylori, stool
87339	<u>\$14.11</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Helicobacter pylori
87340	<u>\$9.11</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis B surface antigen (HBsAg)
<u>87341</u>	<u>\$9.11</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis B surface antigen (HBsAg) neutralization

Proposed Final Adoption
Date published in the Mass. Register: xx xx July 22, 20242

#### 101 CMR: EXECUTIVE OFFICE OF HEALTH AND HUMAN SERVICES

<u>Code</u>	<u>Rate</u>	<u>Description</u>
87350	<u>\$10.17</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis Be antigen (HBeAg)
<u>87380</u>	<u>\$16.19</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis, delta agent
<u>87385</u>	<u>\$11.68</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Histoplasma capsulatum
<u>87389</u>	\$21.24	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies, single result
87390	\$21.22	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-1
<u>87391</u>	<u>\$19.31</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-2
87400	<u>\$12.46</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Influenza, A or B, each

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87420</u>	<u>\$12.27</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; respiratory syncytial virus
<u>87425</u>	<u>\$10.56</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; rotavirus
<u>87426</u>	<u>\$35.33</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; severe acute respiratory syndrome coronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19])
87427	<u>\$10.56</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Shiga-like toxin
<u>87428</u>	<u>\$63.59</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; severe acute respiratory syndrome coronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19]) and influenza virus types A and B
87430	<u>\$14.82</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Streptococcus, group A
87449	<u>\$10.56</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; not otherwise specified, each organism

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<u>87451</u>	<u>\$9.27</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; polyvalent for multiple organisms, each polyvalent antiserum
<u>87467</u>	<u>\$13.27</u>	Infectious agent antigen detection by immunoassay technique (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; hepatitis B surface antigen (HBsAg), quantitative
<u>87468</u>	\$30.94	Infectious agent detection by nucleic acid (DNA or RNA); Anaplasma phagocytophilum, amplified probe technique
<u>87469</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Babesia microti, amplified probe technique
<u>87471</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, amplified probe technique
<u>87472</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, quantification
<u>87475</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, direct probe technique
<u>87476</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique
<u>87478</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Borrelia miyamotoi, amplified probe technique
87480	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Candida species, direct probe technique
<u>87481</u>	\$30.94	Infectious agent detection by nucleic acid (DNA or RNA); Candida species, amplified probe technique
<u>87482</u>	<u>\$49.16</u>	Infectious agent detection by nucleic acid (DNA or RNA); Candida species, quantification

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87483</u>	<u>\$367.55</u>	Infectious agent detection by nucleic acid (DNA or RNA); central nervous system pathogen (eg, Neisseria meningitidis, Streptococcus pneumoniae, Listeria, Haemophilus influenzae, E. coli, Streptococcus agalactiae, enterovirus, human parechovirus, herpes simplex virus type 1 and 2, human herpesvirus 6, cytomegalovirus, varicella zoster virus, Cryptococcus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets
87484	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Ehrlichia chaffeensis, amplified probe technique
<u>87485</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, direct probe technique
<u>87486</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique
87487	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, quantification
87490	<u>\$20.06</u>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique
<u>87491</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique
<u>87492</u>	<u>\$47.15</u>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, quantification
87493	<u>\$32.87</u>	Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique
<u>87495</u>	\$26.48	Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, direct probe technique
<u>87496</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, amplified probe technique
<u>87497</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, quantification
87498	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed
<u>87500</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); vancomycin resistance (eg, enterococcus species van A, van B), amplified probe technique
<u>87501</u>	<u>\$45.25</u>	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, includes reverse transcription, when performed, and amplified probe technique, each type or subtype

<u>Code</u>	<u>Rate</u>	<u>Description</u>
87502	<u>\$84.48</u>	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, for multiple types or sub-types, includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, first 2 types or sub-types
<u>87503</u>	<u>\$25.77</u>	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, for multiple types or sub-types, includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, each additional influenza virus type or sub-type beyond 2 (List separately in addition to code for primary procedure)
<u>87505</u>	<u>\$113.14</u>	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (eg, Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets
<u>87506</u>	<u>\$231.92</u>	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (eg, Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 6-11 targets
87507	<u>\$367.55</u>	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (eg, Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets
<u>87510</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, direct probe technique
<u>87511</u>	\$30.94	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, amplified probe technique
87512	\$36.83	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, quantification
<u>87516</u>	\$30.94	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique
<u>87517</u>	\$37.78	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, quantification
87520	<u>\$27.53</u>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, direct probe technique
<u>87521</u>	\$30.94	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, amplified probe technique, includes reverse transcription when performed

<u>Code</u>	<u>Rate</u>	<b>Description</b>
87522	\$37.78	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed
<u>87525</u>	<u>\$26.28</u>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis G, direct probe technique
<u>87526</u>	<u>\$34.62</u>	<u>Infectious agent detection by nucleic acid (DNA or RNA);</u> <u>hepatitis G, amplified probe technique</u>
<u>87527</u>	<u>\$36.83</u>	<u>Infectious agent detection by nucleic acid (DNA or RNA);</u> <u>hepatitis G, quantification</u>
87528	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, direct probe technique
87529	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique
87530	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, quantification
<u>87531</u>	<u>\$51.15</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus-6, direct probe technique
<u>87532</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus-6, amplified probe technique
<u>87533</u>	<u>\$36.83</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus-6, quantification
<u>87534</u>	<u>\$19.33</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, direct probe technique
<u>87535</u>	\$30.94	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique, includes reverse transcription when performed
<u>87536</u>	<u>\$75.05</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed
<u>87537</u>	<u>\$19.33</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, direct probe technique
<u>87538</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, amplified probe technique, includes reverse transcription when performed
<u>87539</u>	<u>\$51.70</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, quantification, includes reverse transcription when performed
87540	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, direct probe technique

<u>Code</u>	Rate	<u>Description</u>
<u>87541</u>	\$30.94	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, amplified probe technique
<u>87542</u>	\$36.83	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, quantification
<u>87550</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, direct probe technique
<u>87551</u>	<u>\$42.54</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique
<u>87552</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, quantification
<u>87555</u>	\$23.70	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, direct probe technique
<u>87556</u>	<u>\$36.76</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique
<u>87557</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, quantification
<u>87560</u>	<u>\$24.07</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, direct probe technique
<u>87561</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, amplified probe technique
<u>87562</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, quantification
<u>87563</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma genitalium, amplified probe technique
<u>87580</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, direct probe technique
<u>87581</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique
<u>87582</u>	<u>\$266.87</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, quantification
<u>87590</u>	\$23.70	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, direct probe technique
<u>87591</u>	\$30.94	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique
<u>87592</u>	\$37.78	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, quantification
<u>87593</u>	<u>\$0.00</u>	Infectious agent detection by nucleic acid (DNA or RNA); orthopoxvirus (eg, monkeypox virus, cowpox virus, vaccinia virus), amplified probe technique, each

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87623</u>	\$30.94	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), low-risk types (eg, 6, 11, 42, 43, 44)
<u>87624</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)
<u>87625</u>	<u>\$35.76</u>	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed
<u>87631</u>	<u>\$125.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets
<u>87632</u>	<u>\$192.30</u>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg., adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 6-11 targets
<u>87633</u>	<u>\$367.55</u>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets
<u>87634</u>	<u>\$61.91</u>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory syncytial virus, amplified probe technique
<u>87635</u>	<u>\$51.31</u>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]), amplified probe technique
<u>87636</u>	<u>\$142.63</u>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) and influenza virus types A and B, multiplex amplified probe technique

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<u>87637</u>	<u>\$142.63</u>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]), influenza virus types A and B, and respiratory syncytial virus, multiplex amplified probe technique
<u>87640</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, amplified probe technique
<u>87641</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique
<u>87650</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, direct probe technique
<u>87651</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, amplified probe technique
<u>87652</u>	<u>\$36.83</u>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, quantification
<u>87653</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group B, amplified probe technique
<u>87660</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, direct probe technique
<u>87661</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique
<u>87662</u>	<u>\$45.25</u>	Infectious agent detection by nucleic acid (DNA or RNA); Zika virus, amplified probe technique
<u>87797</u>	<u>\$26.48</u>	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; direct probe technique, each organism
<u>87798</u>	<u>\$30.94</u>	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism
<u>87799</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism
<u>87800</u>	<u>\$38.51</u>	Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; direct probe(s) technique
<u>87801</u>	<u>\$61.91</u>	Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique
<u>87802</u>	<u>\$11.23</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Streptococcus, group B
<u>87803</u>	<u>\$14.11</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Clostridium difficile toxin A
<u>87804</u>	<u>\$14.60</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Influenza

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<u>87806</u>	<u>\$28.90</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies
<u>87807</u>	<u>\$11.55</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; respiratory syncytial virus
<u>87808</u>	<u>\$13.48</u>	<u>Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Trichomonas vaginalis</u>
<u>87809</u>	<u>\$19.19</u>	<u>Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; adenovirus</u>
<u>87810</u>	\$31.12	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Chlamydia trachomatis
<u>87811</u>	<u>\$41.38</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19])
<u>87850</u>	<u>\$21.66</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Neisseria gonorrhoeae
<u>87880</u>	<u>\$14.58</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Streptococcus, group A
<u>87899</u>	<u>\$14.17</u>	<u>Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; not otherwise specified</u>
<u>87900</u>	<u>\$114.95</u>	Infectious agent drug susceptibility phenotype prediction using regularly updated genotypic bioinformatics
<u>87901</u>	<u>\$227.04</u>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions
<u>87902</u>	<u>\$227.04</u>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus
<u>87903</u>	<u>\$430.94</u>	Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; first through 10 drugs tested
<u>87904</u>	<u>\$22.99</u>	Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; each additional drug tested (List separately in addition to code for primary procedure)
<u>87905</u>	<u>\$10.78</u>	Infectious agent enzymatic activity other than virus (eg, sialidase activity in vaginal fluid)
<u>87906</u>	<u>\$113.52</u>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, other region (eg, integrase, fusion)
<u>87910</u>	<u>\$227.04</u>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); cytomegalovirus

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87912</u>	<u>\$227.04</u>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis B virus
<u>87913</u>	<u>\$257.45</u>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]), mutation identification in targeted region(s)
<u>87999</u>	<u>I.C.</u>	<u>Unlisted microbiology procedure</u>
		Anatomic Pathology
<u>88000</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; without CNS
<u>88005</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; with brain
<u>88007</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; with brain and spinal cord
<u>88012</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; infant with brain
<u>88014</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; stillborn or newborn with brain
<u>88016</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; macerated stillborn
88020	<u>I.C.</u>	Necropsy (autopsy), gross and microscopic; without CNS
<u>88025</u>	<u>I.C.</u>	Necropsy (autopsy), gross and microscopic; with brain
88027	<u>I.C.</u>	Necropsy (autopsy), gross and microscopic; with brain and spinal cord
88028	<u>I.C.</u>	Necropsy (autopsy), gross and microscopic; infant with brain
88029	<u>I.C.</u>	Necropsy (autopsy), gross and microscopic; stillborn or newborn with brain
<u>88036</u>	<u>I.C.</u>	Necropsy (autopsy), limited, gross and/or microscopic; regional
<u>88037</u>	<u>I.C.</u>	Necropsy (autopsy), limited, gross and/or microscopic; single organ
88040	<u>I.C.</u>	Necropsy (autopsy); forensic examination
<u>88045</u>	<u>I.C.</u>	Necropsy (autopsy); coroner's call
<u>88099</u>	<u>I.C.</u>	<u>Unlisted necropsy (autopsy) procedure</u>
<u>Cytopathology</u>		
<u>88130</u>	<u>\$15.86</u>	Sex chromatin identification; Barr bodies
<u>88140</u>	<u>\$7.05</u>	Sex chromatin identification; peripheral blood smear, polymorphonuclear drumsticks
88142	<u>\$17.87</u>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision

<u>Code</u>	Rate	<u>Description</u>
88143	<u>\$20.32</u>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with manual screening and rescreening under physician supervision
<u>88147</u>	<u>\$44.59</u>	Cytopathology smears, cervical or vaginal; screening by automated system under physician supervision
<u>88148</u>	<u>\$15.27</u>	Cytopathology smears, cervical or vaginal; screening by automated system with manual rescreening under physician supervision
<u>88150</u>	<u>\$15.27</u>	Cytopathology, slides, cervical or vaginal; manual screening under physician supervision
<u>88152</u>	<u>\$24.38</u>	Cytopathology, slides, cervical or vaginal; with manual screening and computer-assisted rescreening under physician supervision
<u>88153</u>	<u>\$21.19</u>	Cytopathology, slides, cervical or vaginal; with manual screening and rescreening under physician supervision
<u>88155</u>	<u>\$12.92</u>	Cytopathology, slides, cervical or vaginal, definitive hormonal evaluation (eg, maturation index, karyopyknotic index, estrogenic index) (List separately in addition to code[s] for other technical and interpretation services)
<u>88164</u>	<u>\$15.27</u>	Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision
<u>88165</u>	<u>\$37.23</u>	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and rescreening under physician supervision
<u>88166</u>	<u>\$15.27</u>	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer-assisted rescreening under physician supervision
88167	<u>\$15.27</u>	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer-assisted rescreening using cell selection and review under physician supervision
88174	<u>\$22.37</u>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; screening by automated system, under physician supervision
<u>88175</u>	<u>\$23.47</u>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision

<u>Code</u>	<u>Rate</u>	<u>Description</u>	
	Cytogenic Studies		
<u>88230</u>	<u>\$102.73</u>	Tissue culture for non-neoplastic disorders; lymphocyte	
88233	<u>\$124.11</u>	<u>Tissue culture for non-neoplastic disorders; skin or other solid tissue biopsy</u>	
<u>88235</u>	\$132.55	<u>Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells</u>	
88237	\$126.77	Tissue culture for neoplastic disorders; bone marrow, blood cells	
<u>88239</u>	<u>\$130.09</u>	Tissue culture for neoplastic disorders; solid tumor	
<u>88240</u>	<u>\$11.53</u>	Cryopreservation, freezing and storage of cells, each cell line	
<u>88241</u>	<u>\$10.66</u>	Thawing and expansion of frozen cells, each aliquot	
<u>88245</u>	<u>\$152.71</u>	<u>Chromosome analysis for breakage syndromes; baseline Sister</u> <u>Chromatid Exchange (SCE), 20-25 cells</u>	
88248	<u>\$152.71</u>	Chromosome analysis for breakage syndromes; baseline breakage, score 50-100 cells, count 20 cells, 2 karyotypes (eg, for ataxia telangiectasia, Fanconi anemia, fragile X)	
88249	<u>\$152.71</u>	Chromosome analysis for breakage syndromes; score 100 cells, clastogen stress (eg, diepoxybutane, mitomycin C, ionizing radiation, UV radiation)	
<u>88261</u>	<u>\$233.11</u>	Chromosome analysis; count 5 cells, 1 karyotype, with banding	
88262	<u>\$110.67</u>	<u>Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding</u>	
88263	\$132.54	Chromosome analysis; count 45 cells for mosaicism, 2 karyotypes, with banding	
88264	<u>\$127.53</u>	Chromosome analysis; analyze 20-25 cells	
<u>88267</u>	<u>\$166.30</u>	Chromosome analysis, amniotic fluid or chorionic villus, count 15 cells, 1 karyotype, with banding	
88269	<u>\$153.15</u>	Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding	
88271	<u>\$18.89</u>	Molecular cytogenetics; DNA probe, each (eg, FISH)	
88272	\$35.89	Molecular cytogenetics; chromosomal in situ hybridization, analyze 3-5 cells (eg, for derivatives and markers)	
88273	\$30.70	Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	
88274	\$37.37	Molecular cytogenetics; interphase in situ hybridization, analyze 25-99 cells	
<u>88275</u>	\$45.14	Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	
<u>88280</u>	<u>\$29.52</u>	Chromosome analysis; additional karyotypes, each study	

<u>Code</u>	<u>Rate</u>	<b>Description</b>
88283	\$60.50	Chromosome analysis; additional specialized banding technique
<u>88283</u>	<u>\$00.50</u>	(eg, NOR, C-banding)
<u>88285</u>	<u>\$23.73</u>	Chromosome analysis; additional cells counted, each study
<u>88289</u>	<u>\$30.36</u>	Chromosome analysis; additional high resolution study
<u>88371</u>	<u>\$19.60</u>	Protein analysis of tissue by Western Blot, with interpretation and report;
88372	\$23.12	Protein analysis of tissue by Western Blot, with interpretation and report; immunological probe for band identification, each
	In vivo, (e.g., T	ranscutaneous) Laboratory Procedures
88720	\$4.43	Bilirubin, total, transcutaneous
88738	\$4.43	Hemoglobin (Hgb), quantitative, transcutaneous
88740	\$8.26	Hemoglobin, quantitative, transcutaneous, per day; carboxyhemoglobin
<u>88741</u>	\$8.26	Hemoglobin, quantitative, transcutaneous, per day; methemoglobin
		Other Procedures
00050	¢4.16	Cell count, miscellaneous body fluids (eg, cerebrospinal fluid,
<u>89050</u>	<u>\$4.16</u>	joint fluid), except blood;
<u>89051</u>	<u>\$4.94</u>	Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood; with differential count
<u>89055</u>	<u>\$3.77</u>	Leukocyte assessment, fecal, qualitative or semiquantitative
<u>89060</u>	<u>\$6.46</u>	Crystal identification by light microscopy with or without polarizing lens analysis, tissue or any body fluid (except urine)
<u>89125</u>	<u>\$5.19</u>	Fat stain, feces, urine, or respiratory secretions
<u>89160</u>	<u>\$4.28</u>	Meat fibers, feces
<u>89190</u>	<u>\$5.11</u>	Nasal smear for eosinophils
	Repro	oductive Medicine Procedures
<u>89250</u>	<u>I.C.</u>	Culture of oocyte(s)/embryo(s), less than 4 days;
<u>89251</u>	I.C.	Culture of oocyte(s)/embryo(s), less than 4 days; with co- culture of oocyte(s)/embryos
89253	I.C.	Assisted embryo hatching, microtechniques (any method)
89254	I.C.	Oocyte identification from follicular fluid
<u>89255</u>	<u>I.C.</u>	Preparation of embryo for transfer (any method)
<u>89257</u>	<u>I.C.</u>	Sperm identification from aspiration (other than seminal fluid)
<u>89258</u>	<u>I.C.</u>	Cryopreservation; embryo(s)
<u>89259</u>	<u>I.C.</u>	<u>Cryopreservation; sperm</u>
<u>89264</u>	<u>I.C.</u>	Sperm identification from testis tissue, fresh or cryopreserved
<u>89268</u>	<u>I.C.</u>	<u>Insemination of oocytes</u>
<u>89272</u>	<u>I.C.</u>	Extended culture of oocyte(s)/embryo(s), 4-7 days

<u>Code</u>	<u>Rate</u>	<u>Description</u>	
89280	I.C.	Assisted oocyte fertilization, microtechnique; less than or equal	
87280	<u>1.C.</u>	to 10 oocytes	
<u>89281</u>	<u>I.C.</u>	Assisted oocyte fertilization, microtechnique; greater than 10 oocytes	
89290	I.C.	Biopsy, oocyte polar body or embryo blastomere, microtechnique (for pre-implantation genetic diagnosis); less than or equal to 5 embryos	
<u>89291</u>	I.C.	Biopsy, oocyte polar body or embryo blastomere, microtechnique (for pre-implantation genetic diagnosis); greater than 5 embryos	
<u>89300</u>	<u>\$8.68</u>	Semen analysis; presence and/or motility of sperm including Huhner test (post coital)	
<u>89310</u>	<u>\$7.59</u>	Semen analysis; motility and count (not including Huhner test)	
<u>89320</u>	<u>\$10.86</u>	Semen analysis; volume, count, motility, and differential	
<u>89321</u>	<u>\$10.63</u>	Semen analysis; sperm presence and motility of sperm, if performed	
<u>89322</u>	<u>\$13.67</u>	Semen analysis; volume, count, motility, and differential using strict morphologic criteria (eg, Kruger)	
<u>89325</u>	<u>\$9.41</u>	Sperm antibodies	
<u>89329</u>	<u>\$17.28</u>	Sperm evaluation; hamster penetration test	
<u>89330</u>	<u>\$9.15</u>	Sperm evaluation; cervical mucus penetration test, with or without spinnbarkeit test	
<u>89331</u>	<u>\$17.28</u>	Sperm evaluation, for retrograde ejaculation, urine (sperm concentration, motility, and morphology, as indicated)	
<u>89335</u>	<u>I.C.</u>	Cryopreservation, reproductive tissue, testicular	
<u>89342</u>	<u>I.C.</u>	Storage (per year); embryo(s)	
<u>89343</u>	<u>I.C.</u>	Storage (per year); sperm/semen	
<u>89344</u>	<u>I.C.</u>	Storage (per year); reproductive tissue, testicular/ovarian	
<u>89346</u>	<u>I.C.</u>	Storage (per year); oocyte(s)	
<u>89352</u>	<u>I.C.</u>	Thawing of cryopreserved; embryo(s)	
<u>89353</u>	<u>I.C.</u>	Thawing of cryopreserved; sperm/semen, each aliquot	
89354	<u>I.C.</u>	Thawing of cryopreserved; reproductive tissue, testicular/ovarian	
<u>89356</u>	<u>I.C.</u>	Thawing of cryopreserved; oocytes, each aliquot	
<u>89398</u>	<u>I.C.</u>	<u>Unlisted reproductive medicine laboratory procedure</u>	
	Other Pathology and Laboratory		
<u>36415</u>	<u>\$7.56</u>	Collection of venous blood by venipuncture	
<u>78267</u>	<u>\$9.75</u>	Urea breath test, C-14 (isotopic); acquisition for analysis	
<u>78268</u>	<u>\$83.26</u>	<u>Urea breath test, C-14 (isotopic); analysis</u>	

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>81105</u>	<u>\$107.78</u>	Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-1a/b (L33P)
<u>81106</u>	<u>\$107.78</u>	Human Platelet Antigen 2 genotyping (HPA-2), GP1BA (glycoprotein Ib [platelet], alpha polypeptide [GPIba]) (eg, neonatal alloimmune thrombocytopenia [NAIT], posttransfusion purpura), gene analysis, common variant, HPA-2a/b (T145M)
81107	<u>\$107.78</u>	Human Platelet Antigen 3 genotyping (HPA-3), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex], antigen CD41 [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-3a/b (I843S)
81108	<u>\$107.78</u>	Human Platelet Antigen 4 genotyping (HPA-4), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-4a/b (R143Q)
81109	<u>\$107.78</u>	Human Platelet Antigen 5 genotyping (HPA-5), ITGA2 (integrin, alpha 2 [CD49B, alpha 2 subunit of VLA-2 receptor] [GPIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant (eg, HPA-5a/b (K505E))
81110	<u>\$107.78</u>	Human Platelet Antigen 6 genotyping (HPA-6w), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa, antigen CD61] [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-6a/b (R489Q)
81111	<u>\$107.78</u>	Human Platelet Antigen 9 genotyping (HPA-9w), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41] [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-9a/b (V837M)
<u>81112</u>	<u>\$107.78</u>	Human Platelet Antigen 15 genotyping (HPA-15), CD109 (CD109 molecule) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-15a/b (S682Y)

<u>Code</u>	Rate	<b>Description</b>
81120	\$170.42	IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common variants (eg, R132H, R132C)
81121	<u>\$260.85</u>	IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common variants (eg, R140W, R172M)
<u>81161</u>	\$246.04	DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy) deletion analysis, and duplication analysis, if performed
<u>81162</u>	<u>\$1,609.32</u>	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and full duplication/deletion analysis (ie, detection of large gene rearrangements)
<u>81163</u>	<u>\$412.72</u>	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
81164	<u>\$515.22</u>	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
<u>81165</u>	<u>\$249.46</u>	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
<u>81166</u>	<u>\$265.75</u>	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
<u>81167</u>	<u>\$249.46</u>	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
81168	<u>\$182.82</u>	CCND1/IGH (t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative and quantitative, if performed
81170	<u>\$264.56</u>	ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib tyrosine kinase inhibitor resistance), gene analysis, variants in the kinase domain
<u>81171</u>	<u>\$120.82</u>	AFF2 (ALF transcription elongation factor 2 [FMR2]) (eg, fragile X intellectual disability 2 [FRAXE]) gene analysis; evaluation to detect abnormal (eg, expanded) alleles

<u>Code</u>	Rate	<b>Description</b>
81172	<u>\$242.37</u>	AFF2 (ALF transcription elongation factor 2 [FMR2]) (eg., fragile X intellectual disability 2 [FRAXE]) gene analysis; characterization of alleles (eg., expanded size and methylation status)
<u>81173</u>	<u>\$265.75</u>	AR (androgen receptor) (eg. spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation) gene analysis; full gene sequence
<u>81174</u>	<u>\$163.32</u>	AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation) gene analysis; known familial variant
<u>81175</u>	<u>\$596.59</u>	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg, myelodysplastic syndrome, myeloproliferative neoplasms, chronic myelomonocytic leukemia), gene analysis; full gene sequence
<u>81176</u>	<u>\$213.33</u>	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg, myelodysplastic syndrome, myeloproliferative neoplasms, chronic myelomonocytic leukemia), gene analysis; targeted sequence analysis (eg, exon 12)
81177	<u>\$120.82</u>	ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81178</u>	<u>\$120.82</u>	ATXN1 (ataxin 1) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81179	\$120.82	ATXN2 (ataxin 2) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81180</u>	<u>\$120.82</u>	ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81181	\$120.82	ATXN7 (ataxin 7) (eg. spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg. expanded) alleles
81182	<u>\$120.82</u>	ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81183</u>	<u>\$120.82</u>	ATXN10 (ataxin 10) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81184	<u>\$120.82</u>	CACNA1A (calcium voltage-gated channel subunit alpha1 A) (eg. spinocerebellar ataxia) gene analysis; evaluation to detect abnormal (eg. expanded) alleles
<u>81185</u>	<u>\$746.30</u>	CACNA1A (calcium voltage-gated channel subunit alpha1 A) (eg, spinocerebellar ataxia) gene analysis; full gene sequence

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<u>81186</u>	<u>\$163.32</u>	CACNA1A (calcium voltage-gated channel subunit alpha1 A) (eg, spinocerebellar ataxia) gene analysis; known familial variant
<u>81187</u>	<u>\$120.82</u>	CNBP (CCHC-type zinc finger nucleic acid binding protein) (eg, myotonic dystrophy type 2) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81188</u>	<u>\$120.82</u>	CSTB (cystatin B) (eg, Unverricht-Lundborg disease) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
<u>81189</u>	<u>\$242.37</u>	CSTB (cystatin B) (eg, Unverricht-Lundborg disease) gene analysis; full gene sequence
<u>81190</u>	<u>\$163.32</u>	CSTB (cystatin B) (eg, Unverricht-Lundborg disease) gene analysis; known familial variant(s)
<u>81191</u>	\$182.82	NTRK1 (neurotrophic receptor tyrosine kinase 1) (eg, solid tumors) translocation analysis
81192	\$182.82	NTRK2 (neurotrophic receptor tyrosine kinase 2) (eg, solid tumors) translocation analysis
81193	\$182.82	NTRK3 (neurotrophic receptor tyrosine kinase 3) (eg, solid tumors) translocation analysis
81194	<u>\$457.06</u>	NTRK (neurotrophic receptor tyrosine kinase 1, 2, and 3) (eg, solid tumors) translocation analysis
81200	<u>\$41.67</u>	ASPA (aspartoacylase) (eg, Canavan disease) gene analysis, common variants (eg, E285A, Y231X)
<u>81201</u>	<u>\$687.86</u>	APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence
81202	<u>\$246.93</u>	APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; known familial variants
<u>81203</u>	<u>\$176.38</u>	APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants
81204	<u>\$120.82</u>	AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation) gene analysis; characterization of alleles (eg, expanded size or methylation status)
<u>81205</u>	\$83.77	BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease) gene analysis, common variants (eg, R183P, G278S, E422X)

<u>Code</u>	Rate	<b>Description</b>
<u>81206</u>	<u>\$144.59</u>	BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative
81207	<u>\$127.73</u>	BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative
<u>81208</u>	<u>\$189.27</u>	BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; other breakpoint, qualitative or quantitative
81209	\$34.67	BLM (Bloom syndrome, RecQ helicase-like) (eg, Bloom syndrome) gene analysis, 2281del6ins7 variant
81210	<u>\$154.68</u>	BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)
81212	\$388.03	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; 185delAG, 5385insC, 6174delT variants
<u>81215</u>	\$330.92	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant
<u>81216</u>	<u>\$163.25</u>	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
<u>81217</u>	<u>\$330.92</u>	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant
81218	\$213.33	CEBPA (CCAAT/enhancer binding protein [C/EBP], alpha) (eg, acute myeloid leukemia), gene analysis, full gene sequence
81219	<u>\$107.26</u>	CALR (calreticulin) (eg, myeloproliferative disorders), gene analysis, common variants in exon 9
<u>81220</u>	<u>\$490.85</u>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, ACMG/ACOG guidelines)
<u>81221</u>	<u>\$85.74</u>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; known familial variants
81222	<u>\$383.68</u>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; duplication/deletion variants
<u>81223</u>	<u>\$440.06</u>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; full gene sequence
81224	<u>\$148.82</u>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; intron 8 poly-T analysis (eg, male infertility)

<u>Code</u>	Rate	<b>Description</b>
81225	\$256.94	CYP2C19 (cytochrome P450, family 2, subfamily C, polypeptide 19) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *8, *17)
<u>81226</u>	<u>\$397.65</u>	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *9, *10, *17, *19, *29, *35, *41, *1XN, *2XN, *4XN)
81227	<u>\$154.16</u>	CYP2C9 (cytochrome P450, family 2, subfamily C, polypeptide 9) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *5, *6)
81228	<u>\$793.69</u>	Cytogenomic (genome-wide) analysis for constitutional chromosomal abnormalities; interrogation of genomic regions for copy number variants, comparative genomic hybridization [CGH] microarray analysis
81229	\$1,022.98	Cytogenomic (genome-wide) analysis for constitutional chromosomal abnormalities; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants, comparative genomic hybridization (CGH) microarray analysis
81230	<u>\$154.16</u>	CYP3A4 (cytochrome P450 family 3 subfamily A member 4) (eg, drug metabolism), gene analysis, common variant(s) (eg, *2, *22)
<u>81231</u>	<u>\$154.16</u>	CYP3A5 (cytochrome P450 family 3 subfamily A member 5) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *7)
81232	<u>\$154.16</u>	DPYD (dihydropyrimidine dehydrogenase) (eg, 5-fluorouracil/5-FU and capecitabine drug metabolism), gene analysis, common variant(s) (eg, *2A, *4, *5, *6)
81233	<u>\$154.68</u>	BTK (Bruton's tyrosine kinase) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, C481S, C481R, C481F)
81234	\$120.82	DMPK (DM1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; evaluation to detect abnormal (expanded) alleles
81235	<u>\$286.24</u>	EGFR (epidermal growth factor receptor) (eg, non-small cell lung cancer) gene analysis, common variants (eg, exon 19 LREA deletion, L858R, T790M, G719A, G719S, L861Q)
<u>81236</u>	<u>\$249.46</u>	EZH2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, myelodysplastic syndrome, myeloproliferative neoplasms) gene analysis, full gene sequence

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81237	<u>\$154.68</u>	EZH2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, diffuse large B-cell lymphoma) gene analysis, common variant(s) (eg, codon 646)
81238	\$529.13	F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence
81239	\$242.37	DMPK (DM1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; characterization of alleles (eg, expanded size)
81240	<u>\$57.93</u>	F2 (prothrombin, coagulation factor II) (eg, hereditary hypercoagulability) gene analysis, 20210G>A variant
<u>81241</u>	<u>\$64.70</u>	F5 (coagulation factor V) (eg, hereditary hypercoagulability) gene analysis, Leiden variant
81242	\$32.29	FANCC (Fanconi anemia, complementation group C) (eg, Fanconi anemia, type C) gene analysis, common variant (eg, IVS4+4A>T)
81243	<u>\$50.30</u>	FMR1 (fragile X messenger ribonucleoprotein 1) (eg, fragile X syndrome, X-linked intellectual disability [XLID]) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
81244	<u>\$39.59</u>	FMR1 (fragile X messenger ribonucleoprotein 1) (eg, fragile X syndrome, X-linked intellectual disability [XLID]) gene analysis; characterization of alleles (eg, expanded size and promoter methylation status)
<u>81245</u>	<u>\$145.96</u>	FLT3 (fms-related tyrosine kinase 3) (eg, acute myeloid leukemia), gene analysis; internal tandem duplication (ITD) variants (ie, exons 14, 15)
<u>81246</u>	<u>\$73.20</u>	FLT3 (fms-related tyrosine kinase 3) (eg, acute myeloid leukemia), gene analysis; tyrosine kinase domain (TKD) variants (eg, D835, I836)
81247	<u>\$154.16</u>	G6PD (glucose-6-phosphate dehydrogenase) (eg, hemolytic anemia, jaundice), gene analysis; common variant(s) (eg, A, A-)
81248	\$330.92	G6PD (glucose-6-phosphate dehydrogenase) (eg, hemolytic anemia, jaundice), gene analysis; known familial variant(s)
81249	\$529.13	G6PD (glucose-6-phosphate dehydrogenase) (eg, hemolytic anemia, jaundice), gene analysis; full gene sequence
81250	<u>\$51.58</u>	G6PC (glucose-6-phosphatase, catalytic subunit) (eg, Glycogen storage disease, type 1a, von Gierke disease) gene analysis, common variants (eg, R83C, Q347X)
<u>81251</u>	<u>\$41.67</u>	GBA (glucosidase, beta, acid) (eg, Gaucher disease) gene analysis, common variants (eg, N370S, 84GG, L444P, IVS2+1G>A)

<u>Code</u>	Rate	<u>Description</u>
81252	\$89.18	GJB2 (gap junction protein, beta 2, 26kDa, connexin 26) (eg, nonsyndromic hearing loss) gene analysis; full gene sequence
81253	<u>\$54.25</u>	GJB2 (gap junction protein, beta 2, 26kDa, connexin 26) (eg, nonsyndromic hearing loss) gene analysis; known familial variants
81254	<u>\$30.87</u>	GJB6 (gap junction protein, beta 6, 30kDa, connexin 30) (eg. nonsyndromic hearing loss) gene analysis, common variants (eg. 309kb [del(GJB6-D13S1830)] and 232kb [del(GJB6-D13S1854)])
<u>81255</u>	<u>\$45.37</u>	HEXA (hexosaminidase A [alpha polypeptide]) (eg, Tay-Sachs disease) gene analysis, common variants (eg, 1278insTATC, 1421+1G>C, G269S)
<u>81256</u>	<u>\$57.64</u>	HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, C282Y, H63D)
81257	<u>\$90.18</u>	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; common deletions or variant (eg, Southeast Asian, Thai, Filipino, Mediterranean, alpha3.7, alpha4.2, alpha20.5, Constant Spring)
81258	\$330.92	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; known familial variant
81259	<u>\$529.13</u>	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; full gene sequence
81260	<u>\$34.67</u>	IKBKAP (inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein) (eg, familial dysautonomia) gene analysis, common variants (eg, 2507+6T>C, R696P)
<u>81261</u>	<u>\$174.60</u>	IGH@ (Immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, B-cell), gene rearrangement analysis to detect abnormal clonal population(s); amplified methodology (eg, polymerase chain reaction)
81262	<u>\$60.45</u>	IGH@ (Immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, B-cell), gene rearrangement analysis to detect abnormal clonal population(s); direct probe methodology (eg, Southern blot)
<u>81263</u>	<u>\$259.73</u>	IGH@ (Immunoglobulin heavy chain locus) (eg, leukemia and lymphoma, B-cell), variable region somatic mutation analysis

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>81264</u>	<u>\$152.33</u>	IGK@ (Immunoglobulin kappa light chain locus) (eg, leukemia and lymphoma, B-cell), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)
<u>81265</u>	<u>\$205.54</u>	Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non- hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)
<u>81266</u>	<u>\$268.80</u>	Comparative analysis using Short Tandem Repeat (STR) markers; each additional specimen (eg, additional cord blood donor, additional fetal samples from different cultures, or additional zygosity in multiple birth pregnancies) (List separately in addition to code for primary procedure)
<u>81267</u>	<u>\$182.95</u>	Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection
<u>81268</u>	<u>\$229.98</u>	Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type
81269	<u>\$178.49</u>	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; duplication/deletion variants
81270	\$80.83	JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant
81271	\$120.82	HTT (huntingtin) (eg, Huntington disease) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
81272	<u>\$290.59</u>	KIT (v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog) (eg, gastrointestinal stromal tumor [GIST], acute myeloid leukemia, melanoma), gene analysis, targeted sequence analysis (eg, exons 8, 11, 13, 17, 18)
81273	\$110.12	KIT (v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog) (eg, mastocytosis), gene analysis, D816 variant(s)
81274	\$242.37	HTT (huntingtin) (eg, Huntington disease) gene analysis; characterization of alleles (eg, expanded size)
<u>81275</u>	<u>\$170.42</u>	KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; variants in exon 2 (eg, codons 12 and 13)

<u>Code</u>	Rate	<b>Description</b>
<u>81276</u>	<u>\$170.42</u>	KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; additional variant(s) (eg, codon 61, codon 146)
81277	\$1,022.98	Cytogenomic neoplasia (genome-wide) microarray analysis, interrogation of genomic regions for copy number and loss-of-heterozygosity variants for chromosomal abnormalities
81278	<u>\$182.82</u>	IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma) translocation analysis, major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative
81279	<u>\$163.32</u>	JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) targeted sequence analysis (eg, exons 12 and 13)
<u>81283</u>	<u>\$64.70</u>	IFNL3 (interferon, lambda 3) (eg, drug response), gene analysis, rs12979860 variant
81284	\$120.82	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; evaluation to detect abnormal (expanded) alleles
<u>81285</u>	<u>\$242.37</u>	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; characterization of alleles (eg, expanded size)
81286	<u>\$242.37</u>	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; full gene sequence
<u>81287</u>	<u>\$109.92</u>	MGMT (O-6-methylguanine-DNA methyltransferase) (eg. glioblastoma multiforme) promoter methylation analysis
<u>81288</u>	<u>\$169.60</u>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; promoter methylation analysis
81289	\$163.32	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; known familial variant(s)
81290	<u>\$34.67</u>	MCOLN1 (mucolipin 1) (eg, Mucolipidosis, type IV) gene analysis, common variants (eg, IVS3-2A>G, del6.4kb)
<u>81291</u>	<u>\$57.62</u>	MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)
81292	<u>\$595.62</u>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
81293	<u>\$291.90</u>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
81294	<u>\$178.49</u>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants

<u>Code</u>	Rate	<u>Description</u>
81295	<u>\$336.61</u>	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
81296	<u>\$297.84</u>	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
<u>81297</u>	<u>\$188.10</u>	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
81298	<u>\$566.03</u>	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
81299	<u>\$271.62</u>	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non- polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
81300	<u>\$209.89</u>	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
<u>81301</u>	<u>\$307.39</u>	Microsatellite instability analysis (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) of markers for mismatch repair deficiency (eg, BAT25, BAT26), includes comparison of neoplastic and normal tissue, if performed
<u>81302</u>	<u>\$465.52</u>	MECP2 (methyl CpG binding protein 2) (eg, Rett syndrome) gene analysis; full sequence analysis
<u>81303</u>	<u>\$105.83</u>	MECP2 (methyl CpG binding protein 2) (eg, Rett syndrome) gene analysis; known familial variant
<u>81304</u>	<u>\$132.28</u>	MECP2 (methyl CpG binding protein 2) (eg, Rett syndrome) gene analysis; duplication/deletion variants
<u>81305</u>	<u>\$154.68</u>	MYD88 (myeloid differentiation primary response 88) (eg., Waldenstrom's macroglobulinemia, lymphoplasmacytic leukemia) gene analysis, p.Leu265Pro (L265P) variant
<u>81306</u>	<u>\$256.94</u>	NUDT15 (nudix hydrolase 15) (eg, drug metabolism) gene analysis, common variant(s) (eg, *2, *3, *4, *5, *6)
81307	<u>\$596.59</u>	PALB2 (partner and localizer of BRCA2) (eg, breast and pancreatic cancer) gene analysis; full gene sequence
<u>81308</u>	<u>\$265.75</u>	PALB2 (partner and localizer of BRCA2) (eg, breast and pancreatic cancer) gene analysis; known familial variant
81309	<u>\$242.37</u>	PIK3CA (phosphatidylinositol-4, 5-biphosphate 3-kinase, catalytic subunit alpha) (eg, colorectal and breast cancer) gene analysis, targeted sequence analysis (eg, exons 7, 9, 20)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>81310</u>	<u>\$217.40</u>	NPM1 (nucleophosmin) (eg, acute myeloid leukemia) gene analysis, exon 12 variants
<u>81311</u>	<u>\$260.85</u>	NRAS (neuroblastoma RAS viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 and 13) and exon 3 (eg, codon 61)
<u>81312</u>	<u>\$120.82</u>	PABPN1 (poly[A] binding protein nuclear 1) (eg, oculopharyngeal muscular dystrophy) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81313	<u>\$224.92</u>	PCA3/KLK3 (prostate cancer antigen 3 [non-protein coding]/kallikrein-related peptidase 3 [prostate specific antigen]) ratio (eg, prostate cancer)
<u>81314</u>	<u>\$290.59</u>	PDGFRA (platelet-derived growth factor receptor, alpha polypeptide) (eg, gastrointestinal stromal tumor [GIST]), gene analysis, targeted sequence analysis (eg, exons 12, 18)
<u>81315</u>	<u>\$182.82</u>	PML/RARalpha, (t(15;17)), (promyelocytic leukemia/retinoic acid receptor alpha) (eg, promyelocytic leukemia) translocation analysis; common breakpoints (eg, intron 3 and intron 6), qualitative or quantitative
<u>81316</u>	<u>\$182.82</u>	PML/RARalpha, (t(15;17)), (promyelocytic leukemia/retinoic acid receptor alpha) (eg, promyelocytic leukemia) translocation analysis; single breakpoint (eg, intron 3, intron 6 or exon 6), qualitative or quantitative
<u>81317</u>	<u>\$596.59</u>	PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg. hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
<u>81318</u>	<u>\$291.90</u>	PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg. hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
<u>81319</u>	<u>\$179.46</u>	PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg. hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
81320	<u>\$256.94</u>	PLCG2 (phospholipase C gamma 2) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, R665W, S707F, L845F)
<u>81321</u>	<u>\$529.13</u>	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; full sequence analysis
81322	<u>\$41.10</u>	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; known familial variant

<u>Code</u>	<u>Rate</u>	<b>Description</b>
81323	<u>\$264.56</u>	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; duplication/deletion variant
81324	<u>\$668.78</u>	PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; duplication/deletion analysis
<u>81325</u>	<u>\$678.67</u>	PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; full sequence analysis
<u>81326</u>	<u>\$41.10</u>	PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; known familial variant
81327	<u>\$169.32</u>	SEPT9 (Septin9) (eg, colorectal cancer) promoter methylation analysis
81328	<u>\$154.16</u>	SLCO1B1 (solute carrier organic anion transporter family, member 1B1) (eg, adverse drug reaction), gene analysis, common variant(s) (eg, *5)
<u>81329</u>	\$120.82	SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; dosage/deletion analysis (eg, carrier testing), includes SMN2 (survival of motor neuron 2, centromeric) analysis, if performed
81330	<u>\$41.45</u>	SMPD1(sphingomyelin phosphodiesterase 1, acid lysosomal) (eg, Niemann-Pick disease, Type A) gene analysis, common variants (eg, R496L, L302P, fsP330)
<u>81331</u>	<u>\$45.04</u>	SNRPN/UBE3A (small nuclear ribonucleoprotein polypeptide N and ubiquitin protein ligase E3A) (eg, Prader-Willi syndrome and/or Angelman syndrome), methylation analysis
<u>81332</u>	<u>\$38.49</u>	SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)
<u>81333</u>	<u>\$120.82</u>	TGFBI (transforming growth factor beta-induced) (eg, corneal dystrophy) gene analysis, common variants (eg, R124H, R124C, R124L, R555W, R555Q)
81334	<u>\$290.59</u>	RUNX1 (runt related transcription factor 1) (eg, acute myeloid leukemia, familial platelet disorder with associated myeloid malignancy), gene analysis, targeted sequence analysis (eg, exons 3-8)
<u>81335</u>	<u>\$154.16</u>	TPMT (thiopurine S-methyltransferase) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3)

<u>Code</u>	Rate	<b>Description</b>
<u>81336</u>	<u>\$265.75</u>	SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; full gene sequence
81337	<u>\$163.32</u>	SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; known familial sequence variant(s)
<u>81338</u>	<u>\$132.57</u>	MPL (MPL proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene analysis; common variants (eg, W515A, W515K, W515L, W515R)
81339	<u>\$163.32</u>	MPL (MPL proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene analysis; sequence analysis, exon 10
<u>81340</u>	<u>\$184.24</u>	TRB@ (T cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using amplification methodology (eg, polymerase chain reaction)
<u>81341</u>	<u>\$43.73</u>	TRB@ (T cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using direct probe methodology (eg, Southern blot)
<u>81342</u>	<u>\$177.70</u>	TRG@ (T cell antigen receptor, gamma) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)
81343	<u>\$120.82</u>	PPP2R2B (protein phosphatase 2 regulatory subunit Bbeta) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81344	<u>\$120.82</u>	TBP (TATA box binding protein) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81345</u>	<u>\$163.32</u>	TERT (telomerase reverse transcriptase) (eg. thyroid carcinoma, glioblastoma multiforme) gene analysis, targeted sequence analysis (eg. promoter region)
81346	<u>\$154.16</u>	TYMS (thymidylate synthetase) (eg, 5-fluorouracil/5-FU drug metabolism), gene analysis, common variant(s) (eg, tandem repeat variant)
81347	<u>\$170.42</u>	SF3B1 (splicing factor [3b] subunit B1) (eg, myelodysplastic syndrome/acute myeloid leukemia) gene analysis, common variants (eg, A672T, E622D, L833F, R625C, R625L)
<u>81348</u>	<u>\$154.68</u>	SRSF2 (serine and arginine-rich splicing factor 2) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variants (eg, P95H, P95L)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81349	\$1,022.98	Cytogenomic (genome-wide) analysis for constitutional chromosomal abnormalities; interrogation of genomic regions for copy number and loss-of-heterozygosity variants, low-pass sequencing analysis
81350	<u>\$206.36</u>	UGT1A1 (UDP glucuronosyltransferase 1 family, polypeptide A1) (eg, drug metabolism, hereditary unconjugated hyperbilirubinemia [Gilbert syndrome]) gene analysis, common variants (eg, *28, *36, *37)
<u>81351</u>	<u>\$566.03</u>	TP53 (tumor protein 53) (eg, Li-Fraumeni syndrome) gene analysis; full gene sequence
81352	<u>\$290.59</u>	TP53 (tumor protein 53) (eg, Li-Fraumeni syndrome) gene analysis; targeted sequence analysis (eg, 4 oncology)
<u>81353</u>	<u>\$271.62</u>	TP53 (tumor protein 53) (eg, Li-Fraumeni syndrome) gene analysis; known familial variant
<u>81355</u>	<u>\$77.78</u>	VKORC1 (vitamin K epoxide reductase complex, subunit 1) (eg, warfarin metabolism), gene analysis, common variant(s) (eg, -1639G>A, c.173+1000C>T)
<u>81357</u>	<u>\$170.42</u>	U2AF1 (U2 small nuclear RNA auxiliary factor 1) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variants (eg, S34F, S34Y, Q157R, Q157P)
<u>81360</u>	<u>\$170.42</u>	ZRSR2 (zinc finger CCCH-type, RNA binding motif and serine/arginine-rich 2) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variant(s) (eg, E65fs, E122fs, R448fs)
<u>81361</u>	<u>\$154.16</u>	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); common variant(s) (eg, HbS, HbC, HbE)
<u>81362</u>	\$330.92	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); known familial variant(s)
<u>81363</u>	<u>\$178.49</u>	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); duplication/deletion variant(s)
81364	\$286.24	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); full gene sequence
<u>81370</u>	<u>\$354.62</u>	HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1
<u>81371</u>	\$356.74	HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, and -DRB1 (eg, verification typing)
<u>81372</u>	<u>\$355.92</u>	HLA Class I typing, low resolution (eg, antigen equivalents); complete (ie, HLA-A, -B, and -C)

<u>Code</u>	Rate	<b>Description</b>
<u>81373</u>	\$112.38	HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each
81374	<u>\$65.55</u>	HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each
<u>81375</u>	\$194.67	HLA Class II typing, low resolution (eg, antigen equivalents); HLA-DRB1/3/4/5 and -DQB1
<u>81376</u>	<u>\$107.78</u>	HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, - DPB1, or -DPA1), each
<u>81377</u>	<u>\$83.55</u>	HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each
81378	\$304.75	HLA Class I and II typing, high resolution (ie, alleles or allele groups), HLA-A, -B, -C, and -DRB1
81379	<u>\$295.76</u>	HLA Class I typing, high resolution (ie, alleles or allele groups); complete (ie, HLA-A, -B, and -C)
81380	\$156.31	HLA Class I typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-A, -B, or -C), each
81381	\$149.83	HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each
81382	<u>\$109.07</u>	HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each
<u>81383</u>	<u>\$96.24</u>	HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each
81400	<u>\$56.40</u>	Molecular pathology procedure, Level 1 (eg, identification of single germline variant [eg, SNP] by techniques such as restriction enzyme digestion or melt curve analysis)
<u>81401</u>	<u>\$120.82</u>	Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat)
81402	<u>\$132.57</u>	Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD])

<u>Code</u>	Rate	<u>Description</u>
81403	<u>\$163.32</u>	Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons)
81404	<u>\$242.37</u>	Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis)
<u>81405</u>	<u>\$265.75</u>	Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis)
<u>81406</u>	<u>\$249.46</u>	Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons)
<u>81407</u>	<u>\$746.30</u>	Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform)
81408	\$1,763.75	Molecular pathology procedure, Level 9 (eg. analysis of >50 exons in a single gene by DNA sequence analysis)
<u>81410</u>	<u>\$444.47</u>	Aortic dysfunction or dilation (eg, Marfan syndrome, Loeys Dietz syndrome, Ehler Danlos syndrome type IV, arterial tortuosity syndrome); genomic sequence analysis panel, must include sequencing of at least 9 genes, including FBN1, TGFBR1, TGFBR2, COL3A1, MYH11, ACTA2, SLC2A10, SMAD3, and MYLK
<u>81411</u>	<u>\$1,190.70</u>	Aortic dysfunction or dilation (eg, Marfan syndrome, Loeys Dietz syndrome, Ehler Danlos syndrome type IV, arterial tortuosity syndrome); duplication/deletion analysis panel, must include analyses for TGFBR1, TGFBR2, MYH11, and COL3A1
<u>81412</u>	<u>\$2,159.32</u>	Ashkenazi Jewish associated disorders (eg, Bloom syndrome, Canavan disease, cystic fibrosis, familial dysautonomia, Fanconi anemia group C, Gaucher disease, Tay-Sachs disease), genomic sequence analysis panel, must include sequencing of at least 9 genes, including ASPA, BLM, CFTR, FANCC, GBA, HEXA, IKBKAP, MCOLN1, and SMPD1

#### 101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

101 CMR: EXECUTIVE OFFICE OF HEALTH AND HUMAN SERVICES

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81413	<u>\$515.81</u>	Cardiac ion channelopathies (eg, Brugada syndrome, long QT syndrome, short QT syndrome, catecholaminergic polymorphic ventricular tachycardia); genomic sequence analysis panel, must include sequencing of at least 10 genes, including ANK2, CASQ2, CAV3, KCNE1, KCNE2, KCNH2, KCNJ2, KCNQ1, RYR2, and SCN5A
81414	<u>\$515.81</u>	Cardiac ion channelopathies (eg, Brugada syndrome, long QT syndrome, short QT syndrome, catecholaminergic polymorphic ventricular tachycardia); duplication/deletion gene analysis panel, must include analysis of at least 2 genes, including KCNH2 and KCNQ1
<u>81415</u>	<u>\$4,215.36</u>	Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis
<u>81416</u>	<u>\$10,582.50</u>	Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator exome (eg, parents, siblings) (List separately in addition to code for primary procedure)
<u>81417</u>	<u>\$282.20</u>	Exome (eg, unexplained constitutional or heritable disorder or syndrome); re-evaluation of previously obtained exome sequence (eg, updated knowledge or unrelated condition/syndrome)
<u>81418</u>	\$0.00	Drug metabolism (eg, pharmacogenomics) genomic sequence analysis panel, must include testing of at least 6 genes, including CYP2C19, CYP2D6, and CYP2D6 duplication/deletion analysis
<u>81419</u>	<u>\$2,159.32</u>	Epilepsy genomic sequence analysis panel, must include analyses for ALDH7A1, CACNA1A, CDKL5, CHD2, GABRG2, GRIN2A, KCNQ2, MECP2, PCDH19, POLG, PRRT2, SCN1A, SCN1B, SCN2A, SCN8A, SLC2A1, SLC9A6, STXBP1, SYNGAP1, TCF4, TPP1, TSC1, TSC2, and ZEB2
81420	<u>\$669.39</u>	Fetal chromosomal aneuploidy (eg, trisomy 21, monosomy X) genomic sequence analysis panel, circulating cell-free fetal DNA in maternal blood, must include analysis of chromosomes 13, 18, and 21
81422	<u>\$669.39</u>	Fetal chromosomal microdeletion(s) genomic sequence analysis (eg, DiGeorge syndrome, Cri-du-chat syndrome), circulating cell-free fetal DNA in maternal blood
81425	\$4,436.89	Genome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis

<u>Code</u>	Rate	<b>Description</b>
<u>81426</u>	<u>\$2,389.84</u>	Genome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator genome (eg, parents, siblings) (List separately in addition to code for primary procedure)
81427	<u>\$2,061.52</u>	Genome (eg, unexplained constitutional or heritable disorder or syndrome); re-evaluation of previously obtained genome sequence (eg, updated knowledge or unrelated condition/syndrome)
<u>81430</u>	<u>\$1,433.05</u>	Hearing loss (eg, nonsyndromic hearing loss, Usher syndrome, Pendred syndrome); genomic sequence analysis panel, must include sequencing of at least 60 genes, including CDH23, CLRN1, GJB2, GPR98, MTRNR1, MYO7A, MYO15A, PCDH15, OTOF, SLC26A4, TMC1, TMPRSS3, USH1C, USH1G, USH2A, and WFS1
<u>81431</u>	<u>\$599.30</u>	Hearing loss (eg, nonsyndromic hearing loss, Usher syndrome, Pendred syndrome); duplication/deletion analysis panel, must include copy number analyses for STRC and DFNB1 deletions in GJB2 and GJB6 genes
<u>81432</u>	<u>\$598.84</u>	Hereditary breast cancer-related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer); genomic sequence analysis panel, must include sequencing of at least 10 genes, always including BRCA1, BRCA2, CDH1, MLH1, MSH2, MSH6, PALB2, PTEN, STK11, and TP53
81433	<u>\$387.08</u>	Hereditary breast cancer-related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer); duplication/deletion analysis panel, must include analyses for BRCA1, BRCA2, MLH1, MSH2, and STK11
<u>81434</u>	<u>\$527.28</u>	Hereditary retinal disorders (eg, retinitis pigmentosa, Leber congenital amaurosis, cone-rod dystrophy), genomic sequence analysis panel, must include sequencing of at least 15 genes, including ABCA4, CNGA1, CRB1, EYS, PDE6A, PDE6B, PRPF31, PRPH2, RDH12, RHO, RP1, RP2, RPE65, RPGR, and USH2A
<u>81435</u>	<u>\$515.81</u>	Hereditary colon cancer disorders (eg, Lynch syndrome, PTEN hamartoma syndrome, Cowden syndrome, familial adenomatosis polyposis); genomic sequence analysis panel, must include sequencing of at least 10 genes, including APC, BMPR1A, CDH1, MLH1, MSH2, MSH6, MUTYH, PTEN, SMAD4, and STK11

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81436	<u>\$515.81</u>	Hereditary colon cancer disorders (eg, Lynch syndrome, PTEN hamartoma syndrome, Cowden syndrome, familial adenomatosis polyposis); duplication/deletion analysis panel, must include analysis of at least 5 genes, including MLH1, MSH2, EPCAM, SMAD4, and STK11
81437	<u>\$387.08</u>	Hereditary neuroendocrine tumor disorders (eg, medullary thyroid carcinoma, parathyroid carcinoma, malignant pheochromocytoma or paraganglioma); genomic sequence analysis panel, must include sequencing of at least 6 genes, including MAX, SDHB, SDHC, SDHD, TMEM127, and VHL
81438	<u>\$387.08</u>	Hereditary neuroendocrine tumor disorders (eg, medullary thyroid carcinoma, parathyroid carcinoma, malignant pheochromocytoma or paraganglioma); duplication/deletion analysis panel, must include analyses for SDHB, SDHC, SDHD, and VHL
81439	<u>\$515.81</u>	Hereditary cardiomyopathy (eg, hypertrophic cardiomyopathy, dilated cardiomyopathy, arrhythmogenic right ventricular cardiomyopathy), genomic sequence analysis panel, must include sequencing of at least 5 cardiomyopathy-related genes (eg, DSG2, MYBPC3, MYH7, PKP2, TTN)
81440	<u>\$2,931.35</u>	Nuclear encoded mitochondrial genes (eg, neurologic or myopathic phenotypes), genomic sequence panel, must include analysis of at least 100 genes, including BCS1L, C10orf2, COQ2, COX10, DGUOK, MPV17, OPA1, PDSS2, POLG, POLG2, RRM2B, SCO1, SCO2, SLC25A4, SUCLA2, SUCLG1, TAZ, TK2, and TYMP
81441	<u>\$2,159.32</u>	Inherited bone marrow failure syndromes (IBMFS) (eg., Fanconi anemia, dyskeratosis congenita, Diamond-Blackfan anemia, Shwachman-Diamond syndrome, GATA2 deficiency syndrome, congenital amegakaryocytic thrombocytopenia) sequence analysis panel, must include sequencing of at least 30 genes, including BRCA2, BRIP1, DKC1, FANCA, FANCB, FANCC, FANCD2, FANCE, FANCF, FANCG, FANCI, FANCL, GATA1, GATA2, MPL, NHP2, NOP10, PALB2, RAD51C, RPL11, RPL35A, RPL5, RPS10, RPS19, RPS24, RPS26, RPS7, SBDS, TERT, and TINF2

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81442	<u>\$1,890.39</u>	Noonan spectrum disorders (eg, Noonan syndrome, cardio-facio-cutaneous syndrome, Costello syndrome, LEOPARD syndrome, Noonan-like syndrome), genomic sequence analysis panel, must include sequencing of at least 12 genes, including BRAF, CBL, HRAS, KRAS, MAP2K1, MAP2K2, NRAS, PTPN11, RAF1, RIT1, SHOC2, and SOS1
81443	<u>\$2,159.32</u>	Genetic testing for severe inherited conditions (eg, cystic fibrosis, Ashkenazi Jewish-associated disorders [eg, Bloom syndrome, Canavan disease, Fanconi anemia type C, mucolipidosis type VI, Gaucher disease, Tay-Sachs disease], beta hemoglobinopathies, phenylketonuria, galactosemia), genomic sequence analysis panel, must include sequencing of at least 15 genes (eg, ACADM, ARSA, ASPA, ATP7B, BCKDHA, BCKDHB, BLM, CFTR, DHCR7, FANCC, G6PC, GAA, GALT, GBA, GBE1, HBB, HEXA, IKBKAP, MCOLN1, PAH)
<u>81445</u>	<u>\$527.28</u>	Solid organ neoplasm, genomic sequence analysis panel, 5-50 genes, interrogation for sequence variants and copy number variants or rearrangements, if performed; DNA analysis or combined DNA and RNA analysis
<u>81448</u>	<u>\$515.81</u>	Hereditary peripheral neuropathies (eg. Charcot-Marie-Tooth, spastic paraplegia), genomic sequence analysis panel, must include sequencing of at least 5 peripheral neuropathy-related genes (eg. BSCL2, GJB1, MFN2, MPZ, REEP1, SPAST, SPG11, SPTLC1)
81449	<u>\$527.28</u>	Solid organ neoplasm, genomic sequence analysis panel, 5-50 genes, interrogation for sequence variants and copy number variants or rearrangements, if performed; RNA analysis
<u>81450</u>	<u>\$669.81</u>	Hematolymphoid neoplasm or disorder, genomic sequence analysis panel, 5-50 genes, interrogation for sequence variants, and copy number variants or rearrangements, or isoform expression or mRNA expression levels, if performed; DNA analysis or combined DNA and RNA analysis
<u>81451</u>	<u>\$669.81</u>	Hematolymphoid neoplasm or disorder, genomic sequence analysis panel, 5-50 genes, interrogation for sequence variants, and copy number variants or rearrangements, or isoform expression or mRNA expression levels, if performed; RNA analysis

Code	Rate	<u>Description</u>
<u>81455</u>	<u>\$2,574.72</u>	Solid organ or hematolymphoid neoplasm or disorder, 51 or greater genes, genomic sequence analysis panel, interrogation for sequence variants and copy number variants or rearrangements, or isoform expression or mRNA expression levels, if performed; DNA analysis or combined DNA and RNA analysis
<u>81456</u>	<u>\$2,574.72</u>	Solid organ or hematolymphoid neoplasm or disorder, 51 or greater genes, genomic sequence analysis panel, interrogation for sequence variants and copy number variants or rearrangements, or isoform expression or mRNA expression levels, if performed; RNA analysis
<u>81460</u>	<u>\$1,134.97</u>	Whole mitochondrial genome (eg, Leigh syndrome, mitochondrial encephalomyopathy, lactic acidosis, and strokelike episodes [MELAS], myoclonic epilepsy with ragged-red fibers [MERFF], neuropathy, ataxia, and retinitis pigmentosa [NARP], Leber hereditary optic neuropathy [LHON]), genomic sequence, must include sequence analysis of entire mitochondrial genome with heteroplasmy detection
<u>81465</u>	<u>\$825.44</u>	Whole mitochondrial genome large deletion analysis panel (eg, Kearns-Sayre syndrome, chronic progressive external ophthalmoplegia), including heteroplasmy detection, if performed
<u>81470</u>	<u>\$806.03</u>	X-linked intellectual disability (XLID) (eg, syndromic and non-syndromic XLID); genomic sequence analysis panel, must include sequencing of at least 60 genes, including ARX, ATRX, CDKL5, FGD1, FMR1, HUWE1, IL1RAPL, KDM5C, L1CAM, MECP2, MED12, MID1, OCRL, RPS6KA3, and SLC16A2
81471	<u>\$806.03</u>	X-linked intellectual disability (XLID) (eg, syndromic and non-syndromic XLID); duplication/deletion gene analysis, must include analysis of at least 60 genes, including ARX, ATRX, CDKL5, FGD1, FMR1, HUWE1, IL1RAPL, KDM5C, L1CAM, MECP2, MED12, MID1, OCRL, RPS6KA3, and SLC16A2
<u>81479</u>	<u>I.C.</u>	<u>Unlisted molecular pathology procedure</u>
81490	<u>\$741.35</u>	Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using immunoassays, utilizing serum, prognostic algorithm reported as a disease activity score
81493	<u>\$925.97</u>	Coronary artery disease, mRNA, gene expression profiling by real-time RT-PCR of 23 genes, utilizing whole peripheral blood, algorithm reported as a risk score

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>81500</u>	<u>\$229.73</u>	Oncology (ovarian), biochemical assays of two proteins (CA-125 and HE4), utilizing serum, with menopausal status, algorithm reported as a risk score
<u>81503</u>	<u>\$791.04</u>	Oncology (ovarian), biochemical assays of five proteins (CA-125, apolipoprotein A1, beta-2 microglobulin, transferrin, and pre-albumin), utilizing serum, algorithm reported as a risk score
81504	<u>\$458.58</u>	Oncology (tissue of origin), microarray gene expression profiling of > 2000 genes, utilizing formalin-fixed paraffinembedded tissue, algorithm reported as tissue similarity scores
<u>81506</u>	<u>\$60.78</u>	Endocrinology (type 2 diabetes), biochemical assays of seven analytes (glucose, HbA1c, insulin, hs-CRP, adiponectin, ferritin, interleukin 2-receptor alpha), utilizing serum or plasma, algorithm reporting a risk score
<u>81507</u>	<u>\$701.09</u>	Fetal aneuploidy (trisomy 21, 18, and 13) DNA sequence analysis of selected regions using maternal plasma, algorithm reported as a risk score for each trisomy
<u>81508</u>	<u>\$47.89</u>	Fetal congenital abnormalities, biochemical assays of two proteins (PAPP-A, hCG [any form]), utilizing maternal serum, algorithm reported as a risk score
<u>81509</u>	<u>\$1,311.67</u>	Fetal congenital abnormalities, biochemical assays of three proteins (PAPP-A, hCG [any form], DIA), utilizing maternal serum, algorithm reported as a risk score
<u>81510</u>	<u>\$48.98</u>	Fetal congenital abnormalities, biochemical assays of three analytes (AFP, uE3, hCG [any form]), utilizing maternal serum, algorithm reported as a risk score
<u>81511</u>	<u>\$135.37</u>	Fetal congenital abnormalities, biochemical assays of four analytes (AFP, uE3, hCG [any form], DIA) utilizing maternal serum, algorithm reported as a risk score (may include additional results from previous biochemical testing)
<u>81512</u>	<u>\$61.31</u>	Fetal congenital abnormalities, biochemical assays of five analytes (AFP, uE3, total hCG, hyperglycosylated hCG, DIA) utilizing maternal serum, algorithm reported as a risk score
81513	<u>\$125.78</u>	Infectious disease, bacterial vaginosis, quantitative real-time amplification of RNA markers for Atopobium vaginae, Gardnerella vaginalis, and Lactobacillus species, utilizing vaginal-fluid specimens, algorithm reported as a positive or negative result for bacterial vaginosis

<u>Code</u>	Rate	<b>Description</b>
81514	<u>\$231.92</u>	Infectious disease, bacterial vaginosis and vaginitis, quantitative real-time amplification of DNA markers for Gardnerella vaginalis, Atopobium vaginae, Megasphaera type 1, Bacterial Vaginosis Associated Bacteria-2 (BVAB-2), and Lactobacillus species (L. crispatus and L. jensenii), utilizing vaginal-fluid specimens, algorithm reported as a positive or negative for high likelihood of bacterial vaginosis, includes separate detection of Trichomonas vaginalis and/or Candida species (C. albicans, C. tropicalis, C. parapsilosis, C. dubliniensis), Candida glabrata, Candida krusei, when reported
<u>81518</u>	<u>\$3,415.50</u>	Oncology (breast), mRNA, gene expression profiling by real- time RT-PCR of 11 genes (7 content and 4 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithms reported as percentage risk for metastatic recurrence and likelihood of benefit from extended endocrine therapy
<u>81519</u>	<u>\$3,415.50</u>	Oncology (breast), mRNA, gene expression profiling by real- time RT-PCR of 21 genes, utilizing formalin-fixed paraffin embedded tissue, algorithm reported as recurrence score
<u>81520</u>	<u>\$2,213.69</u>	Oncology (breast), mRNA gene expression profiling by hybrid capture of 58 genes (50 content and 8 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence risk score
<u>81521</u>	<u>\$3,415.50</u>	Oncology (breast), mRNA, microarray gene expression profiling of 70 content genes and 465 housekeeping genes, utilizing fresh frozen or formalin-fixed paraffin-embedded tissue, algorithm reported as index related to risk of distant metastasis
<u>81522</u>	<u>\$3,415.50</u>	Oncology (breast), mRNA, gene expression profiling by RT-PCR of 12 genes (8 content and 4 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as recurrence risk score
81523	<u>\$3,415.50</u>	Oncology (breast), mRNA, next-generation sequencing gene expression profiling of 70 content genes and 31 housekeeping genes, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as index related to risk to distant metastasis
<u>81525</u>	<u>\$2,747.92</u>	Oncology (colon), mRNA, gene expression profiling by real- time RT-PCR of 12 genes (7 content and 5 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence score

Code	<u>Rate</u>	<u>Description</u>
<u>81528</u>	<u>\$262.58</u>	Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result
81529	<u>\$6,343.33</u>	Oncology (cutaneous melanoma), mRNA, gene expression profiling by real-time RT-PCR of 31 genes (28 content and 3 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as recurrence risk, including likelihood of sentinel lymph node metastasis
<u>81535</u>	<u>\$511.01</u>	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by DAPI stain and morphology, predictive algorithm reported as a drug response score; first single drug or drug combination
<u>81536</u>	<u>\$156.59</u>	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by DAPI stain and morphology, predictive algorithm reported as a drug response score; each additional single drug or drug combination (List separately in addition to code for primary procedure)
<u>81538</u>	\$2,531.86	Oncology (lung), mass spectrometric 8-protein signature, including amyloid A, utilizing serum, prognostic and predictive algorithm reported as good versus poor overall survival
81539	<u>\$670.23</u>	Oncology (high-grade prostate cancer), biochemical assay of four proteins (Total PSA, Free PSA, Intact PSA, and human kallikrein-2 [hK2]), utilizing plasma or serum, prognostic algorithm reported as a probability score
<u>81540</u>	<u>\$3,307.03</u>	Oncology (tumor of unknown origin), mRNA, gene expression profiling by real-time RT-PCR of 92 genes (87 content and 5 housekeeping) to classify tumor into main cancer type and subtype, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a probability of a predicted main cancer type and subtype
<u>81541</u>	<u>\$3,415.50</u>	Oncology (prostate), mRNA gene expression profiling by real- time RT-PCR of 46 genes (31 content and 15 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a disease-specific mortality risk score
81542	\$3,415.50	Oncology (prostate), mRNA, microarray gene expression profiling of 22 content genes, utilizing formalin-fixed paraffinembedded tissue, algorithm reported as metastasis risk score

Code	Rate	<b>Description</b>
<u>81546</u>	<u>\$3,174.75</u>	Oncology (thyroid), mRNA, gene expression analysis of 10,196 genes, utilizing fine needle aspirate, algorithm reported as a categorical result (eg, benign or suspicious)
81551	<u>\$1,790.21</u>	Oncology (prostate), promoter methylation profiling by real- time PCR of 3 genes (GSTP1, APC, RASSF1), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a likelihood of prostate cancer detection on repeat biopsy
<u>81552</u>	<u>\$6,857.46</u>	Oncology (uveal melanoma), mRNA, gene expression profiling by real-time RT-PCR of 15 genes (12 content and 3 housekeeping), utilizing fine needle aspirate or formalin-fixed paraffin-embedded tissue, algorithm reported as risk of metastasis
<u>81554</u>	<u>\$4,867.95</u>	Pulmonary disease (idiopathic pulmonary fibrosis [IPF]), mRNA, gene expression analysis of 190 genes, utilizing transbronchial biopsies, diagnostic algorithm reported as categorical result (eg, positive or negative for high probability of usual interstitial pneumonia [UIP])
81560	<u>\$565.04</u>	Transplantation medicine (allograft rejection, pediatric liver and small bowel), measurement of donor and third-party-induced CD154+T-cytotoxic memory cells, utilizing whole peripheral blood, algorithm reported as a rejection risk score
<u>81595</u>	\$2,857.28	Cardiology (heart transplant), mRNA, gene expression profiling by real-time quantitative PCR of 20 genes (11 content and 9 housekeeping), utilizing subfraction of peripheral blood, algorithm reported as a rejection risk score
<u>81596</u>	<u>\$63.66</u>	Infectious disease, chronic hepatitis C virus (HCV) infection, six biochemical assays (ALT, A2-macroglobulin, apolipoprotein A-1, total bilirubin, GGT, and haptoglobin) utilizing serum, prognostic algorithm reported as scores for fibrosis and necroinflammatory activity in liver
<u>81599</u>	<u>I.C.</u>	<u>Unlisted multianalyte assay with algorithmic analysis</u>
<u>G0027</u>	<u>\$5.73</u>	Semen analysis; presence and/or motility of sperm excluding Huhner
<u>G0327</u>	\$0.00	ESRD related services for home dialysis (less than full month), per day; for patients twenty years of age and over
<u>G0103</u>	<u>\$17.03</u>	Prostate cancer screening; prostate specific antigen test (PSA)
<u>G0123</u>	<u>\$17.87</u>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>G0143</u>	<u>\$23.85</u>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with manual screening and rescreening by cytotechnologist under physician supervision
<u>G0144</u>	<u>\$38.78</u>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system, under physician supervision
<u>G0145</u>	<u>\$23.36</u>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision
<u>G0147</u>	<u>\$15.27</u>	Screening cytopathology smears, cervical or vaginal, performed by automated system under physician supervision
<u>G0148</u>	\$28.17	Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening
<u>G0306</u>	<u>\$6.85</u>	Complete CBC, automated (HgB, HCT, RBC, WBC, without platelet count) and automated WBC differential count
<u>G0307</u>	<u>\$5.71</u>	Complete CBC, automated (HgB, HCT, RBC, WBC; without platelet count)
<u>G0328</u>	\$15.92	Colorectal cancer screening; fecal occult blood test, immunoassay, one to three simultaneous determinations
<u>G0432</u>	<u>\$17.26</u>	Infectious agent antibody detection by enzyme immunoassay (EIA) technique, HIV-1 and/or HIV-2, screening
<u>G0433</u>	<u>\$16.13</u>	Infectious agent antibody detection by enzyme-linked immunosorbent assay (ELISA) technique, HIV-1 and/or HIV-2, screening
<u>G0435</u>	<u>\$10.56</u>	Infectious agent antibody detection by rapid antibody test, HIV-1 and/or HIV-2, screening
<u>G0471</u>	\$9.32	Collection of venous blood by venipuncture or urine sample by catheterization from an individual in a skilled nursing facility (SNF) or by a laboratory on behalf of a home health agency (HHA)
<u>G0472</u>	<u>\$40.87</u>	Hepatitis C antibody screening for individual at high risk and other covered indication(s)
<u>G0475</u>	<u>\$21.24</u>	HIV antigen/antibody, combination assay, screening
<u>G0476</u>	\$30.94	Infectious agent detection by nucleic acid (DNA or RNA); human papillomavirus HPV), high-risk types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) for cervical cancer screening, must be performed in addition to pap test

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>G0480</u>	<u>\$59.69</u>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed
<u>G0481</u>	<u>\$91.84</u>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>G0482</u>	<u>\$123.97</u>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 15-21 drug class(es), including metabolite(s) if performed
<u>G0483</u>	<u>\$160.71</u>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 22 or more drug class(es), including metabolite(s) if performed
<u>G0499</u>	<u>\$24.93</u>	Hepatitis B screening in nonpregnant, high-risk individual includes hepatitis B surface antigen (HBSAG), antibodies to HBSAG (anti-HBS) and antibodies to hepatitis B core antigen (anti-HBC), and is followed by a neutralizing confirmatory test, when performed, only for an initially reactive HBSAG result

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>G0659</u>	<u>\$54.80</u>	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes
<u>G2023</u>	<u>\$23.46</u>	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID- 19]), any specimen source
<u>G2023 CG</u>	<u>\$44.27</u>	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID- 19]), any specimen source
<u>G2024</u>	<u>\$25.46</u>	Specimen collection for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) from an individual in a SNF or by a laboratory on behalf of a HHA, any specimen source
<u>G2024 CG</u>	<u>\$46.27</u>	Specimen collection for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) from an individual in a SNF or by a laboratory on behalf of a HHA, any specimen source
<u>G9143</u>	<u>\$106.46</u>	Warfarin responsiveness testing by genetic technique using any method, any number of specimen(s)
<u>P2028</u>	<u>\$4.37</u>	Cephalin flocculation, blood
<u>P2029</u>	<u>\$4.37</u>	Congo red, blood
<u>P2031</u>	<u>\$4.37</u>	Hair analysis (excluding arsenic)
<u>P2033</u>	<u>\$4.37</u>	Thymol turbidity, blood
P2038	<u>\$4.37</u>	Mucoprotein, blood (seromucoid) (medical necessity procedure)
<u>P3000</u>	<u>\$15.27</u>	Screening Papanicolaou smear, cervical or vaginal, up to three smears, by technician under physician supervision
<u>P9604</u>	<u>\$4.78</u>	Travel allowance, one way in connection with medically necessary laboratory specimen collection drawn from homebound or nursing homebound patient; prorated trip charge

<u>Code</u>	Rate	<b>Description</b>	
<u>P9612</u>	<u>\$7.56</u>	Catheterization for collection of specimen, single patient, all places of service	
<u>P9615</u>	<u>\$7.56</u>	Catheterization for collection of specimen(s) (multiple patients)	
Q0111	<u>\$15.27</u>	Wet mounts, including preparations of vaginal, cervical or skin specimens	
<u>Q0112</u>	<u>\$5.14</u>	All potassium hydroxide (KOH) preparations	
<u>Q0113</u>	<u>\$3.77</u>	Pinworm examinations	
<u>Q0114</u>	<u>\$8.59</u>	Fern test	
<u>Q0115</u>	<u>\$22.05</u>	Postcoital direct, qualitative examinations of vaginal or cervical mucous	
<u>U0001</u>	<u>\$35.92</u>	CDC 2019 Novel Coronavirus (2019-nCoV) Real-Time RT-PCR Diagnostic Panel	
<u>U0002</u>	<u>\$51.31</u>	2019-nCoV coronavirus, SARS-CoV-2/2019-nCoV (COVID-19), any technique, multiple types or subtypes (includes all targets), non-CDC	
<u>U0003</u>	<u>\$75.00</u>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]), amplified probe technique, making use of high throughput technologies as described by CMS-2020-01-R	
<u>U0004</u>	<u>\$75.00</u>	2019-nCoV coronavirus, SARS-CoV-2/2019-nCoV (COVID-19), any technique, multiple types or subtypes (includes all targets), non-CDC, making use of high throughput technologies as described by CMS-2020-01-R	
<u>U0005</u>	<u>\$25.00</u>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]), amplified probe technique, CDC or non-CDC, making use of high throughput technologies, completed within 2 calendar days from date of specimen collection (list separately in addition to either HCPCS code U0003 or U0004) as described by CMS-2020-01-R2	
Code	Rate	<b>Description</b>	
	Organ and Disease Oriented Panels		
<del>80047</del>	<del>\$12.11</del>	Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)	

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>80048</del>	<del>\$7.46</del>	Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)
<del>80050</del>	<del>\$17.18</del>	General health panel This panel must include the following: Comprehensive metabolic panel (80053) Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Thyroid stimulating hormone (TSH) (84443)
<del>80051</del>	<del>\$6.18</del>	Electrolyte panel This panel must include the following: Carbon dioxide (bicarbonate) (82374) Chloride (82435) Potassium (84132) Sodium (84295)
<del>80053</del>	<del>\$9.31</del>	Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)
<del>80055</del>	\$42.17	Obstetric panel This panel must include the following: Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Hepatitis B surface antigen (HBsAg) (87340) Antibody, rubella (86762) Syphilis test, non treponemal antibody; qualitative (eg, VDRL, RPR, ART) (86592) Antibody screen, RBC, each serum technique (86850) Blood typing, ABO (86900) AND Blood typing, Rh (D) (86901)
80061	\$11.81	Lipid Panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)

<u>Code</u>	Rate	<u>Description</u>
<del>80069</del>	<del>\$7.66</del>	Renal function panel This panel must include the following: Albumin (82040) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)
80074	<del>\$42.01</del>	Acute hepatitis panel This panel must include the following: Hepatitis A antibody (HAAb), IgM antibody (86709) Hepatitis B core antibody (HBcAb), IgM antibody (86705) Hepatitis B surface antigen (HBsAg) (87340) Hepatitis C antibody (86803)
<del>80076</del>	<del>\$7.21</del>	Hepatic function panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Bilirubin, direct (82248) Phosphatase, alkaline (84075) Protein, total (84155) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450)
80081	<del>\$66.03</del>	Obstetric panel (includes HIV testing)
	<del>Drug T</del>	esting and Therapeutic Assays
80143	<del>\$16.44</del>	Acetaminophen
80145	<del>\$34.02</del>	Adalimumab
<del>80150</del>	<del>\$13.30</del>	Amikacin
80151	<del>\$16.44</del>	Amiodarone
<del>80155</del>	<del>\$34.02</del>	Caffeine
<del>80156</del>	<del>\$12.85</del>	Carbamazepine; total
<del>80157</del>	<del>\$11.69</del>	Carbamazepine; free
<del>80158</del>	<del>\$15.92</del>	Cyclosporine
<del>80159</del>	<del>\$17.77</del>	Clozapine
<del>80161</del>	<del>\$16.44</del>	Carbamazepine; 10,11-epoxide
<del>80162</del>	<del>\$11.71</del>	<del>Digoxin; total</del>
<del>80163</del>	<del>\$11.71</del>	Digoxin; free
<del>80164</del>	<del>\$11.94</del>	Valproic acid (dipropylacetic acid); total
<del>80165</del>	<del>\$11.94</del>	Valproic acid (dipropylacetic acid); free
<del>80167</del>	<del>\$16.44</del>	Felbamate
<del>80168</del>	<del>\$14.41</del>	Ethosuximide
80169	<del>\$12.11</del>	Everolimus
<del>80170</del>	<del>\$14.45</del>	Gentamicin
<del>80171</del>	<del>\$19.11</del>	Gabapentin, whole blood, serum, or plasma
<del>80173</del>	<del>\$13.92</del>	Haloperidol
<del>80175</del>	<del>\$11.69</del>	Lamotrigine
<del>80176</del>	<del>\$12.96</del>	Lidocaine

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<del>80177</del>	<del>\$11.69</del>	Levetiracetam
<del>80178</del>	<del>\$5.83</del>	Lithium
<del>80179</del>	<del>\$16.44</del>	Salicylate
80180	<del>\$15.92</del>	Mycophenolate (mycophenolic acid)
<del>80181</del>	<del>\$16.44</del>	Flecainide
<del>80183</del>	<del>\$11.69</del>	Oxcarbazepine
<del>80184</del>	<del>\$13.49</del>	Phenobarbital
<del>80185</del>	<del>\$11.69</del>	Phenytoin; total
<del>80186</del>	<del>\$12.14</del>	Phenytoin; free
<del>80187</del>	<del>\$23.91</del>	Posaconazole
<del>80188</del>	<del>\$14.63</del>	Primidone
<del>80189</del>	<del>\$23.91</del>	Itraconazole
<del>80190</del>	<del>\$52.92</del>	Procainamide;
<del>80192</del>	<del>\$14.77</del>	Procainamide; with metabolites (eg, n-acetyl procainamide)
<del>80193</del>	<del>\$34.02</del>	Leflunomide
<del>80194</del>	<del>\$12.88</del>	Quinidine
<del>80195</del>	<del>\$12.11</del>	Sirolimus
<del>80197</del>	<del>\$12.11</del>	<del>Tacrolimus</del>
<del>80198</del>	<del>\$12.47</del>	Theophylline
<del>80199</del>	<del>\$23.91</del>	Tiagabine
<del>80200</del>	<del>\$14.23</del>	Tobramycin
<del>80201</del>	<del>\$10.51</del>	<del>Topiramate</del>
<del>80202</del>	<del>\$11.94</del>	Vancomycin
<del>80203</del>	<del>\$11.69</del>	Zonisamide
80204	<del>\$34.02</del>	Methotrexate
<del>80210</del>	<del>\$23.91</del>	Rufinamide
<del>80220</del>	<del>\$16.44</del>	Hydroxychloroquine
<del>80230</del>	<del>\$34.02</del>	Infliximab
<del>80235</del>	<del>\$23.91</del>	Lacosamide
<del>80280</del>	<del>\$34.02</del>	Vedolizumab
<del>80285</del>	<del>\$23.91</del>	Voriconazole
	E	Avocative Suppression Testing
<del>80299</del>	<del>\$16.44</del>	Quantitation of therapeutic drug, not elsewhere specified
<del>80305</del>	<del>\$8.92</del>	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; capable of being read by direct optical observation only (eg, utilizing immunoassay [eg, dipsticks, cups, cards, or cartridges]), includes sample validation when performed, per date of service

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>80306</del>	\$ <del>11.89</del>	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; read by instrument assisted direct optical observation (eg, utilizing immunoassay [eg, dipsticks, cups, cards, or cartridges]), includes sample validation when performed, per date of service
<del>80307</del>	\$47.55	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC MS, GC MS/MS, LC MS, LC MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service
80400	<del>\$28.77</del>	ACTH stimulation panel; for adrenal insufficiency This panel must include the following: Cortisol (82533 x 2)
<del>80402</del>	<del>\$76.70</del>	ACTH stimulation panel; for 21 hydroxylase deficiency This panel must include the following: Cortisol (82533 x 2) 17 hydroxyprogesterone (83498 x 2)
<del>80406</del>	\$ <del>69.03</del>	ACTH stimulation panel; for 3 beta hydroxydehydrogenase deficiency This panel must include the following: Cortisol (82533 x 2) 17 hydroxypregnenolone (84143 x 2)
<del>80408</del>	<del>\$110.69</del>	Aldosterone suppression evaluation panel (eg, saline infusion) This panel must include the following: Aldosterone (82088 x 2) Renin (84244 x 2)
80410	<del>\$70.89</del>	Calcitonin stimulation panel (eg, calcium, pentagastrin) This panel must include the following: Calcitonin (82308 x 3)
<del>80412</del>	<del>\$707.03</del>	Corticotropic releasing hormone (CRH) stimulation panel This panel must include the following: Cortisol (82533 x 6) Adrenocorticotropic hormone (ACTH) (82024 x 6)
80414	<del>\$45.55</del>	Chorionic gonadotropin stimulation panel; testosterone response This panel must include the following: Testosterone (84403 x 2 on 3 pooled blood samples)
80415	\$4 <del>9.29</del>	Chorionic gonadotropin stimulation panel; estradiol response This panel must include the following: Estradiol, total (82670 x 2 on 3 pooled blood samples)
80416	<del>\$184.62</del>	Renal vein renin stimulation panel (eg, captopril) This panel must include the following: Renin (84244 x 6)
80417	<del>\$38.80</del>	Peripheral vein renin stimulation panel (eg, captopril) This panel must include the following: Renin (84244 x 2)

<u>Code</u>	Rate	<b>Description</b>
<del>80418</del>	\$511.10	Combined rapid anterior pituitary evaluation panel This panel must include the following: Adrenocorticotropic hormone (ACTH) (82024 x 4) Luteinizing hormone (LH) (83002 x 4) Follicle stimulating hormone (FSH) (83001 x 4) Prolactin (84146 x 4) Human growth hormone (HGH) (83003 x 4) Cortisol (82533 x 4) Thyroid stimulating hormone (TSH) (84443 x 4)
<del>80420</del>	<del>\$142.78</del>	Dexamethasone suppression panel, 48 hour This panel must include the following: Free cortisol, urine (82530 x 2) Cortisol (82533 x 2) Volume measurement for timed collection (81050 x 2)
80422	<del>\$40.63</del>	Glucagon tolerance panel; for insulinoma This panel must include the following: Glucose (82947 x 3) Insulin (83525 x 3)
80424	<del>\$44.54</del>	Glucagon tolerance panel; for pheochromocytoma This panel must include the following: Catecholamines, fractionated (82384 x 2)
<del>80426</del>	\$130.90	Gonadotropin releasing hormone stimulation panel This panel must include the following: Follicle stimulating hormone (FSH) (83001 x 4) Luteinizing hormone (LH) (83002 x 4)
80428	<del>\$58.83</del>	Growth hormone stimulation panel (eg, arginine infusion, l-dopa administration) This panel must include the following: Human growth hormone (HGH) (83003 x 4)
<del>80430</del>	<del>\$114.07</del>	Growth hormone suppression panel (glucose administration) This panel must include the following: Glucose (82947 x 3) Human growth hormone (HGH) (83003 x 4)
80432	<del>\$146.07</del>	Insulin induced C-peptide suppression panel This panel must include the following: Insulin (83525) C-peptide (84681 x 5) Glucose (82947 x 5)
80434	<del>\$251.40</del>	Insulin tolerance panel; for ACTH insufficiency This panel must include the following: Cortisol (82533 x 5) Glucose (82947 x 5)
<del>80435</del>	<del>\$90.85</del>	Insulin tolerance panel; for growth hormone deficiency This panel must include the following: Glucose (82947 x 5) Human growth hormone (HGH) (83003 x 5)
<del>80436</del>	\$80.40	Metyrapone panel This panel must include the following: Cortisol (82533 x 2) 11 deoxycortisol (82634 x 2)
80438	<del>\$44.46</del>	Thyrotropin releasing hormone (TRH) stimulation panel; 1 hour This panel must include the following: Thyroid stimulating hormone (TSH) (84443 x 3)

<u>Code</u>	Rate	<b>Description</b>
<del>80439</del>	\$ <del>59.28</del>	Thyrotropin releasing hormone (TRH) stimulation panel; 2 hour This panel must include the following: Thyroid stimulating hormone (TSH) (84443 x 4)
		<del>Urinalysis</del>
<del>81000</del>	<del>\$3.55</del>	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy
<del>81001</del>	<del>\$2.80</del>	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy
<del>81002</del>	<del>\$3.07</del>	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy
<del>81003</del>	<del>\$1.98</del>	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy
<del>81005</del>	<del>\$1.91</del>	Urinalysis; qualitative or semiquantitative, except immunoassays
<del>81007</del>	<del>\$26.44</del>	Urinalysis; bacteriuria screen, except by culture or dipstick
<del>81015</del>	<del>\$2.69</del>	Urinalysis; microscopic only
<del>81020</del>	<del>\$4.15</del>	Urinalysis; 2 or 3 glass test
<del>81025</del>	<del>\$7.59</del>	Urine pregnancy test, by visual color comparison methods
<del>81050</del>	<del>\$3.21</del>	Volume measurement for timed collection, each
<del>81099</del>	<del>I.C.</del>	Unlisted urinalysis procedure
		Chemistry
<del>82009</del>	<del>\$3.99</del>	Ketone body(s) (eg, acetone, acetoacetic acid, beta- hydroxybutyrate); qualitative
<del>82010</del>	\$7.21	Ketone body(s) (eg, acetone, acetoacetic acid, beta- hydroxybutyrate); quantitative
<del>82013</del>	<del>\$10.84</del>	Acetylcholinesterase
<del>82016</del>	<del>\$14.54</del>	Acylcarnitines; qualitative, each specimen
<del>82017</del>	<del>\$14.88</del>	Acylcarnitines; quantitative, each specimen
<del>82024</del>	<del>\$34.06</del>	Adrenocorticotropic hormone (ACTH)
<del>82030</del>	<del>\$22.76</del>	Adenosine, 5-monophosphate, cyclic (cyclic AMP)
<del>82040</del>	<del>\$4.37</del>	Albumin; serum, plasma or whole blood

<u>Code</u>	Rate	<u>Description</u>
<del>82042</del>	<del>\$6.86</del>	Albumin; other source, quantitative, each specimen
<del>82043</del>	<del>\$5.10</del>	Albumin; urine (eg, microalbumin), quantitative
<del>82044</del>	<del>\$5.49</del>	Albumin; urine (eg, microalbumin), semiquantitative (eg, reagent strip assay)
<del>82045</del>	<del>\$29.94</del>	Albumin; ischemia modified
<del>82075</del>	<del>\$26.46</del>	Alcohol (ethanol); breath
<del>82077</del>	<del>\$15.23</del>	Alcohol (ethanol); any specimen except urine and breath, immunoassay (eg, IA, EIA, ELISA, RIA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)
<del>82085</del>	<del>\$8.56</del>	Aldolase
<del>82088</del>	<del>\$35.94</del>	Aldosterone
<del>82103</del>	<del>\$11.85</del>	Alpha-1-antitrypsin; total
<del>82104</del>	<del>\$12.75</del>	Alpha-1-antitrypsin; phenotype
<del>82105</del>	<del>\$14.79</del>	Alpha-fetoprotein (AFP); serum
<del>82106</del>	<del>\$14.99</del>	Alpha-fetoprotein (AFP); amniotic fluid
<del>82107</del>	<del>\$56.81</del>	Alpha fetoprotein (AFP); AFP-L3 fraction isoform and total AFP (including ratio)
<del>82108</del>	<del>\$22.47</del>	Aluminum
<del>82120</del>	<del>\$5.28</del>	Amines, vaginal fluid, qualitative
<del>82127</del>	<del>\$12.51</del>	Amino acids; single, qualitative, each specimen
<del>82128</del>	<del>\$12.23</del>	Amino acids; multiple, qualitative, each specimen
<del>82131</del>	<del>\$20.27</del>	Amino acids; single, quantitative, each specimen
<del>82135</del>	<del>\$14.51</del>	Aminolevulinic acid, delta (ALA)
<del>82136</del>	<del>\$17.30</del>	Amino acids, 2 to 5 amino acids, quantitative, each specimen
82139	<del>\$14.88</del>	Amino acids, 6 or more amino acids, quantitative, each specimen
<del>82140</del>	<del>\$12.85</del>	Ammonia
<del>82143</del>	<del>\$8.25</del>	Amniotic fluid scan (spectrophotometric)
<del>82150</del>	<del>\$5.72</del>	Amylase
<del>82154</del>	<del>\$25.43</del>	Androstanediol glucuronide
<del>82157</del>	<del>\$25.82</del>	Androstenedione
<del>82160</del>	<del>\$22.54</del>	Androsterone
<del>82163</del>	<del>\$18.10</del>	Angiotensin II
<del>82164</del>	<del>\$12.88</del>	Angiotensin I converting enzyme (ACE)
<del>82172</del>	<del>\$18.60</del>	Apolipoprotein, each
<del>82175</del>	<del>\$16.73</del>	Arsenic
<del>82180</del>	<del>\$8.72</del>	Ascorbic acid (Vitamin C), blood
<del>82190</del>	<del>\$14.02</del>	Atomic absorption spectroscopy, each analyte
<del>82232</del>	<del>\$14.27</del>	Beta-2 microglobulin

<u>Code</u>	Rate	<u>Description</u>
<del>82239</del>	<del>\$15.10</del>	Bile acids; total
<del>82240</del>	<del>\$23.44</del>	Bile acids; cholylglycine
82247	<del>\$4.43</del>	Bilirubin; total
82248	<del>\$4.43</del>	Bilirubin; direct
<del>82252</del>	<del>\$4.02</del>	Bilirubin; feces, qualitative
<del>82261</del>	<del>\$14.88</del>	Biotinidase, each specimen
<del>82270</del>	<del>\$3.86</del>	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)
82271	<del>\$4.69</del>	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources
<del>82272</del>	<del>\$3.73</del>	Blood, occult, by peroxidase activity (eg, guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening
<del>82274</del>	\$14.04	Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous determinations
<del>82286</del>	<del>\$4.55</del>	Bradykinin
<del>82300</del>	<del>\$20.85</del>	Cadmium
<del>82306</del>	<del>\$26.11</del>	Vitamin D; 25 hydroxy, includes fraction(s), if performed
<del>82308</del>	<del>\$23.63</del>	Calcitonin
<del>82310</del>	<del>\$4.55</del>	Calcium; total
<del>82330</del>	<del>\$12.07</del>	Calcium; ionized
<del>82331</del>	<del>\$11.77</del>	Calcium; after calcium infusion test
<del>82340</del>	<del>\$5.32</del>	Calcium; urine quantitative, timed specimen
<del>82355</del>	<del>\$10.21</del>	Calculus; qualitative analysis
<del>82360</del>	<del>\$11.35</del>	Calculus; quantitative analysis, chemical
<del>82365</del>	<del>\$11.38</del>	Calculus; infrared spectroscopy
<del>82370</del>	<del>\$11.04</del>	Calculus; X ray diffraction
<del>82373</del>	<del>\$15.93</del>	Carbohydrate deficient transferrin
<del>82374</del>	<del>\$4.30</del>	Carbon dioxide (bicarbonate)
<del>82375</del>	<del>\$10.87</del>	Carboxyhemoglobin; quantitative
<del>82376</del>	<del>\$12.41</del>	Carboxyhemoglobin; qualitative
<del>82378</del>	<del>\$16.72</del>	Carcinoembryonic antigen (CEA)
<del>82379</del>	<del>\$14.88</del>	Carnitine (total and free), quantitative, each specimen
<del>82380</del>	<del>\$8.13</del>	Carotene
<del>82382</del>	<del>\$24.08</del>	Catecholamines; total urine
<del>82383</del>	<del>\$25.65</del>	Catecholamines; blood

<u>Code</u>	Rate	<u>Description</u>
82384	<del>\$22.27</del>	Catecholamines; fractionated
<del>82387</del>	<del>\$15.93</del>	Cathepsin D
<del>82390</del>	<del>\$9.47</del>	Ceruloplasmin
82397	<del>\$12.45</del>	Chemiluminescent assay
82415	<del>\$11.17</del>	Chloramphenicol
<del>82435</del>	<del>\$4.06</del>	Chloride; blood
<del>82436</del>	<del>\$5.07</del>	Chloride; urine
82438	<del>\$4.41</del>	Chloride; other source
82441	<del>\$5.30</del>	Chlorinated hydrocarbons, screen
<del>82465</del>	<del>\$3.84</del>	Cholesterol, serum or whole blood, total
82480	<del>\$6.94</del>	Cholinesterase; serum
82482	<del>\$8.65</del>	Cholinesterase; RBC
<del>82485</del>	<del>\$18.21</del>	Chondroitin B sulfate, quantitative
<del>82495</del>	<del>\$17.89</del>	Chromium
<del>82507</del>	<del>\$24.52</del>	Citrate
82523	<del>\$16.48</del>	Collagen cross links, any method
<del>82525</del>	<del>\$10.95</del>	Copper
<del>82528</del>	<del>\$19.86</del>	Corticosterone
<del>82530</del>	<del>\$14.74</del>	Cortisol; free
<del>82533</del>	<del>\$14.38</del>	Cortisol; total
<del>82540</del>	<del>\$4.09</del>	Creatine
<del>82542</del>	<del>\$21.25</del>	Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen
<del>82550</del>	<del>\$5.74</del>	Creatine kinase (CK), (CPK); total
<del>82552</del>	<del>\$11.81</del>	Creatine kinase (CK), (CPK); isoenzymes
<del>82553</del>	<del>\$10.19</del>	Creatine kinase (CK), (CPK); MB fraction only
<del>82554</del>	<del>\$10.47</del>	Creatine kinase (CK), (CPK); isoforms
<del>82565</del>	<del>\$4.52</del>	Creatinine; blood
<del>82570</del>	<del>\$4.57</del>	Creatinine; other source
<del>82575</del>	\$8.34	Creatinine; clearance
<del>82585</del>	<del>\$12.47</del>	Cryofibrinogen
<del>82595</del>	<del>\$5.71</del>	Cryoglobulin, qualitative or semi-quantitative (eg, cryocrit)
<del>82600</del>	<del>\$17.11</del>	Cyanide
<del>82607</del>	<del>\$13.30</del>	Cyanocobalamin (Vitamin B-12);
<del>82608</del>	<del>\$12.63</del>	Cyanocobalamin (Vitamin B-12); unsaturated binding capacity
<del>82610</del>	<del>\$16.33</del>	Cystatin C
<del>82615</del>	\$8.42	Cystine and homocystine, urine, qualitative

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>82626</del>	<del>\$22.29</del>	Dehydroepiandrosterone (DHEA)
<del>82627</del>	<del>\$19.61</del>	Dehydroepiandrosterone sulfate (DHEA S)
<del>82633</del>	<del>\$27.32</del>	Desoxycorticosterone, 11-
<del>82634</del>	<del>\$25.82</del>	Deoxycortisol, 11-
<del>82638</del>	<del>\$10.80</del>	<del>Dibucaine number</del>
<del>82642</del>	<del>\$25.82</del>	Dihydrotestosterone (DHT)
<del>82652</del>	<del>\$33.96</del>	Vitamin D; 1, 25 dihydroxy, includes fraction(s), if performed
<del>82653</del>	<del>\$20.26</del>	Elastase, pancreatic (EL-1), fecal; quantitative
<del>82656</del>	<del>\$10.17</del>	Elastase, pancreatic (EL-1), fecal, qualitative or semi- quantitative
<del>82657</del>	<del>\$19.55</del>	Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen
<del>82658</del>	\$38.83	Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; radioactive substrate, each specimen
<del>82664</del>	<del>\$54.24</del>	Electrophoretic technique, not elsewhere specified
<del>82668</del>	<del>\$16.57</del>	Erythropoietin
<del>82670</del>	<del>\$24.64</del>	Estradiol; total
<del>82671</del>	<del>\$28.49</del>	Estrogens; fractionated
<del>82672</del>	<del>\$19.14</del>	Estrogens; total
<del>82677</del>	<del>\$21.33</del>	Estriol
<del>82679</del>	<del>\$22.01</del>	Estrone
<del>82681</del>	<del>\$24.64</del>	Estradiol; free, direct measurement (eg, equilibrium dialysis)
<del>82693</del>	<del>\$13.14</del>	Ethylene glycol
<del>82696</del>	<del>\$23.14</del>	Etiocholanolone
<del>82705</del>	<del>\$4.50</del>	Fat or lipids, feces; qualitative
<del>82710</del>	<del>\$14.82</del>	Fat or lipids, feces; quantitative
<del>82715</del>	<del>\$20.26</del>	Fat differential, feces, quantitative
82725	<del>\$16.56</del>	Fatty acids, nonesterified
<del>82726</del>	<del>\$17.42</del>	Very long chain fatty acids
<del>82728</del>	<del>\$12.02</del>	<del>Ferritin</del>
<del>82731</del>	<del>\$56.81</del>	Fetal fibronectin, cervicovaginal secretions, semi-quantitative
<del>82735</del>	<del>\$16.35</del>	Fluoride
<del>82746</del>	<del>\$12.97</del>	Folic acid; serum
82747	<del>\$15.57</del>	Folic acid; RBC
<del>82757</del>	<del>\$15.29</del>	Fructose, semen
<del>82759</del>	<del>\$18.95</del>	Galactokinase, RBC
<del>82760</del>	<del>\$9.88</del>	Galactose
<del>82775</del>	<del>\$18.58</del>	Galactose 1 phosphate uridyl transferase; quantitative
<del>82776</del>	<del>\$10.35</del>	Galactose 1 phosphate uridyl transferase; screen

<u>Code</u>	Rate	<u>Description</u>
<del>82777</del>	<del>\$39.03</del>	Galectin-3
<del>82784</del>	<del>\$8.20</del>	Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each
<del>82785</del>	<del>\$14.52</del>	Gammaglobulin (immunoglobulin); IgE
82787	<del>\$7.07</del>	Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each
<del>82800</del>	<del>\$9.70</del>	Gases, blood, pH only
<del>82803</del>	<del>\$22.99</del>	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation);
<del>82805</del>	<del>\$69.48</del>	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry
<del>82810</del>	<del>\$8.62</del>	Gases, blood, O2 saturation only, by direct measurement, except pulse oximetry
82820	<del>\$11.77</del>	Hemoglobin oxygen affinity (pO2 for 50% hemoglobin saturation with oxygen)
<del>82930</del>	<del>\$5.92</del>	Gastric acid analysis, includes pH if performed, each specimen
<del>82938</del>	<del>\$15.60</del>	Gastrin after secretin stimulation
<del>82941</del>	<del>\$15.55</del>	Gastrin
<del>82943</del>	<del>\$12.60</del>	Glucagon
<del>82945</del>	<del>\$3.47</del>	Glucose, body fluid, other than blood
<del>82946</del>	<del>\$15.67</del>	Glucagon tolerance test
<del>82947</del>	<del>\$3.47</del>	Glucose; quantitative, blood (except reagent strip)
<del>82948</del>	<del>\$4.45</del>	Glucose; blood, reagent strip
<del>82950</del>	<del>\$4.19</del>	Glucose; post glucose dose (includes glucose)
<del>82951</del>	<del>\$11.35</del>	Glucose; tolerance test (GTT), 3 specimens (includes glucose)
<del>82952</del>	<del>\$3.46</del>	Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)
<del>82955</del>	<del>\$8.56</del>	Glucose-6-phosphate dehydrogenase (G6PD); quantitative
<del>82960</del>	<del>\$5.34</del>	Glucose-6-phosphate dehydrogenase (G6PD); screen
<del>82962</del>	<del>\$2.89</del>	Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use
<del>82963</del>	<del>\$18.95</del>	Glucosidase, beta
<del>82965</del>	\$11.60	Glutamate dehydrogenase
<del>82977</del>	<del>\$6.35</del>	Glutamyltransferase, gamma (GGT)
82978	<del>\$13.63</del>	Glutathione
<del>82979</del>	\$8.33	Glutathione reductase, RBC
<del>82985</del>	<del>\$14.78</del>	Glycated protein
83001	<del>\$16.39</del>	Gonadotropin; follicle stimulating hormone (FSH)
<del>83002</del>	<del>\$16.33</del>	Gonadotropin; luteinizing hormone (LH)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>83003</del>	<del>\$14.70</del>	Growth hormone, human (HGH) (somatotropin)
<del>83006</del>	<del>\$66.68</del>	Growth stimulation expressed gene 2 (ST2, Interleukin 1 receptor like 1)
83009	<del>\$59.41</del>	Helicobacter pylori, blood test analysis for urease activity, non-radioactive isotope (eg, C-13)
<del>83010</del>	<del>\$11.10</del>	Haptoglobin; quantitative
<del>83012</del>	<del>\$23.72</del>	Haptoglobin; phenotypes
83013	<del>\$59.41</del>	Helicobacter pylori; breath test analysis for urease activity, non-radioactive isotope (eg, C-13)
83014	<del>\$6.93</del>	Helicobacter pylori; drug administration
<del>83015</del>	<del>\$18.47</del>	Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); qualitative, any number of analytes
83018	<del>\$19.37</del>	Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified
83020	<del>\$11.35</del>	Hemoglobin fractionation and quantitation; electrophoresis (eg, A2, S, C, and/or F)
83021	<del>\$15.93</del>	Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)
<del>83026</del>	<del>\$3.54</del>	Hemoglobin; by copper sulfate method, non-automated
<del>83030</del>	<del>\$9.47</del>	Hemoglobin; F (fetal), chemical
<del>83033</del>	<del>\$7.06</del>	Hemoglobin; F (fetal), qualitative
<del>83036</del>	<del>\$8.56</del>	Hemoglobin; glycosylated (A1C)
<del>83037</del>	<del>\$8.56</del>	Hemoglobin; glycosylated (A1C) by device cleared by FDA for home use
<del>83045</del>	<del>\$5.72</del>	Hemoglobin; methemoglobin, qualitative
<del>83050</del>	<del>\$7.23</del>	Hemoglobin; methemoglobin, quantitative
83051	<del>\$6.45</del>	Hemoglobin; plasma
<del>83060</del>	<del>\$7.76</del>	Hemoglobin; sulfhemoglobin, quantitative
<del>83065</del>	<del>\$7.94</del>	Hemoglobin; thermolabile
<del>83068</del>	<del>\$8.35</del>	Hemoglobin; unstable, screen
<del>83069</del>	<del>\$3.48</del>	Hemoglobin; urine
<del>83070</del>	<del>\$4.19</del>	Hemosiderin, qualitative
83080	<del>\$14.88</del>	b-Hexosaminidase, each assay
83088	<del>\$26.05</del>	Histamine
<del>83090</del>	<del>\$15.81</del>	Homocysteine
<del>83150</del>	<del>\$19.77</del>	Homovanillic acid (HVA)
83491	<del>\$15.79</del>	Hydroxycorticosteroids, 17 (17 OHCS)
83497	<del>\$11.38</del>	Hydroxyindolacetic acid, 5 (HIAA)
<del>83498</del>	<del>\$23.96</del>	Hydroxyprogesterone, 17-d

<u>Code</u>	Rate	<u>Description</u>
83500	<del>\$19.98</del>	Hydroxyproline; free
<del>83505</del>	<del>\$21.43</del>	Hydroxyproline; total
<del>83516</del>	<del>\$10.17</del>	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method
83518	<del>\$8.50</del>	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, single step method (eg, reagent strip)
83519	<del>\$16.23</del>	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)
83520	<del>\$15.23</del>	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified
83521	<del>\$15.23</del>	Immunoglobulin light chains (ie, kappa, lambda), free, each
<del>83525</del>	<del>\$10.08</del>	Insulin; total
<del>83527</del>	<del>\$11.42</del>	Insulin; free
<del>83528</del>	<del>\$17.48</del>	Intrinsic factor
<del>83529</del>	<del>\$15.23</del>	Interleukin 6 (IL-6)
<del>83540</del>	<del>\$5.71</del>	Iron
<del>83550</del>	<del>\$7.71</del>	Iron binding capacity
<del>83570</del>	<del>\$7.81</del>	Isocitric dehydrogenase (IDH)
<del>83582</del>	<del>\$13.64</del>	Ketogenic steroids, fractionation
<del>83586</del>	<del>\$11.29</del>	Ketosteroids, 17 (17 KS); total
83593	<del>\$25.14</del>	Ketosteroids, 17 (17 KS); fractionation
<del>83605</del>	<del>\$10.20</del>	Lactate (lactic acid)
<del>83615</del>	<del>\$5.33</del>	Lactate dehydrogenase (LD), (LDH);
<del>83625</del>	<del>\$11.28</del>	Lactate dehydrogenase (LD), (LDH); isoenzymes, separation and quantitation
<del>83630</del>	<del>\$17.38</del>	Lactoferrin, fecal; qualitative
<del>83631</del>	<del>\$17.31</del>	Lactoferrin, fecal; quantitative
<del>83632</del>	<del>\$17.83</del>	Lactogen, human placental (HPL) human chorionic somatomammotropin
<del>83633</del>	<del>\$9.92</del>	Lactose, urine, qualitative
<del>83655</del>	<del>\$10.68</del>	Lead
<del>83661</del>	<del>\$19.40</del>	Fetal lung maturity assessment; lecithin sphingomyelin (L/S) ratio
<del>83662</del>	<del>\$16.68</del>	Fetal lung maturity assessment; foam stability test
<del>83663</del>	<del>\$16.68</del>	Fetal lung maturity assessment; fluorescence polarization

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>83664</del>	<del>\$17.04</del>	Fetal lung maturity assessment; lamellar body density
<del>83670</del>	<del>\$8.65</del>	Leucine aminopeptidase (LAP)
<del>83690</del>	<del>\$6.08</del>	Lipase
<del>83695</del>	<del>\$12.63</del>	Lipoprotein (a)
<del>83698</del>	<del>\$40.85</del>	Lipoprotein associated phospholipase A2 (Lp-PLA2)
<del>83700</del>	<del>\$9.93</del>	Lipoprotein, blood; electrophoretic separation and quantitation
<del>83701</del>	<del>\$29.86</del>	Lipoprotein, blood; high resolution fractionation and quantitation of lipoproteins including lipoprotein subclasses when performed (eg, electrophoresis, ultracentrifugation)
<del>83704</del>	<del>\$30.16</del>	Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed
83718	<del>\$7.22</del>	Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol)
<del>83719</del>	<del>\$11.25</del>	Lipoprotein, direct measurement; VLDL cholesterol
<del>83721</del>	<del>\$9.26</del>	Lipoprotein, direct measurement; LDL cholesterol
83722	<del>\$30.16</del>	Lipoprotein, direct measurement; small dense LDL cholesterol
<del>83727</del>	<del>\$15.16</del>	Luteinizing releasing factor (LRH)
<del>83735</del>	<del>\$5.91</del>	Magnesium
<del>83775</del>	<del>\$6.50</del>	Malate dehydrogenase
<del>83785</del>	<del>\$23.51</del>	Manganese
<del>83789</del>	\$ <del>21.27</del>	Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen
<del>83825</del>	\$14.34	Mercury, quantitative
<del>83835</del>	<del>\$14.94</del>	Metanephrines
<del>83857</del>	<del>\$9.47</del>	Methemalbumin
83861	<del>\$19.83</del>	Microfluidic analysis utilizing an integrated collection and analysis device, tear osmolarity
83864	<del>\$25.14</del>	Mucopolysaccharides, acid, quantitative
83872	<del>\$5.17</del>	Mucin, synovial fluid (Ropes test)
83873	<del>\$15.17</del>	Myelin basic protein, cerebrospinal fluid
83874	\$11.40	Myoglobin
<del>83876</del>	<del>\$44.86</del>	Myeloperoxidase (MPO)
<del>83880</del>	<del>\$34.63</del>	Natriuretic peptide
83883	<del>\$12.00</del>	Nephelometry, each analyte not elsewhere specified
<del>83885</del>	<del>\$21.62</del>	Nickel
<del>83915</del>	<del>\$9.83</del>	Nucleotidase 5'-
<del>83916</del>	<del>\$24.16</del>	Oligoclonal immune (oligoclonal bands)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
83918	<del>\$20.82</del>	Organic acids; total, quantitative, each specimen
<del>83919</del>	<del>\$14.51</del>	Organic acids; qualitative, each specimen
83921	<del>\$18.71</del>	Organic acid, single, quantitative
83930	<del>\$5.83</del>	Osmolality; blood
<del>83935</del>	<del>\$6.02</del>	Osmolality; urine
<del>83937</del>	<del>\$26.33</del>	Osteocalcin (bone gla protein)
83945	<del>\$12.74</del>	Oxalate
<del>83950</del>	<del>\$56.81</del>	Oncoprotein; HER 2/neu
<del>83951</del>	<del>\$56.81</del>	Oncoprotein; des-gamma-carboxy-prothrombin (DCP)
<del>83970</del>	<del>\$36.41</del>	Parathormone (parathyroid hormone)
<del>83986</del>	<del>\$3.16</del>	pH; body fluid, not otherwise specified
<del>83987</del>	<del>\$3.16</del>	pH; exhaled breath condensate
<del>83992</del>	<del>\$15.37</del>	Phencyclidine (PCP)
83993	<del>\$17.31</del>	Calprotectin, fecal
<del>84030</del>	<del>\$4.85</del>	Phenylalanine (PKU), blood
<del>84035</del>	<del>\$3.51</del>	Phenylketones, qualitative
<del>84060</del>	<del>\$6.74</del>	Phosphatase, acid; total
<del>84066</del>	<del>\$8.52</del>	Phosphatase, acid; prostatic
<del>84075</del>	<del>\$4.57</del>	Phosphatase, alkaline;
<del>84078</del>	<del>\$7.29</del>	Phosphatase, alkaline; heat stable (total not included)
<del>84080</del>	<del>\$13.04</del>	Phosphatase, alkaline; isoenzymes
<del>84081</del>	<del>\$14.57</del>	Phosphatidylglycerol
<del>84085</del>	<del>\$8.33</del>	Phosphogluconate, 6-, dehydrogenase, RBC
<del>84087</del>	<del>\$9.46</del>	Phosphohexose isomerase
84100	<del>\$4.18</del>	Phosphorus inorganic (phosphate);
<del>84105</del>	<del>\$5.10</del>	Phosphorus inorganic (phosphate); urine
<del>84106</del>	<del>\$5.13</del>	Porphobilinogen, urine; qualitative
<del>84110</del>	<del>\$7.44</del>	Porphobilinogen, urine; quantitative
<del>84112</del>	<del>\$86.53</del>	Evaluation of cervicovaginal fluid for specific amniotic fluid protein(s) (eg, placental alpha microglobulin-1 [PAMG-1], placental protein 12 [PP12], alpha-fetoprotein), qualitative, each specimen
<del>84119</del>	<del>\$11.78</del>	Porphyrins, urine; qualitative
<del>84120</del>	<del>\$12.97</del>	Porphyrins, urine; quantitation and fractionation
<del>84126</del>	<del>\$34.50</del>	Porphyrins, feces, quantitative
<del>84132</del>	<del>\$4.20</del>	Potassium; serum, plasma or whole blood
<del>84133</del>	<del>\$4.17</del>	Potassium; urine
<del>84134</del>	<del>\$12.87</del>	Prealbumin
<del>84135</del>	<del>\$18.76</del>	Pregnanediol

<u>Code</u>	Rate	<u>Description</u>
84138	<del>\$18.57</del>	Pregnanetriol
<del>84140</del>	<del>\$18.23</del>	Pregnenolone
84143	<del>\$20.12</del>	17 hydroxypregnenolone
84144	\$18.40	Progesterone
<del>84145</del>	<del>\$24.01</del>	Procalcitonin (PCT)
<del>84146</del>	<del>\$17.09</del>	Prolactin
<del>84150</del>	<del>\$36.84</del>	Prostaglandin, each
<del>84152</del>	<del>\$16.22</del>	Prostate specific antigen (PSA); complexed (direct measurement)
84153	<del>\$16.22</del>	Prostate specific antigen (PSA); total
84154	<del>\$16.22</del>	Prostate specific antigen (PSA); free
84155	\$3.24	Protein, total, except by refractometry; serum, plasma or whole blood
<del>84156</del>	<del>\$3.24</del>	Protein, total, except by refractometry; urine
84157	<del>\$3.53</del>	Protein, total, except by refractometry; other source (eg, synovial fluid, cerebrospinal fluid)
<del>84160</del>	<del>\$4.95</del>	Protein, total, by refractometry, any source
<del>84163</del>	<del>\$13.27</del>	Pregnancy associated plasma protein A (PAPP-A)
<del>84165</del>	<del>\$9.47</del>	Protein; electrophoretic fractionation and quantitation, serum
<del>84166</del>	<del>\$15.73</del>	Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, urine, CSF)
84181	<del>\$15.02</del>	Protein; Western Blot, with interpretation and report, blood or other body fluid
84182	<del>\$25.76</del>	Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each
84202	<del>\$12.66</del>	Protoporphyrin, RBC; quantitative
84203	<del>\$8.59</del>	Protoporphyrin, RBC; screen
<del>84206</del>	<del>\$23.54</del>	Proinsulin
84207	\$24.78	Pyridoxal phosphate (Vitamin B-6)
<del>84210</del>	<del>\$12.77</del>	Pyruvate
84220	\$8.33	Pyruvate kinase
84228	<del>\$10.26</del>	Quinine
84233	<del>\$77.51</del>	Receptor assay; estrogen
84234	<del>\$57.22</del>	Receptor assay; progesterone
84235	<del>\$62.82</del>	Receptor assay; endocrine, other than estrogen or progesterone (specify hormone)
84238	\$32.25	Receptor assay; non-endocrine (specify receptor)
84244	<del>\$19.40</del>	Renin

<u>Code</u>	Rate	<b>Description</b>
84252	<del>\$17.85</del>	Riboflavin (Vitamin B-2)
84255	<del>\$22.52</del>	Selenium
<del>84260</del>	<del>\$27.32</del>	Serotonin
84270	<del>\$19.17</del>	Sex hormone binding globulin (SHBG)
<del>84275</del>	<del>\$11.85</del>	Sialic acid
84285	<del>\$22.24</del>	Silica
84295	<del>\$4.24</del>	Sodium; serum, plasma or whole blood
84300	<del>\$4.46</del>	Sodium; urine
84302	<del>\$4.29</del>	Sodium; other source
<del>84305</del>	<del>\$18.75</del>	Somatomedin
84307	<del>\$16.12</del>	Somatostatin
84311	<del>\$7.14</del>	Spectrophotometry, analyte not elsewhere specified
<del>84315</del>	<del>\$2.89</del>	Specific gravity (except urine)
<del>84375</del>	<del>\$34.40</del>	Sugars, chromatographic, TLC or paper chromatography
<del>84376</del>	<del>\$4.85</del>	Sugars (mono, di, and oligosaccharides); single qualitative, each specimen
84377	\$4.85	Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen
84378	<del>\$10.17</del>	Sugars (mono, di, and oligosaccharides); single quantitative, each specimen
<del>84379</del>	<del>\$10.17</del>	Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen
84392	<del>\$4.84</del>	Sulfate, urine
84402	<del>\$22.46</del>	Testosterone; free
<del>84403</del>	<del>\$22.76</del>	Testosterone; total
84410	<del>\$45.23</del>	Testosterone; bioavailable, direct measurement (eg, differential precipitation)
<del>84425</del>	<del>\$18.72</del>	Thiamine (Vitamin B-1)
84430	<del>\$10.26</del>	Thiocyanate
84431	<del>\$30.97</del>	Thromboxane metabolite(s), including thromboxane if performed, urine
84432	<del>\$14.16</del>	Thyroglobulin
<del>84436</del>	<del>\$6.06</del>	Thyroxine; total
84437	\$5.71	Thyroxine; requiring elution (eg, neonatal)
84439	<del>\$7.96</del>	Thyroxine; free
<del>84442</del>	\$13.04	Thyroxine binding globulin (TBG)
84443	<del>\$14.82</del>	Thyroid stimulating hormone (TSH)
84445	<del>\$44.86</del>	Thyroid stimulating immune globulins (TSI)
84446	<del>\$12.51</del>	Tocopherol alpha (Vitamin E)

<u>Code</u>	Rate	<u>Description</u>
84449	<del>\$15.88</del>	Transcortin (cortisol binding globulin)
84450	<del>\$4.57</del>	Transferase; aspartate amino (AST) (SGOT)
84460	<del>\$4.67</del>	Transferase; alanine amino (ALT) (SGPT)
84466	<del>\$11.25</del>	Transferrin
84478	<del>\$5.06</del>	<del>Triglycerides</del>
84479	\$5.71	Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio (THBR)
<del>84480</del>	<del>\$12.51</del>	Triiodothyronine T3; total (TT-3)
84481	<del>\$14.94</del>	Triiodothyronine T3; free
<del>84482</del>	<del>\$13.90</del>	Triiodothyronine T3; reverse
84484	<del>\$11.00</del>	Troponin, quantitative
<del>84485</del>	<del>\$6.35</del>	Trypsin; duodenal fluid
84488	<del>\$6.44</del>	Trypsin; feces, qualitative
<del>84490</del>	<del>\$8.76</del>	Trypsin; feces, quantitative, 24-hour collection
<del>84510</del>	<del>\$9.38</del>	Tyrosine
<del>84512</del>	<del>\$8.90</del>	Troponin, qualitative
<del>84520</del>	<del>\$3.48</del>	Urea nitrogen; quantitative
84525	<del>\$4.52</del>	Urea nitrogen; semiquantitative (eg, reagent strip test)
<del>84540</del>	<del>\$4.90</del>	Urea nitrogen, urine
<del>84545</del>	<del>\$6.35</del>	Urea nitrogen, clearance
<del>84550</del>	<del>\$3.99</del>	Uric acid; blood
<del>84560</del>	<del>\$4.48</del>	Uric acid; other source
<del>84577</del>	<del>\$14.82</del>	Urobilinogen, feces, quantitative
84578	<del>\$3.94</del>	Urobilinogen, urine; qualitative
<del>84580</del>	<del>\$8.42</del>	Urobilinogen, urine; quantitative, timed specimen
84583	<del>\$5.34</del>	Urobilinogen, urine; semiquantitative
<del>84585</del>	<del>\$13.67</del>	Vanillylmandelic acid (VMA), urine
<del>84586</del>	<del>\$31.16</del>	Vasoactive intestinal peptide (VIP)
84588	<del>\$29.94</del>	Vasopressin (antidiuretic hormone, ADH)
84590	<del>\$10.24</del>	<del>Vitamin A</del>
<del>84591</del>	<del>\$15.05</del>	Vitamin, not otherwise specified
<del>84597</del>	<del>\$12.10</del>	<del>Vitamin K</del>
<del>84600</del>	<del>\$15.09</del>	Volatiles (eg, acetic anhydride, diethylether)
84620	<del>\$11.39</del>	Xylose absorption test, blood and/or urine
84630	<del>\$10.05</del>	Zinc
<del>84681</del>	<del>\$18.35</del>	C-peptide
84702	<del>\$13.27</del>	Gonadotropin, chorionic (hCG); quantitative
84703	<del>\$6.63</del>	Gonadotropin, chorionic (hCG); qualitative
84704	<del>\$13.49</del>	Gonadotropin, chorionic (hCG); free beta chain

<u>Code</u>	Rate	<u>Description</u>
84830	<del>\$11.20</del>	Ovulation tests, by visual color comparison methods for human luteinizing hormone
84999	\$4.34	Unlisted chemistry procedure
		Hematology and Coagulation
<del>85002</del>	<del>\$4.25</del>	Bleeding time
<del>85004</del>	<del>\$5.71</del>	Blood count; automated differential WBC count
<del>85007</del>	<del>\$3.35</del>	Blood count; blood smear, microscopic examination with manual differential WBC count
<del>85008</del>	<del>\$3.03</del>	Blood count; blood smear, microscopic examination without manual differential WBC count
<del>85009</del>	<del>\$4.47</del>	Blood count; manual differential WBC count, buffy coat
<del>85013</del>	<del>\$6.17</del>	Blood count; spun microhematocrit
<del>85014</del>	<del>\$2.09</del>	Blood count; hematocrit (Hct)
<del>85018</del>	<del>\$2.09</del>	Blood count; hemoglobin (Hgb)
<del>85025</del>	<del>\$6.85</del>	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count
85027	\$5.71	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)
<del>85032</del>	<del>\$3.80</del>	Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each
<del>85041</del>	<del>\$2.66</del>	Blood count; red blood cell (RBC), automated
<del>85044</del>	<del>\$3.80</del>	Blood count; reticulocyte, manual
<del>85045</del>	<del>\$3.52</del>	Blood count; reticulocyte, automated
<del>85046</del>	<del>\$4.91</del>	Blood count; reticulocytes, automated, including 1 or more cellular parameters (eg, reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement
85048	<del>\$2.24</del>	Blood count; leukocyte (WBC), automated
<del>85049</del>	<del>\$3.95</del>	Blood count; platelet, automated
<del>85055</del>	<del>\$31.52</del>	Reticulated platelet assay
<del>85130</del>	<del>\$10.49</del>	Chromogenic substrate assay
<del>85170</del>	<del>\$14.38</del>	Clot retraction
<del>85175</del>	<del>\$17.97</del>	Clot lysis time, whole blood dilution
<del>85210</del>	<del>\$11.45</del>	Clotting; factor II, prothrombin, specific
<del>85220</del>	<del>\$15.57</del>	Clotting; factor V (AcG or proaccelerin), labile factor
<del>85230</del>	<del>\$15.79</del>	Clotting; factor VII (proconvertin, stable factor)
85240	<del>\$15.79</del>	Clotting; factor VIII (AHG), 1-stage
85244	<del>\$18.01</del>	Clotting; factor VIII related antigen

<b>Code</b>	<u>Rate</u>	<u>Description</u>
<del>85245</del>	<del>\$20.23</del>	Clotting; factor VIII, VW factor, ristocetin cofactor
<del>85246</del>	<del>\$20.23</del>	Clotting; factor VIII, VW factor antigen
85247	\$20.23	Clotting; factor VIII, von Willebrand factor, multimetric analysis
<del>85250</del>	<del>\$16.79</del>	Clotting; factor IX (PTC or Christmas)
<del>85260</del>	<del>\$15.79</del>	Clotting; factor X (Stuart Prower)
<del>85270</del>	<del>\$15.79</del>	Clotting; factor XI (PTA)
<del>85280</del>	<del>\$17.07</del>	Clotting; factor XII (Hageman)
<del>85290</del>	<del>\$14.41</del>	Clotting; factor XIII (fibrin stabilizing)
<del>85291</del>	<del>\$8.04</del>	Clotting; factor XIII (fibrin stabilizing), screen solubility
<del>85292</del>	<del>\$16.70</del>	Clotting; prekallikrein assay (Fletcher factor assay)
<del>85293</del>	<del>\$16.70</del>	Clotting; high molecular weight kininogen assay (Fitzgerald factor assay)
<del>85300</del>	<del>\$10.45</del>	Clotting inhibitors or anticoagulants; antithrombin III, activity
<del>85301</del>	<del>\$9.53</del>	Clotting inhibitors or anticoagulants; antithrombin III, antigen assay
<del>85302</del>	<del>\$10.59</del>	Clotting inhibitors or anticoagulants; protein C, antigen
<del>85303</del>	\$12.21	Clotting inhibitors or anticoagulants; protein C, activity
<del>85305</del>	<del>\$10.24</del>	Clotting inhibitors or anticoagulants; protein S, total
<del>85306</del>	<del>\$13.51</del>	Clotting inhibitors or anticoagulants; protein S, free
<del>85307</del>	<del>\$13.51</del>	Activated Protein C (APC) resistance assay
<del>85335</del>	<del>\$11.35</del>	Factor inhibitor test
<del>85337</del>	<del>\$15.23</del>	Thrombomodulin
<del>85345</del>	<del>\$4.14</del>	Coagulation time; Lee and White
<del>85347</del>	<del>\$3.77</del>	Coagulation time; activated
85348	<del>\$3.96</del>	Coagulation time; other methods
<del>85360</del>	<del>\$7.42</del>	Euglobulin lysis
<del>85362</del>	<del>\$6.08</del>	Fibrin(ogen) degradation (split) products (FDP) (FSP); agglutination slide, semiquantitative
<del>85366</del>	<del>\$70.97</del>	Fibrin(ogen) degradation (split) products (FDP) (FSP); paracoagulation
<del>85370</del>	<del>\$10.96</del>	Fibrin(ogen) degradation (split) products (FDP) (FSP); quantitative
<del>85378</del>	<del>\$8.57</del>	Fibrin degradation products, D-dimer; qualitative or semiquantitative
<del>85379</del>	\$8.98	Fibrin degradation products, D-dimer; quantitative
<del>85380</del>	\$8.98	Fibrin degradation products, D-dimer; ultrasensitive (eg, for evaluation for venous thromboembolism), qualitative or semiquantitative

<u>Code</u>	<u>Rate</u>	<u>Description</u>
85384	<del>\$8.57</del>	Fibrinogen; activity
<del>85385</del>	<del>\$12.75</del>	Fibrinogen; antigen
<del>85390</del>	<del>\$13.65</del>	Fibrinolysins or coagulopathy screen, interpretation and report
<del>85397</del>	<del>\$27.22</del>	Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, ADAMTS-13), each analyte
<del>85400</del>	<del>\$6.80</del>	Fibrinolytic factors and inhibitors; plasmin
<del>85410</del>	<del>\$6.80</del>	Fibrinolytic factors and inhibitors; alpha-2 antiplasmin
<del>85415</del>	<del>\$15.16</del>	Fibrinolytic factors and inhibitors; plasminogen activator
85420	<del>\$5.76</del>	Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay
<del>85421</del>	\$8.98	Fibrinolytic factors and inhibitors; plasminogen, antigenic assay
85441	<del>\$3.70</del>	Heinz bodies; direct
<del>85445</del>	<del>\$6.02</del>	Heinz bodies; induced, acetyl phenylhydrazine
<del>85460</del>	<del>\$6.82</del>	Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke)
<del>85461</del>	\$8.26	Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette
<del>85475</del>	<del>\$7.82</del>	Hemolysin, acid
<del>85520</del>	<del>\$11.55</del>	Heparin assay
<del>85525</del>	<del>\$10.44</del>	Heparin neutralization
<del>85530</del>	<del>\$11.55</del>	Heparin-protamine tolerance test
<del>85536</del>	<del>\$6.07</del>	Iron stain, peripheral blood
<del>85540</del>	<del>\$7.59</del>	Leukocyte alkaline phosphatase with count
<del>85547</del>	<del>\$7.59</del>	Mechanical fragility, RBC
<del>85549</del>	<del>\$16.54</del>	Muramidase
<del>85555</del>	<del>\$6.59</del>	Osmotic fragility, RBC; unincubated
<del>85557</del>	<del>\$11.78</del>	Osmotic fragility, RBC; incubated
<del>85576</del>	<del>\$21.97</del>	Platelet, aggregation (in vitro), each agent
<del>85597</del>	<del>\$15.86</del>	Phospholipid neutralization; platelet
<del>85598</del>	<del>\$15.86</del>	Phospholipid neutralization; hexagonal phospholipid
<del>85610</del>	<del>\$3.78</del>	Prothrombin time;
<del>85611</del>	<del>\$3.48</del>	Prothrombin time; substitution, plasma fractions, each
<del>85612</del>	<del>\$15.43</del>	Russell viper venom time (includes venom); undiluted
<del>85613</del>	<del>\$8.45</del>	Russell viper venom time (includes venom); diluted
<del>85635</del>	<del>\$8.69</del>	Reptilase test
<del>85651</del>	<del>\$3.77</del>	Sedimentation rate, erythrocyte; non-automated
<del>85652</del>	<del>\$2.38</del>	Sedimentation rate, erythrocyte; automated
<del>85660</del>	<del>\$4.86</del>	Sickling of RBC, reduction
<del>85670</del>	<del>\$5.09</del>	Thrombin time; plasma

Proposed Final Adoption
Date published in the Mass. Register: xx xx July 22, 20242

# 101 CMR: EXECUTIVE OFFICE OF HEALTH AND HUMAN SERVICES

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<del>85675</del>	<del>\$6.04</del>	Thrombin time; titer
<del>85705</del>	<del>\$8.49</del>	Thromboplastin inhibition, tissue
<del>85730</del>	<del>\$5.30</del>	Thromboplastin time, partial (PTT); plasma or whole blood
<del>85732</del>	<del>\$5.71</del>	Thromboplastin time, partial (PTT); substitution, plasma fractions, each
<del>85810</del>	<del>\$10.29</del>	Viscosity
<del>85999</del>	I.C.	Unlisted hematology and coagulation procedure
		<del>Immunology</del>
<del>86000</del>	<del>\$6.16</del>	Agglutinins, febrile (eg, Brucella, Francisella, Murine typhus, Q fever, Rocky Mountain spotted fever, scrub typhus), each antigen
<del>86001</del>	<del>\$6.90</del>	Allergen specific IgG quantitative or semiquantitative, each allergen
<del>86003</del>	<del>\$4.60</del>	Allergen specific IgE; quantitative or semiquantitative, crude allergen extract, each
<del>86005</del>	<del>\$7.03</del>	Allergen specific IgE; qualitative, multiallergen screen (eg, disk, sponge, card)
<del>86008</del>	<del>\$15.81</del>	Allergen specific IgE; quantitative or semiquantitative, recombinant or purified component, each
<del>86015</del>	<del>\$10.17</del>	Actin (smooth muscle) antibody (ASMA), each
<del>86021</del>	<del>\$13.27</del>	Antibody identification; leukocyte antibodies
<del>86022</del>	<del>\$16.20</del>	Antibody identification; platelet antibodies
<del>86023</del>	<del>\$10.99</del>	Antibody identification; platelet associated immunoglobulin assay
<del>86036</del>	<del>\$10.63</del>	Antineutrophil cytoplasmic antibody (ANCA); screen, each antibody
<del>86037</del>	<del>\$10.63</del>	Antineutrophil cytoplasmic antibody (ANCA); titer, each antibody
<del>86038</del>	<del>\$10.66</del>	Antinuclear antibodies (ANA);
<del>86039</del>	<del>\$9.84</del>	Antinuclear antibodies (ANA); titer
<del>86051</del>	<del>\$10.17</del>	Aquaporin 4 (neuromyelitis optica [NMO]) antibody; enzymelinked immunosorbent immunoassay (ELISA)
<del>86052</del>	<del>\$10.63</del>	Aquaporin 4 (neuromyelitis optica [NMO]) antibody; cell-based immunofluorescence assay (CBA), each
<del>86053</del>	<del>\$10.63</del>	Aquaporin 4 (neuromyelitis optica [NMO]) antibody; flow cytometry (ie, fluorescence activated cell sorting [FACS]), each
<del>86060</del>	<del>\$6.44</del>	Antistreptolysin 0; titer
<del>86063</del>	<del>\$5.09</del>	Antistreptolysin 0; screen
<del>86140</del>	<del>\$4.57</del>	C-reactive protein;

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>86141</del>	<del>\$11.42</del>	C-reactive protein; high sensitivity (hsCRP)
<del>86146</del>	<del>\$22.45</del>	Beta 2 Glycoprotein I antibody, each
86147	<del>\$22.45</del>	Cardiolipin (phospholipid) antibody, each Ig class
86148	<del>\$14.17</del>	Anti-phosphatidylserine (phospholipid) antibody
		Cell enumeration using immunologic selection and
<del>86152</del>	<del>\$221.19</del>	identification in fluid specimen (eg, circulating tumor cells in
		<del>blood);</del>
<del>86155</del>	<del>\$14.10</del>	Chemotaxis assay, specify method
<del>86156</del>	<del>\$7.12</del>	Cold agglutinin; screen
<del>86157</del>	<del>\$7.11</del>	Cold agglutinin; titer
<del>86160</del>	<del>\$10.58</del>	Complement; antigen, each component
<del>86161</del>	<del>\$10.58</del>	Complement; functional activity, each component
<del>86162</del>	<del>\$17.92</del>	Complement; total hemolytic (CH50)
<del>86171</del>	<del>\$8.83</del>	Complement fixation tests, each antigen
<del>86200</del>	<del>\$11.42</del>	Cyclic citrullinated peptide (CCP), antibody
<del>86215</del>	<del>\$11.69</del>	Deoxyribonuclease, antibody
<del>86225</del>	<del>\$12.12</del>	Deoxyribonucleic acid (DNA) antibody; native or double stranded
<del>86226</del>	<del>\$10.68</del>	Deoxyribonucleic acid (DNA) antibody; single stranded
86231	<del>\$10.66</del>	Endomysial antibody (EMA), each immunoglobulin (Ig) class
<del>86235</del>	<del>\$15.81</del>	Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody
<del>86255</del>	<del>\$10.63</del>	Fluorescent noninfectious agent antibody; screen, each antibody
<del>86256</del>	<del>\$10.63</del>	Fluorescent noninfectious agent antibody; titer, each antibody
86258	<del>\$10.17</del>	Gliadin (deamidated) (DGP) antibody, each immunoglobulin (Ig) class
86277	<del>\$13.88</del>	Growth hormone, human (HGH), antibody
<del>86280</del>	<del>\$7.22</del>	Hemagglutination inhibition test (HAI)
86294	<del>\$22.55</del>	Immunoassay for tumor antigen, qualitative or semiquantitative (eg, bladder tumor antigen)
<del>86300</del>	<del>\$18.35</del>	Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)
<del>86301</del>	<del>\$18.35</del>	Immunoassay for tumor antigen, quantitative; CA 19-9
86304	<del>\$18.35</del>	Immunoassay for tumor antigen, quantitative; CA 125
<del>86305</del>	<del>\$18.35</del>	Human epididymis protein 4 (HE4)
<del>86308</del>	<del>\$4.57</del>	Heterophile antibodies; screening
<del>86309</del>	<del>\$5.71</del>	Heterophile antibodies; titer
86310	<del>\$6.50</del>	Heterophile antibodies; titers after absorption with beef cells and guinea pig kidney
<del>86316</del>	<del>\$18.35</del>	Immunoassay for tumor antigen, other antigen, quantitative (eg, CA 50, 72-4, 549), each

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>86317</del>	<del>\$13.22</del>	Immunoassay for infectious agent antibody, quantitative, not otherwise specified
<del>86318</del>	<del>\$15.96</del>	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single step method (eg, reagent strip);
<del>86320</del>	<del>\$26.39</del>	Immunoelectrophoresis; serum
<del>86325</del>	<del>\$20.40</del>	Immunoelectrophoresis; other fluids (eg, urine, cerebrospinal fluid) with concentration
<del>86327</del>	<del>\$26.39</del>	Immunoelectrophoresis; crossed (2-dimensional assay)
<del>86328</del>	\$45. <u>23</u>	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single step method (eg, reagent strip); severe acute respiratory syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID-19])
<del>86329</del>	<del>\$12.39</del>	Immunodiffusion; not elsewhere specified
<del>86331</del>	<del>\$10.57</del>	Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody
<del>86332</del>	<del>\$21.49</del>	Immune complex assay
<del>86334</del>	<del>\$19.70</del>	Immunofixation electrophoresis; serum
<del>86335</del>	<del>\$25.89</del>	Immunofixation electrophoresis; other fluids with concentration (eg, urine, CSF)
<del>86336</del>	<del>\$13.75</del>	Inhibin A
<del>86337</del>	<del>\$18.88</del>	Insulin antibodies
<del>86340</del>	<del>\$13.30</del>	Intrinsic factor antibodies
<del>86341</del>	<del>\$20.79</del>	Islet cell antibody
<del>86343</del>	<del>\$10.99</del>	Leukocyte histamine release test (LHR)
<del>86344</del>	<del>\$9.16</del>	Leukocyte phagocytosis
<del>86352</del>	<del>\$119.83</del>	Cellular function assay involving stimulation (eg, mitogen or antigen) and detection of biomarker (eg, ATP)
<del>86353</del>	<del>\$43.24</del>	Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis
<del>86355</del>	<del>\$33.28</del>	B cells, total count
<del>86356</del>	<del>\$23.62</del>	Mononuclear cell antigen, quantitative (eg, flow cytometry), not otherwise specified, each antigen
<del>86357</del>	<del>\$33.28</del>	Natural killer (NK) cells, total count
<del>86359</del>	<del>\$33.28</del>	T cells; total count
<del>86360</del>	<del>\$41.44</del>	T cells; absolute CD4 and CD8 count, including ratio
<del>86361</del>	<del>\$23.62</del>	T cells; absolute CD4 count
<del>86362</del>	<del>\$10.63</del>	Myelin oligodendrocyte glycoprotein (MOG-IgG1) antibody; cell-based immunofluorescence assay (CBA), each

ody; ACS]),
t-
+ 
· VID-
· VID-
<del>CoV-</del>
<del>se</del>
<del>se</del> ng T-
DRL,

<u>Code</u>	Rate	<b>Description</b>
<del>86617</del>	<del>\$13.66</del>	Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)
<del>86618</del>	<del>\$15.02</del>	Antibody; Borrelia burgdorferi (Lyme disease)
<del>86619</del>	<del>\$11.80</del>	Antibody; Borrelia (relapsing fever)
<del>86622</del>	<del>\$7.88</del>	Antibody; Brucella
<del>86625</del>	<del>\$11.57</del>	Antibody; Campylobacter
<del>86628</del>	<del>\$10.59</del>	Antibody; Candida
<del>86631</del>	<del>\$10.43</del>	Antibody; Chlamydia
<del>86632</del>	<del>\$11.18</del>	Antibody; Chlamydia, IgM
<del>86635</del>	<del>\$10.12</del>	Antibody; Coccidioides
<del>86638</del>	<del>\$10.69</del>	Antibody; Coxiella burnetii (Q fever)
<del>86641</del>	<del>\$12.71</del>	Antibody; Cryptococcus
<del>86644</del>	<del>\$12.69</del>	Antibody; cytomegalovirus (CMV)
<del>86645</del>	<del>\$14.86</del>	Antibody; cytomegalovirus (CMV), IgM
<del>86648</del>	<del>\$13.42</del>	Antibody; Diphtheria
<del>86651</del>	<del>\$11.63</del>	Antibody; encephalitis, California (La Crosse)
<del>86652</del>	<del>\$11.63</del>	Antibody; encephalitis, Eastern equine
<del>86653</del>	<del>\$11.63</del>	Antibody; encephalitis, St. Louis
<del>86654</del>	<del>\$11.63</del>	Antibody; encephalitis, Western equine
<del>86658</del>	<del>\$11.49</del>	Antibody; enterovirus (eg, coxsackie, echo, polio)
<del>86663</del>	<del>\$11.57</del>	Antibody; Epstein-Barr (EB) virus, early antigen (EA)
<del>86664</del>	<del>\$13.49</del>	Antibody; Epstein-Barr (EB) virus, nuclear antigen (EBNA)
<del>86665</del>	<del>\$16.00</del>	Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)
<del>86666</del>	<del>\$8.98</del>	Antibody; Ehrlichia
<del>86668</del>	<del>\$12.49</del>	Antibody; Francisella tularensis
<del>86671</del>	<del>\$10.80</del>	Antibody; fungus, not elsewhere specified
<del>86674</del>	<del>\$12.98</del>	Antibody; Giardia lamblia
<del>86677</del>	<del>\$14.86</del>	Antibody; Helicobacter pylori
<del>86682</del>	<del>\$11.47</del>	Antibody; helminth, not elsewhere specified
<del>86684</del>	<del>\$13.97</del>	Antibody; Haemophilus influenza
<del>86687</del>	<del>\$8.02</del>	Antibody; HTLV-I
<del>86688</del>	<del>\$12.35</del>	Antibody; HTLV-II
<del>86689</del>	<del>\$17.07</del>	Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)
<del>86692</del>	<del>\$15.14</del>	Antibody; hepatitis, delta agent
<del>86694</del>	<del>\$12.69</del>	Antibody; herpes simplex, non-specific type test
<del>86695</del>	<del>\$11.63</del>	Antibody; herpes simplex, type 1
<del>86696</del>	<del>\$17.07</del>	Antibody; herpes simplex, type 2
<del>86698</del>	<del>\$12.16</del>	Antibody; histoplasma

<u>Code</u>	<b>Rate</b>	<b>Description</b>
<del>86701</del>	<del>\$7.84</del>	Antibody; HIV-1
<del>86702</del>	<del>\$11.92</del>	Antibody; HIV-2
<del>86703</del>	<del>\$12.09</del>	Antibody; HIV-1 and HIV-2, single result
86704	<del>\$10.63</del>	Hepatitis B core antibody (HBcAb); total
<del>86705</del>	<del>\$10.38</del>	Hepatitis B core antibody (HBcAb); IgM antibody
<del>86706</del>	<del>\$9.47</del>	Hepatitis B surface antibody (HBsAb)
<del>86707</del>	<del>\$10.20</del>	Hepatitis Be antibody (HBeAb)
<del>86708</del>	<del>\$10.93</del>	Hepatitis A antibody (HAAb)
<del>86709</del>	<del>\$9.93</del>	Hepatitis A antibody (HAAb), IgM antibody
<del>86710</del>	<del>\$11.95</del>	Antibody; influenza virus
<del>86711</del>	<del>\$14.90</del>	Antibody; JC (John Cunningham) virus
<del>86713</del>	<del>\$13.49</del>	Antibody; Legionella
<del>86717</del>	<del>\$10.80</del>	Antibody; Leishmania
<del>86720</del>	<del>\$14.29</del>	Antibody; Leptospira
<del>86723</del>	<del>\$11.63</del>	Antibody; Listeria monocytogenes
<del>86727</del>	<del>\$11.35</del>	Antibody; lymphocytic choriomeningitis
<del>86732</del>	<del>\$13.23</del>	Antibody; mucormycosis
<del>86735</del>	<del>\$11.51</del>	Antibody; mumps
<del>86738</del>	<del>\$11.68</del>	Antibody; mycoplasma
<del>86741</del>	<del>\$11.63</del>	Antibody; Neisseria meningitidis
<del>86744</del>	<del>\$14.10</del>	Antibody; Nocardia
<del>86747</del>	<del>\$13.26</del>	Antibody; parvovirus
<del>86750</del>	<del>\$11.63</del>	Antibody; Plasmodium (malaria)
<del>86753</del>	<del>\$10.93</del>	Antibody; protozoa, not elsewhere specified
<del>86756</del>	<del>\$14.01</del>	Antibody; respiratory syncytial virus
<del>86757</del>	<del>\$17.07</del>	Antibody; Rickettsia
<del>86759</del>	<del>\$16.08</del>	Antibody; rotavirus
<del>86762</del>	<del>\$12.69</del>	Antibody; rubella
<del>86765</del>	<del>\$11.36</del>	Antibody; rubeola
<del>86768</del>	<del>\$11.63</del>	Antibody; Salmonella
<del>86769</del>	<del>\$42.13</del>	Antibody; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19])
<del>86771</del>	<del>\$21.59</del>	Antibody; Shigella
86774	\$13.05	Antibody; tetanus
86777	<del>\$12.69</del>	Antibody; Toxoplasma
86778	<del>\$12.71</del>	Antibody; Toxoplasma, IgM
<del>86780</del>	<del>\$11.68</del>	Antibody; Treponema pallidum
86784	<del>\$11.08</del>	Antibody; Trichinella
<del>86787</del>	<del>\$11.36</del>	Antibody; varicella-zoster

<u>Code</u>	Rate	<u>Description</u>
<del>86788</del>	<del>\$14.86</del>	Antibody; West Nile virus, IgM
<del>86789</del>	<del>\$12.69</del>	Antibody; West Nile virus
<del>86790</del>	<del>\$11.36</del>	Antibody; virus, not elsewhere specified
86793	<del>\$11.63</del>	Antibody; Yersinia
86794	<del>\$14.86</del>	Antibody; Zika virus, IgM
86800	<del>\$14.03</del>	Thyroglobulin antibody
<del>86803</del>	<del>\$12.59</del>	Hepatitis C antibody;
<del>86804</del>	<del>\$13.66</del>	Hepatitis C antibody; confirmatory test (eg, immunoblot)
<del>86805</del>	<del>\$167.15</del>	Lymphocytotoxicity assay, visual crossmatch; with titration
<del>86806</del>	<del>\$41.97</del>	Lymphocytotoxicity assay, visual crossmatch; without titration
86807	<del>\$69.37</del>	Serum screening for cytotoxic percent reactive antibody (PRA); standard method
<del>86808</del>	<del>\$26.18</del>	Serum screening for cytotoxic percent reactive antibody (PRA); quick method
<del>86812</del>	<del>\$22.76</del>	HLA typing; A, B, or C (eg, A10, B7, B27), single antigen
<del>86813</del>	<del>\$51.16</del>	HLA typing; A, B, or C, multiple antigens
<del>86816</del>	<del>\$26.61</del>	HLA typing; DR/DQ, single antigen
<del>86817</del>	<del>\$93.62</del>	HLA typing; DR/DQ, multiple antigens
<del>86821</del>	<del>\$32.25</del>	HLA typing; lymphocyte culture, mixed (MLC)
<del>86825</del>	<del>\$96.57</del>	Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution
<del>86826</del>	\$ <u>32.22</u>	Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)
<del>86828</del>	<del>\$56.62</del>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I and Class II HLA antigens
<del>86829</del>	<del>\$56.62</del>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I or Class II HLA antigens
<del>86830</del>	<del>\$84.25</del>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class I

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>86831</del>	<del>\$72.22</del>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class II
<del>86832</del>	<del>\$285.55</del>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I
<del>86833</del>	<del>\$287.36</del>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II
<del>8683</del> 4	<del>\$315.37</del>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class I
<del>86835</del>	<del>\$284.85</del>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class II
<del>86849</del>	I.C.	Unlisted immunology procedure
		Transformation
<del>86850</del>	<del>\$8.62</del>	Antibody screen, RBC, each serum technique
<del>86860</del>	I.C.	Antibody elution (RBC), each elution
<del>86870</del>	<del>I.C.</del>	Antibody identification, RBC antibodies, each panel for each serum technique
<del>86880</del>	<del>\$4.75</del>	Antihuman globulin test (Coombs test); direct, each antiserum
<del>86885</del>	<del>\$5.05</del>	Antihuman globulin test (Coombs test); indirect, qualitative, each reagent red cell
<del>86886</del>	<del>\$4.57</del>	Antihuman globulin test (Coombs test); indirect, each antibody titer
<del>86890</del>	I.C.	Autologous blood or component, collection processing and storage; predeposited
86891	I.C.	Autologous blood or component, collection processing and storage; intra- or postoperative salvage
<del>86900</del>	<del>\$2.64</del>	Blood typing, serologic; ABO
86901	<del>\$2.64</del>	Blood typing, serologic; Rh (D)
<del>86902</del>	<del>\$5.60</del>	Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<del>86904</del>	<del>\$14.41</del>	Blood typing, serologic; antigen screening for compatible unit using patient serum, per unit screened
<del>86905</del>	\$3.38	Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each
<del>86906</del>	<del>\$6.84</del>	Blood typing, serologic; Rh phenotyping, complete
<del>86920</del>	I.C.	Compatibility test each unit; immediate spin technique
<del>86921</del>	I.C.	Compatibility test each unit; incubation technique
<del>86922</del>	I.C.	Compatibility test each unit; antiglobulin technique
<del>86923</del>	I.C.	Compatibility test each unit; electronic
<del>86927</del>	I.C.	Fresh frozen plasma, thawing, each unit
<del>86930</del>	I.C.	Frozen blood, each unit; freezing (includes preparation)
<del>86931</del>	I.C.	Frozen blood, each unit; thawing
<del>86932</del>	I.C.	Frozen blood, each unit; freezing (includes preparation) and thawing
<del>86940</del>	<del>\$7.74</del>	Hemolysins and agglutinins; auto, screen, each
<del>86941</del>	<del>\$10.68</del>	Hemolysins and agglutinins; incubated
<del>86945</del>	<del>\$23.48</del>	Irradiation of blood product, each unit
<del>86960</del>	I.C.	Volume reduction of blood or blood product (eg, red blood cell or platelets), each unit
<del>86965</del>	<del>\$23.48</del>	Pooling of platelets or other blood products
<del>86970</del>	<del>\$18.76</del>	Pretreatment of RBCs for use in RBC antibody detection, identification, and/or compatibility testing; incubation with chemical agents or drugs, each
<del>86971</del>	\$ <del>18.76</del>	Pretreatment of RBCs for use in RBC antibody detection, identification, and/or compatibility testing; incubation with enzymes, each
<del>86976</del>	<del>\$18.76</del>	Pretreatment of serum for use in RBC antibody identification; by dilution
86977	<del>\$18.76</del>	Pretreatment of serum for use in RBC antibody identification; incubation with inhibitors, each
<del>86978</del>	\$ <del>18.76</del>	Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption
<del>86985</del>	I.C.	Splitting of blood or blood products, each unit
<del>86999</del>	I.C.	Unlisted transfusion medicine procedure
		Microbiology
<del>87003</del>	<del>\$14.85</del>	Animal inoculation, small animal, with observation and dissection
<del>87015</del>	<del>\$5.89</del>	Concentration (any type), for infectious agents

<u>Code</u>	<u>Rate</u>	<u>Description</u>
87040	<del>\$9.10</del>	Culture, bacterial; blood, aerobic, with isolation and presumptive identification of isolates (includes anaerobic culture, if appropriate)
<del>87045</del>	<del>\$8.33</del>	Culture, bacterial; stool, aerobic, with isolation and preliminary examination (eg, KIA, LIA), Salmonella and Shigella species
<del>87046</del>	<del>\$8.33</del>	Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate
<del>87070</del>	<del>\$7.60</del>	Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates
87071	<del>\$8.72</del>	Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool
<del>87073</del>	<del>\$8.52</del>	Culture, bacterial; quantitative, anaerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool
<del>87075</del>	<del>\$8.35</del>	Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates
<del>87076</del>	\$7.13	Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate
<del>87077</del>	<del>\$7.13</del>	Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate
<del>87081</del>	<del>\$5.85</del>	Culture, presumptive, pathogenic organisms, screening only;
<del>8708</del> 4	<del>\$23.88</del>	Culture, presumptive, pathogenic organisms, screening only; with colony estimation from density chart
<del>87086</del>	<del>\$7.12</del>	Culture, bacterial; quantitative colony count, urine
<del>87088</del>	<del>\$7.14</del>	Culture, bacterial; with isolation and presumptive identification of each isolate, urine
<del>87101</del>	<del>\$6.80</del>	Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; skin, hair, or nail
87102	<del>\$7.42</del>	Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)
<del>87103</del>	<del>\$18.05</del>	Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; blood
<del>87106</del>	<del>\$9.10</del>	Culture, fungi, definitive identification, each organism; yeast
<del>87107</del>	<del>\$9.10</del>	Culture, fungi, definitive identification, each organism; mold
<del>87109</del>	<del>\$13.57</del>	Culture, mycoplasma, any source
<del>87110</del>	<del>\$17.29</del>	Culture, chlamydia, any source
<del>87116</del>	<del>\$9.53</del>	Culture, tubercle or other acid fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates

<u>Code</u>	<u>Rate</u>	<u>Description</u>
87118	<del>\$12.89</del>	Culture, mycobacterial, definitive identification, each isolate
<del>87140</del>	<del>\$4.91</del>	Culture, typing; immunofluorescent method, each antiserum
87143	<del>\$11.04</del>	Culture, typing; gas liquid chromatography (GLC) or high pressure liquid chromatography (HPLC) method
87147	<del>\$4.57</del>	Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum
<del>87149</del>	<del>\$17.68</del>	Culture, typing; identification by nucleic acid (DNA or RNA) probe, direct probe technique, per culture or isolate, each organism probed
<del>87150</del>	<del>\$30.95</del>	Culture, typing; identification by nucleic acid (DNA or RNA) probe, amplified probe technique, per culture or isolate, each organism probed
<del>87152</del>	<del>\$6.83</del>	Culture, typing; identification by pulse field gel typing
87154	\$ <del>192.33</del>	Culture, typing; identification of blood pathogen and resistance typing, when performed, by nucleic acid (DNA or RNA) probe, multiplexed amplified probe technique including multiplex reverse transcription, when performed, per culture or isolate, 6 or more targets
<del>87158</del>	<del>\$6.83</del>	Culture, typing; other methods
<del>87164</del>	<del>\$9.47</del>	Dark field examination, any source (eg, penile, vaginal, oral, skin); includes specimen collection
<del>87166</del>	<del>\$9.97</del>	Dark field examination, any source (eg, penile, vaginal, oral, skin); without collection
<del>87168</del>	<del>\$3.77</del>	Macroscopic examination; arthropod
<del>87169</del>	<del>\$3.80</del>	Macroscopic examination; parasite
<del>87172</del>	<del>\$3.77</del>	Pinworm exam (eg, cellophane tape prep)
<del>87176</del>	<del>\$5.19</del>	Homogenization, tissue, for culture
87177	<del>\$7.85</del>	Ova and parasites, direct smears, concentration and identification
87181	\$4.19	Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)
87184	<del>\$6.60</del>	Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)
<del>87185</del>	<del>\$4.19</del>	Susceptibility studies, antimicrobial agent; enzyme detection (eg, beta lactamase), per enzyme
<del>87186</del>	<del>\$7.63</del>	Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<del>87187</del>	\$35.43	Susceptibility studies, antimicrobial agent; microdilution or agar dilution, minimum lethal concentration (MLC), each plate (List separately in addition to code for primary procedure)
87188	<del>\$5.86</del>	Susceptibility studies, antimicrobial agent; macrobroth dilution method, each agent
<del>87190</del>	<del>\$6.45</del>	Susceptibility studies, antimicrobial agent; mycobacteria, proportion method, each agent
<del>87197</del>	<del>\$13.25</del>	Serum bactericidal titer (Schlichter test)
<del>87205</del>	<del>\$3.77</del>	Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types
<del>87206</del>	<del>\$4.75</del>	Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types
<del>87207</del>	<del>\$5.28</del>	Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)
<del>87209</del>	<del>\$15.86</del>	Smear, primary source with interpretation; complex special stain (eg, trichrome, iron hemotoxylin) for ova and parasites
<del>87210</del>	<del>\$5.13</del>	Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)
<del>87220</del>	<del>\$3.77</del>	Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or ectoparasite ova or mites (eg, scabies)
87230	<del>\$17.41</del>	Toxin or antitoxin assay, tissue culture (eg, Clostridium difficile toxin)
<del>87250</del>	<del>\$17.25</del>	Virus isolation; inoculation of embryonated eggs, or small animal, includes observation and dissection
87252	<del>\$22.99</del>	Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect
<del>87253</del>	\$17.8 <u>2</u>	Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate
<del>8725</del> 4	<del>\$17.25</del>	Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus
<del>87255</del>	<del>\$29.86</del>	Virus isolation; including identification by non-immunologic method, other than by cytopathic effect (eg, virus specific enzymatic activity)
<del>87260</del>	<del>\$12.73</del>	Infectious agent antigen detection by immunofluorescent technique; adenovirus
<del>87265</del>	<del>\$10.57</del>	Infectious agent antigen detection by immunofluorescent technique; Bordetella pertussis/parapertussis

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>87267</del>	\$11.84	Infectious agent antigen detection by immunofluorescent technique; Enterovirus, direct fluorescent antibody (DFA)
<del>87269</del>	\$12.00	Infectious agent antigen detection by immunofluorescent technique; giardia
<del>87270</del>	<del>\$10.57</del>	Infectious agent antigen detection by immunofluorescent technique; Chlamydia trachomatis
<del>87271</del>	\$11.84	Infectious agent antigen detection by immunofluorescent technique; Cytomegalovirus, direct fluorescent antibody (DFA)
87272	<del>\$10.57</del>	Infectious agent antigen detection by immunofluorescent technique; cryptosporidium
<del>87273</del>	<del>\$10.57</del>	Infectious agent antigen detection by immunofluorescent technique; Herpes simplex virus type 2
87274	<del>\$10.57</del>	Infectious agent antigen detection by immunofluorescent technique; Herpes simplex virus type 1
<del>87275</del>	\$10.80	Infectious agent antigen detection by immunofluorescent technique; influenza B virus
<del>87276</del>	<del>\$14.17</del>	Infectious agent antigen detection by immunofluorescent technique; influenza A virus
87278	<del>\$13.76</del>	Infectious agent antigen detection by immunofluorescent technique; Legionella pneumophila
<del>87279</del>	<del>\$14.49</del>	Infectious agent antigen detection by immunofluorescent technique; Parainfluenza virus, each type
<del>87280</del>	\$11.84	Infectious agent antigen detection by immunofluorescent technique; respiratory syncytial virus
<del>87281</del>	<del>\$10.57</del>	Infectious agent antigen detection by immunofluorescent technique; Pneumocystis carinii
87283	<del>\$53.63</del>	Infectious agent antigen detection by immunofluorescent technique; Rubeola
<del>87285</del>	\$10.74	Infectious agent antigen detection by immunofluorescent technique; Treponema pallidum
<del>87290</del>	\$11.84	Infectious agent antigen detection by immunofluorescent technique; Varicella zoster virus
<del>87299</del>	<del>\$14.20</del>	Infectious agent antigen detection by immunofluorescent technique; not otherwise specified, each organism
<del>87300</del>	\$ <del>10.57</del>	Infectious agent antigen detection by immunofluorescent technique, polyvalent for multiple organisms, each polyvalent antiserum

<u>Code</u>	Rate	<u>Description</u>
<del>87301</del>	<del>\$10.57</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; adenovirus enteric types 40/41
<del>87305</del>	<del>\$10.57</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Aspergillus
<del>87320</del>	<del>\$13.23</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Chlamydia trachomatis
<del>87324</del>	<del>\$10.57</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Clostridium difficile toxin(s)
<del>87327</del>	<del>\$11.84</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Cryptococcus neoformans
<del>87328</del>	<del>\$12.19</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; cryptosporidium
<del>87329</del>	\$ <del>10.57</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; giardia
<del>87332</del>	\$10.57	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; cytomegalovirus

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>87335</del>	<del>\$11.17</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Escherichia coli 0157
<del>87336</del>	<del>\$14.11</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Entamoeba histolytica dispar group
<del>87337</del>	<del>\$10.57</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Entamoeba histolytica group
<del>87338</del>	<del>\$12.68</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Helicobacter pylori, stool
<del>87339</del>	<del>\$14.11</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Helicobacter pylori
<del>87340</del>	\$ <del>9.11</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis B surface antigen (HBsAg)
<del>87341</del>	<del>\$9.11</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis B surface antigen (HBsAg) neutralization

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>87350</del>	<del>\$10.17</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis Be antigen (HBeAg)
<del>87380</del>	<del>\$16.19</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis, delta agent
<del>87385</del>	<del>\$11.69</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Histoplasma capsulatum
<del>87389</del>	\$ <del>21.2</del> 4	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies, single result
<del>87390</del>	\$21.22	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-1
<del>87391</del>	\$ <del>19.32</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-2
<del>87400</del>	<del>\$12.46</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Influenza, A or B, each

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>87420</del>	<del>\$12.27</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; respiratory syncytial virus
<del>87425</del>	<del>\$10.57</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; rotavirus
<del>87426</del>	<del>\$35.33</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; severe acute respiratory syndrome coronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19])
<del>87427</del>	\$ <del>10.57</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Shiga-like toxin
<del>87428</del>	\$ <del>63.59</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; severe acute respiratory syndrome coronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19]) and influenza virus types A and B
<del>87430</del>	\$14.83	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Streptococcus, group A
87449	\$ <del>10.57</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; not otherwise specified, each organism

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<del>87451</del>	<del>\$9.27</del>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; polyvalent for multiple organisms, each polyvalent antiserum
87471	\$ <del>30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, amplified probe technique
87472	\$37.78	Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, quantification
<del>87475</del>	<del>\$17.68</del>	Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, direct probe technique
<del>87476</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique
<del>87480</del>	<del>\$17.68</del>	Infectious agent detection by nucleic acid (DNA or RNA); Candida species, direct probe technique
87481	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Candida species, amplified probe technique
87482	<del>\$49.16</del>	Infectious agent detection by nucleic acid (DNA or RNA); Candida species, quantification
<del>87483</del>	<del>\$367.60</del>	Infectious agent detection by nucleic acid (DNA or RNA); central nervous system pathogen (eg, Neisseria meningitidis, Streptococcus pneumoniae, Listeria, Haemophilus influenzae, E. coli, Streptococcus agalactiae, enterovirus, human parechovirus, herpes simplex virus type 1 and 2, human herpesvirus 6, cytomegalovirus, varicella zoster virus, Cryptococcus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets
87485	<del>\$17.68</del>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, direct probe technique
87486	\$30. <del>95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique
<del>87487</del>	\$37.78	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, quantification
<del>87490</del>	\$ <del>20.07</del>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique
87491	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique

<u>Code</u>	Rate	<b>Description</b>
<del>87492</del>	<del>\$47.16</del>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, quantification
<del>87493</del>	<del>\$32.87</del>	Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique
<del>87495</del>	<del>\$26.49</del>	Infectious agent detection by nucleic acid (DNA or RNA); eytomegalovirus, direct probe technique
<del>87496</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); eytomegalovirus, amplified probe technique
<del>87497</del>	<del>\$37.78</del>	Infectious agent detection by nucleic acid (DNA or RNA); eytomegalovirus, quantification
87498	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed
<del>87500</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); vancomycin resistance (eg, enterococcus species van A, van B), amplified probe technique
<del>87501</del>	<del>\$45.26</del>	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, includes reverse transcription, when performed, and amplified probe technique, each type or subtype
<del>87502</del>	\$ <del>84.50</del>	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, for multiple types or sub-types, includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, first 2 types or sub-types
<del>87503</del>	<del>\$25.77</del>	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, for multiple types or sub-types, includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, each additional influenza virus type or sub-type beyond 2 (List separately in addition to code for primary procedure)
<del>87505</del>	<del>\$113.15</del>	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (eg, Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3–5 targets
<del>87506</del>	<del>\$231.96</del>	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (eg, Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 6-11 targets

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>87507</del>	<del>\$367.60</del>	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (eg, Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12–25 targets
<del>87510</del>	<del>\$17.68</del>	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, direct probe technique
87511	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, amplified probe technique
<del>87512</del>	<del>\$36.83</del>	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, quantification
<del>87516</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique
87517	<del>\$37.78</del>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, quantification
<del>87520</del>	<del>\$27.54</del>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, direct probe technique
<del>87521</del>	\$ <del>30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, amplified probe technique, includes reverse transcription when performed
<del>87522</del>	\$37.78	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed
<del>87525</del>	<del>\$26.28</del>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis G, direct probe technique
<del>87526</del>	<del>\$34.63</del>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis G, amplified probe technique
87527	<del>\$36.83</del>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis G, quantification
<del>87528</del>	<del>\$17.68</del>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, direct probe technique
<del>87529</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique
<del>87530</del>	<del>\$37.78</del>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, quantification
<del>87531</del>	<del>\$51.16</del>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus 6, direct probe technique
<del>87532</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus 6, amplified probe technique

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>87533</del>	<del>\$36.83</del>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus 6, quantification
<del>87534</del>	<del>\$19.33</del>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, direct probe technique
<del>87535</del>	\$30.95	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique, includes reverse transcription when performed
<del>87536</del>	<del>\$75.06</del>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed
<del>87537</del>	<del>\$19.33</del>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, direct probe technique
<del>87538</del>	\$ <del>30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, amplified probe technique, includes reverse transcription when performed
<del>87539</del>	\$ <del>51.70</del>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, quantification, includes reverse transcription when performed
<del>87540</del>	<del>\$17.68</del>	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, direct probe technique
<del>87541</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, amplified probe technique
<del>87542</del>	<del>\$36.83</del>	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, quantification
<del>87550</del>	<del>\$17.68</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, direct probe technique
<del>87551</del>	<del>\$42.55</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique
<del>87552</del>	<del>\$37.78</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, quantification
<del>87555</del>	<del>\$23.71</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, direct probe technique
<del>87556</del>	<del>\$36.76</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique
<del>87557</del>	<del>\$37.78</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, quantification
<del>87560</del>	<del>\$24.07</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium intracellulare, direct probe technique
<del>87561</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, amplified probe technique

<u>Code</u>	Rate	<b>Description</b>
<del>87562</del>	<del>\$37.78</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium intracellulare, quantification
<del>87563</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma genitalium, amplified probe technique
<del>87580</del>	<del>\$17.68</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, direct probe technique
87581	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique
<del>87582</del>	<del>\$266.91</del>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, quantification
<del>87590</del>	<del>\$23.71</del>	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, direct probe technique
<del>87591</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique
<del>87592</del>	<del>\$37.78</del>	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, quantification
<del>87623</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), low-risk types (eg, 6, 11, 42, 43, 44)
<del>87624</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)
<del>87625</del>	<del>\$35.77</del>	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed
<del>87631</del>	\$125. <del>80</del>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3–5 targets
<del>87632</del>	\$192.33	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg., adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 6-11 targets

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>87633</del>	<del>\$367.60</del>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets
<del>87634</del>	<del>\$61.92</del>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory syncytial virus, amplified probe technique
<del>87635</del>	\$ <del>51.31</del>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique
<del>87636</del>	<del>\$142.63</del>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) and influenza virus types A and B, multiplex amplified probe technique
<del>87637</del>	\$14 <u>2.63</u>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), influenza virus types A and B, and respiratory syncytial virus, multiplex amplified probe technique
<del>87640</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, amplified probe technique
<del>87641</del>	\$30.95	Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique
<del>87650</del>	<del>\$17.68</del>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, direct probe technique
<del>87651</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, amplified probe technique
<del>87652</del>	<del>\$36.83</del>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, quantification
<del>87653</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group B, amplified probe technique
<del>87660</del>	<del>\$17.68</del>	Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, direct probe technique
<del>87661</del>	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique
<del>87662</del>	<del>\$45.26</del>	Infectious agent detection by nucleic acid (DNA or RNA); Zika virus, amplified probe technique

<u>Code</u>	Rate	<b>Description</b>
<del>87797</del>	<del>\$26.49</del>	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; direct probe technique, each organism
87798	<del>\$30.95</del>	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism
<del>87799</del>	<del>\$37.78</del>	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism
<del>87800</del>	<del>\$38.52</del>	Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; direct probe(s) technique
<del>87801</del>	<del>\$61.92</del>	Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique
<del>87802</del>	<del>\$11.23</del>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Streptococcus, group B
<del>87803</del>	<del>\$14.11</del>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Clostridium difficile toxin A
87804	<del>\$14.60</del>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Influenza
<del>87806</del>	<del>\$28.90</del>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies
87807	<del>\$11.55</del>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; respiratory syncytial virus
87808	<del>\$13.49</del>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Trichomonas vaginalis
<del>87809</del>	<del>\$19.19</del>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; adenovirus
87810	\$31.13	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Chlamydia trachomatis
<del>87811</del>	<del>\$41.38</del>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19])
<del>87850</del>	<del>\$21.66</del>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Neisseria gonorrhoeae
<del>87880</del>	<del>\$14.58</del>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Streptococcus, group A
87899	\$14.17	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; not otherwise specified
<del>87900</del>	<del>\$114.97</del>	Infectious agent drug susceptibility phenotype prediction using regularly updated genotypic bioinformatics

Code	<u>Rate</u>	<u>Description</u>
<del>87901</del>	<del>\$227.07</del>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions
<del>87902</del>	\$227.07	Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus
<del>87903</del>	<del>\$431.00</del>	Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; first through 10 drugs tested
<del>8790</del> 4	<del>\$22.99</del>	Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; each additional drug tested (List separately in addition to code for primary procedure)
<del>87905</del>	<del>\$10.78</del>	Infectious agent enzymatic activity other than virus (eg, sialidase activity in vaginal fluid)
<del>87906</del>	\$113.54	Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV 1, other region (eg, integrase, fusion)
<del>87910</del>	<del>\$227.07</del>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); cytomegalovirus
87912	\$227. <del>07</del>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis B virus
<del>87999</del>	I.C.	Unlisted microbiology procedure
		Anatomic Pathology
88000	I.C.	Necropsy (autopsy), gross examination only; without CNS
<del>88005</del>	I.C.	Necropsy (autopsy), gross examination only; with brain
88007	I.C.	Necropsy (autopsy), gross examination only; with brain and spinal cord
88012	I.C.	Necropsy (autopsy), gross examination only; infant with brain
88014	I.C.	Necropsy (autopsy), gross examination only; stillborn or newborn with brain
<del>88016</del>	I.C.	Necropsy (autopsy), gross examination only; macerated stillborn
<del>88020</del>	I.C.	Necropsy (autopsy), gross and microscopic; without CNS
88025	I.C.	Necropsy (autopsy), gross and microscopic; with brain
88027	I.C.	Necropsy (autopsy), gross and microscopic; with brain and spinal cord
88028	I.C.	Necropsy (autopsy), gross and microscopic; infant with brain
88029	<del>I.C.</del>	Necropsy (autopsy), gross and microscopic; stillborn or newborn with brain
<del>88036</del>	I.C.	Necropsy (autopsy), limited, gross and/or microscopic; regional

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>88037</del>	I.C.	Necropsy (autopsy), limited, gross and/or microscopic; single organ
88040	I.C.	Necropsy (autopsy); forensic examination
<del>88045</del>	I.C.	Necropsy (autopsy); coroner's call
<del>88099</del>	I.C.	Unlisted necropsy (autopsy) procedure
		Cytopathology
<del>88130</del>	<del>\$15.86</del>	Sex chromatin identification; Barr bodies
88140	<del>\$7.05</del>	Sex chromatin identification; peripheral blood smear, polymorphonuclear drumsticks
<del>88142</del>	<del>\$17.87</del>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision
<del>88143</del>	<del>\$20.32</del>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with manual screening and rescreening under physician supervision
88147	<del>\$44.59</del>	Cytopathology smears, cervical or vaginal; screening by automated system under physician supervision
<del>88148</del>	<del>\$14.11</del>	Cytopathology smears, cervical or vaginal; screening by automated system with manual rescreening under physician supervision
88150	<del>\$13.36</del>	Cytopathology, slides, cervical or vaginal; manual screening under physician supervision
<del>88152</del>	\$24.38	Cytopathology, slides, cervical or vaginal; with manual screening and computer-assisted rescreening under physician supervision
88153	<del>\$21.19</del>	Cytopathology, slides, cervical or vaginal; with manual screening and rescreening under physician supervision
<del>88155</del>	\$12.92	Cytopathology, slides, cervical or vaginal, definitive hormonal evaluation (eg, maturation index, karyopyknotic index, estrogenic index) (List separately in addition to code[s] for other technical and interpretation services)
88164	<del>\$13.36</del>	Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision
<del>88165</del>	<del>\$37.24</del>	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and rescreening under physician supervision

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>88166</del>	\$ <del>13.36</del>	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer assisted rescreening under physician supervision
<del>88167</del>	<del>\$13.36</del>	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer assisted rescreening using cell selection and review under physician supervision
88174	\$22.38	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; screening by automated system, under physician supervision
<del>88175</del>	<del>\$23.47</del>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision
		Cytogenic Studies
88230	<del>\$102.74</del>	Tissue culture for non-neoplastic disorders; lymphocyte
88233	<del>\$124.12</del>	Tissue culture for non-neoplastic disorders; skin or other solid tissue biopsy
88235	<del>\$132.56</del>	Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells
88237	<del>\$126.79</del>	Tissue culture for neoplastic disorders; bone marrow, blood cells
88239	<del>\$130.11</del>	Tissue culture for neoplastic disorders; solid tumor
<del>88240</del>	<del>\$11.53</del>	Cryopreservation, freezing and storage of cells, each cell line
<del>88241</del>	<del>\$10.66</del>	Thawing and expansion of frozen cells, each aliquot
88245	<del>\$152.74</del>	Chromosome analysis for breakage syndromes; baseline Sister Chromatid Exchange (SCE), 20-25 cells
88248	<del>\$152.74</del>	Chromosome analysis for breakage syndromes; baseline breakage, score 50-100 cells, count 20 cells, 2 karyotypes (eg, for ataxia telangiectasia, Fanconi anemia, fragile X)
88249	<del>\$152.74</del>	Chromosome analysis for breakage syndromes; score 100 cells, elastogen stress (eg, diepoxybutane, mitomycin C, ionizing radiation, UV radiation)
<del>88261</del>	<del>\$233.15</del>	Chromosome analysis; count 5 cells, 1 karyotype, with banding
88262	<del>\$110.68</del>	Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding
88263	<del>\$132.56</del>	Chromosome analysis; count 45 cells for mosaicism, 2 karyotypes, with banding
88264	<del>\$127.55</del>	Chromosome analysis; analyze 20-25 cells

<u>Code</u>	Rate	<b>Description</b>
88267	<del>\$166.32</del>	Chromosome analysis, amniotic fluid or chorionic villus, count 15 cells, 1 karyotype, with banding
88269	<del>\$153.17</del>	Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding
88271	<del>\$18.89</del>	Molecular cytogenetics; DNA probe, each (eg, FISH)
88272	\$35.90	Molecular cytogenetics; chromosomal in situ hybridization, analyze 3-5 cells (eg, for derivatives and markers)
<del>88273</del>	<del>\$30.70</del>	Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)
88274	\$37.38	Molecular cytogenetics; interphase in situ hybridization, analyze 25-99 cells
88275	\$45.15	Molecular cytogenetics; interphase in situ hybridization, analyze 100 300 cells
<del>88280</del>	<del>\$29.52</del>	Chromosome analysis; additional karyotypes, each study
88283	<del>\$60.51</del>	Chromosome analysis; additional specialized banding technique (eg, NOR, C-banding)
<del>88285</del>	<del>\$23.73</del>	Chromosome analysis; additional cells counted, each study
88289	<del>\$30.37</del>	Chromosome analysis; additional high resolution study
88371	<del>\$19.61</del>	Protein analysis of tissue by Western Blot, with interpretation and report;
<del>88372</del>	<del>\$23.13</del>	Protein analysis of tissue by Western Blot, with interpretation and report; immunological probe for band identification, each
	In vivo. (e.g.,	Transcutaneous) Laboratory Procedures
88720	\$4.43	Bilirubin, total, transcutaneous
88738	<del>\$4.43</del>	Hemoglobin (Hgb), quantitative, transcutaneous
88740	<del>\$8.26</del>	Hemoglobin, quantitative, transcutaneous, per day; carboxyhemoglobin
88741	<del>\$8.26</del>	Hemoglobin, quantitative, transcutaneous, per day; methemoglobin
		Other Procedures
<del>89050</del>	\$4.16	Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood;
89051	<del>\$4.94</del>	Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood; with differential count
<del>89055</del>	<del>\$3.77</del>	Leukocyte assessment, fecal, qualitative or semiquantitative
<del>89060</del>	<del>\$6.47</del>	Crystal identification by light microscopy with or without polarizing lens analysis, tissue or any body fluid (except urine)
<del>89125</del>	<del>\$5.19</del>	Fat stain, feces, urine, or respiratory secretions
<del>89160</del>	<del>\$4.28</del>	Meat fibers, feces

<u>Code</u>	Rate	<u>Description</u>
<del>89190</del>	<del>\$5.11</del>	Nasal smear for eosinophils
	Rei	productive Medicine Procedures
<del>89250</del>	I.C.	Culture of oocyte(s)/embryo(s), less than 4 days;
89251	I.C.	Culture of oocyte(s)/embryo(s), less than 4 days; with co- culture of oocyte(s)/embryos
89253	I.C.	Assisted embryo hatching, microtechniques (any method)
89254	I.C.	Oocyte identification from follicular fluid
<del>89255</del>	I.C.	Preparation of embryo for transfer (any method)
<del>89257</del>	I.C.	Sperm identification from aspiration (other than seminal fluid)
89258	I.C.	Cryopreservation; embryo(s)
89259	I.C.	Cryopreservation; sperm
89264	I.C.	Sperm identification from testis tissue, fresh or cryopreserved
<del>89268</del>	I.C.	Insemination of oocytes
89272	I.C.	Extended culture of oocyte(s)/embryo(s), 4-7 days
89280	I.C.	Assisted oocyte fertilization, microtechnique; less than or equal to 10 oocytes
89281	I.C.	Assisted oocyte fertilization, microtechnique; greater than 10 oocytes
<del>89290</del>	I.C.	Biopsy, oocyte polar body or embryo blastomere, microtechnique (for pre-implantation genetic diagnosis); less than or equal to 5 embryos
89291	I.C.	Biopsy, oocyte polar body or embryo blastomere, microtechnique (for pre-implantation genetic diagnosis); greater than 5 embryos
89300	\$8.68	Semen analysis; presence and/or motility of sperm including Huhner test (post coital)
<del>89310</del>	<del>\$7.59</del>	Semen analysis; motility and count (not including Huhner test)
<del>89320</del>	<del>\$10.86</del>	Semen analysis; volume, count, motility, and differential
89321	<del>\$10.63</del>	Semen analysis; sperm presence and motility of sperm, if performed
<del>89322</del>	<del>\$13.67</del>	Semen analysis; volume, count, motility, and differential using strict morphologic criteria (eg, Kruger)
<del>89325</del>	<del>\$9.41</del>	Sperm antibodies
<del>89329</del>	<del>\$17.28</del>	Sperm evaluation; hamster penetration test
<del>89330</del>	<del>\$9.16</del>	Sperm evaluation; cervical mucus penetration test, with or without spinnbarkeit test
<del>89331</del>	<del>\$17.28</del>	Sperm evaluation, for retrograde ejaculation, urine (sperm concentration, motility, and morphology, as indicated)
89335	I.C.	Cryopreservation, reproductive tissue, testicular

<u>Code</u>	<u>Rate</u>	<u>Description</u>
89342	I.C.	Storage (per year); embryo(s)
<del>89343</del>	I.C.	Storage (per year); sperm/semen
89344	I.C.	Storage (per year); reproductive tissue, testicular/ovarian
<del>89346</del>	I.C.	Storage (per year); oocyte(s)
<del>89352</del>	I.C.	Thawing of cryopreserved; embryo(s)
<del>89353</del>	I.C.	Thawing of cryopreserved; sperm/semen, each aliquot
89354	<del>I.C.</del>	Thawing of cryopreserved; reproductive tissue, testicular/ovarian
<del>89356</del>	I.C.	Thawing of cryopreserved; oocytes, each aliquot
89398	I.C.	Unlisted reproductive medicine laboratory procedure
	Oth	ner Pathology and Laboratory
<del>36415</del>	<del>\$2.65</del>	Collection of venous blood by venipuncture
<del>78267</del>	<del>\$9.75</del>	Urea breath test, C-14 (isotopic); acquisition for analysis
<del>78268</del>	<del>\$83.27</del>	Urea breath test, C-14 (isotopic); analysis
<del>81105</del>	<del>\$107.80</del>	Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post transfusion purpura), gene analysis, common variant, HPA-1a/b (L33P)
<del>81106</del>	<del>\$107.80</del>	Human Platelet Antigen 2 genotyping (HPA 2), GP1BA (glycoprotein Ib [platelet], alpha polypeptide [GPIba]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-2a/b (T145M)
<del>81107</del>	<del>\$107.80</del>	Human Platelet Antigen 3 genotyping (HPA 3), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex], antigen CD41 [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post transfusion purpura), gene analysis, common variant, HPA 3a/b (I843S)
<del>81108</del>	<del>\$107.80</del>	Human Platelet Antigen 4 genotyping (HPA-4), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-4a/b (R143Q)
<del>81109</del>	<del>\$107.80</del>	Human Platelet Antigen 5 genotyping (HPA 5), ITGA2 (integrin, alpha 2 [CD49B, alpha 2 subunit of VLA 2 receptor] [GPIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post transfusion purpura), gene analysis, common variant (eg, HPA 5a/b (K505E))

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81110</del>	\$107.80	Human Platelet Antigen 6 genotyping (HPA-6w), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa, antigen CD61] [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post transfusion purpura), gene analysis, common variant, HPA-6a/b (R489Q)
<del>81111</del>	<del>\$107.80</del>	Human Platelet Antigen 9 genotyping (HPA-9w), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41] [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post transfusion purpura), gene analysis, common variant, HPA-9a/b (V837M)
<del>81112</del>	<del>\$107.80</del>	Human Platelet Antigen 15 genotyping (HPA-15), CD109 (CD109 molecule) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-15a/b (S682Y)
81120	<del>\$170.45</del>	IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common variants (eg, R132H, R132C)
81121	<del>\$260.89</del>	IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common variants (eg, R140W, R172M)
<del>81161</del>	<del>\$246.08</del>	DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy) deletion analysis, and duplication analysis, if performed
<del>81162</del>	<del>\$1,609.5</del> 4	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and full duplication/deletion analysis (ie, detection of large gene rearrangements)
<del>81163</del>	\$412.78	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
81164	\$515.29	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
<del>81165</del>	<del>\$249.50</del>	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
<del>81166</del>	<del>\$265.79</del>	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
<del>81167</del>	<del>\$249.50</del>	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81168</del>	\$ <del>182.85</del>	CCND1/IGH (t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative and quantitative, if performed
<del>81170</del>	<del>\$264.60</del>	ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib tyrosine kinase inhibitor resistance), gene analysis, variants in the kinase domain
<del>81171</del>	\$120.83	AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
<del>81172</del>	\$242.40	AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]) gene analysis; characterization of alleles (eg, expanded size and methylation status)
<del>81173</del>	\$ <del>265.79</del>	AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation) gene analysis; full gene sequence
81174	\$ <del>163.35</del>	AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation) gene analysis; known familial variant
<del>81175</del>	<del>\$596.67</del>	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg, myelodysplastic syndrome, myeloproliferative neoplasms, chronic myelomonocytic leukemia), gene analysis; full gene sequence
<del>81176</del>	\$ <del>213.36</del>	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg, myelodysplastic syndrome, myeloproliferative neoplasms, ehronic myelomonocytic leukemia), gene analysis; targeted sequence analysis (eg, exon 12)
81177	\$120.83	ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81178	\$120.83	ATXN1 (ataxin 1) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81179	<del>\$120.83</del>	ATXN2 (ataxin 2) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<del>81180</del>	\$ <del>120.83</del>	ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado Joseph disease) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81181	\$120.83	ATXN7 (ataxin 7) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81182	<del>\$120.83</del>	ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81183	\$120.83	ATXN10 (ataxin 10) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81184	<del>\$120.83</del>	CACNA1A (calcium voltage gated channel subunit alpha1 A) (eg, spinocerebellar ataxia) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
<del>81185</del>	<del>\$746.41</del>	CACNA1A (calcium voltage-gated channel subunit alpha1 A) (eg, spinocerebellar ataxia) gene analysis; full gene sequence
81186	<del>\$163.35</del>	CACNA1A (calcium voltage gated channel subunit alpha1 A) (eg, spinocerebellar ataxia) gene analysis; known familial variant
81187	<del>\$120.83</del>	CNBP (CCHC type zinc finger nucleic acid binding protein) (eg, myotonic dystrophy type 2) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81188	\$120.83	CSTB (cystatin B) (eg, Unverricht Lundborg disease) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
81189	<del>\$242.40</del>	CSTB (cystatin B) (eg, Unverricht Lundborg disease) gene analysis; full gene sequence
81190	<del>\$163.35</del>	CSTB (cystatin B) (eg, Unverricht Lundborg disease) gene analysis; known familial variant(s)
81191	<del>\$182.85</del>	NTRK1 (neurotrophic receptor tyrosine kinase 1) (eg, solid tumors) translocation analysis
<del>81192</del>	<del>\$182.85</del>	NTRK2 (neurotrophic receptor tyrosine kinase 2) (eg, solid tumors) translocation analysis
81193	<del>\$182.85</del>	NTRK3 (neurotrophic receptor tyrosine kinase 3) (eg, solid tumors) translocation analysis
81194	<del>\$457.12</del>	NTRK (neurotrophic-tropomyosin receptor tyrosine kinase 1, 2, and 3) (eg, solid tumors) translocation analysis
<del>81200</del>	<del>\$41.67</del>	ASPA (aspartoacylase) (eg, Canavan disease) gene analysis, common variants (eg, E285A, Y231X)
<del>81201</del>	<del>\$687.96</del>	APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence
81202	<del>\$246.96</del>	APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; known familial variants

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81203</del>	<del>\$176.40</del>	APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants
81204	<del>\$120.83</del>	AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation) gene analysis; characterization of alleles (eg, expanded size or methylation status)
<del>81205</del>	\$83.78	BCKDHB (branched chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease) gene analysis, common variants (eg, R183P, G278S, E422X)
<del>81206</del>	<del>\$144.61</del>	BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative
<del>81207</del>	<del>\$127.75</del>	BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative
<del>81208</del>	<del>\$189.29</del>	BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; other breakpoint, qualitative or quantitative
81209	<del>\$34.67</del>	BLM (Bloom syndrome, RecQ helicase like) (eg, Bloom syndrome) gene analysis, 2281del6ins7 variant
81210	<del>\$154.70</del>	BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)
81212	<del>\$388.08</del>	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; 185delAG, 5385insC, 6174delT variants
81215	<del>\$330.97</del>	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant
81216	<del>\$163.28</del>	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
81217	<del>\$330.97</del>	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant
81218	<del>\$213.36</del>	CEBPA (CCAAT/enhancer binding protein [C/EBP], alpha) (eg, acute myeloid leukemia), gene analysis, full gene sequence
81219	<del>\$107.28</del>	CALR (calreticulin) (eg, myeloproliferative disorders), gene analysis, common variants in exon 9
81220	<del>\$490.92</del>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, ACMG/ACOG guidelines)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81221	<del>\$85.75</del>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; known familial variants
81222	\$383.73	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; duplication/deletion variants
81223	\$440.12	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; full gene sequence
81224	<del>\$148.84</del>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; intron 8 poly-T analysis (eg, male infertility)
<del>81225</del>	<del>\$256.98</del>	CYP2C19 (cytochrome P450, family 2, subfamily C, polypeptide 19) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *8, *17)
<del>81226</del>	<del>\$397.70</del>	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *9, *10, *17, *19, *29, *35, *41, *1XN, *2XN, *4XN)
<del>81227</del>	<del>\$154.18</del>	CYP2C9 (cytochrome P450, family 2, subfamily C, polypeptide 9) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *5, *6)
<del>81228</del>	<del>\$793.80</del>	Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligobased comparative genomic hybridization [CGH] microarray analysis)
<del>81229</del>	<del>\$1,023.12</del>	Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities
<del>81230</del>	<del>\$154.18</del>	CYP3A4 (cytochrome P450 family 3 subfamily A member 4) (eg, drug metabolism), gene analysis, common variant(s) (eg, *2, *22)
<del>81231</del>	<del>\$154.18</del>	CYP3A5 (cytochrome P450 family 3 subfamily A member 5) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *7)
<del>81232</del>	<del>\$154.18</del>	DPYD (dihydropyrimidine dehydrogenase) (eg, 5-fluorouracil/5-FU and capecitabine drug metabolism), gene analysis, common variant(s) (eg, *2A, *4, *5, *6)
<del>81233</del>	<del>\$154.70</del>	BTK (Bruton's tyrosine kinase) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, C481S, C481R, C481F)

<u>Code</u>	<u>Rate</u>	<b>Description</b>
81234	<del>\$120.83</del>	DMPK (DM1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; evaluation to detect abnormal (expanded) alleles
<del>81235</del>	<del>\$286.28</del>	EGFR (epidermal growth factor receptor) (eg, non-small cell lung cancer) gene analysis, common variants (eg, exon 19 LREA deletion, L858R, T790M, G719A, G719S, L861Q)
<del>81236</del>	<del>\$249.50</del>	EZH2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, myelodysplastic syndrome, myeloproliferative neoplasms) gene analysis, full gene sequence
<del>81237</del>	<del>\$154.70</del>	EZH2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, diffuse large B-cell lymphoma) gene analysis, common variant(s) (eg, codon 646)
81238	<del>\$529.20</del>	F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence
81239	<del>\$242.40</del>	DMPK (DM1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; characterization of alleles (eg, expanded size)
81240	<del>\$57.94</del>	F2 (prothrombin, coagulation factor II) (eg, hereditary hypercoagulability) gene analysis, 20210G>A variant
81241	<del>\$64.71</del>	F5 (coagulation factor V) (eg, hereditary hypercoagulability) gene analysis, Leiden variant
81242	<del>\$32.30</del>	FANCC (Fanconi anemia, complementation group C) (eg, Fanconi anemia, type C) gene analysis, common variant (eg, IVS4+4A>T)
81243	<del>\$50.31</del>	FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
81244	\$39.59	FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and promoter methylation status)
81245	<del>\$145.98</del>	FLT3 (fms-related tyrosine kinase 3) (eg, acute myeloid leukemia), gene analysis; internal tandem duplication (ITD) variants (ie, exons 14, 15)
81246	<del>\$73.21</del>	FLT3 (fms-related tyrosine kinase 3) (eg, acute myeloid leukemia), gene analysis; tyrosine kinase domain (TKD) variants (eg, D835, I836)
81247	\$154.18	G6PD (glucose 6-phosphate dehydrogenase) (eg, hemolytic anemia, jaundice), gene analysis; common variant(s) (eg, A, A-)
81248	<del>\$330.97</del>	G6PD (glucose 6 phosphate dehydrogenase) (eg, hemolytic anemia, jaundice), gene analysis; known familial variant(s)
81249	<del>\$529.20</del>	G6PD (glucose 6-phosphate dehydrogenase) (eg, hemolytic anemia, jaundice), gene analysis; full gene sequence

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81250	\$ <del>51.59</del>	G6PC (glucose 6-phosphatase, catalytic subunit) (eg, Glycogen storage disease, type 1a, von Gierke disease) gene analysis, common variants (eg, R83C, Q347X)
81251	\$41. <del>67</del>	GBA (glucosidase, beta, acid) (eg, Gaucher disease) gene analysis, common variants (eg, N370S, 84GG, L444P, IVS2+1G>A)
81252	<del>\$89.19</del>	GJB2 (gap junction protein, beta 2, 26kDa, connexin 26) (eg, nonsyndromic hearing loss) gene analysis; full gene sequence
81253	<del>\$54.26</del>	GJB2 (gap junction protein, beta 2, 26kDa, connexin 26) (eg, nonsyndromic hearing loss) gene analysis; known familial variants
81254	<del>\$30.87</del>	GJB6 (gap junction protein, beta 6, 30kDa, connexin 30) (eg, nonsyndromic hearing loss) gene analysis, common variants (eg, 309kb [del(GJB6-D13S1830)] and 232kb [del(GJB6-D13S1854)])
81255	<del>\$45.38</del>	HEXA (hexosaminidase A [alpha polypeptide]) (eg, Tay Sachs disease) gene analysis, common variants (eg, 1278insTATC, 1421+1G>C, G269S)
<del>81256</del>	<del>\$57.65</del>	HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, C282Y, H63D)
<del>81257</del>	<del>\$90.19</del>	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; common deletions or variant (eg, Southeast Asian, Thai, Filipino, Mediterranean, alpha3.7, alpha4.2, alpha20.5, Constant Spring)
81258	<del>\$330.97</del>	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; known familial variant
81259	<del>\$529.20</del>	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; full gene sequence
81260	\$34. <del>67</del>	IKBKAP (inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein) (eg, familial dysautonomia) gene analysis, common variants (eg, 2507+6T>C, R696P)
<del>81261</del>	<del>\$174.63</del>	IGH@ (Immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, B-cell), gene rearrangement analysis to detect abnormal clonal population(s); amplified methodology (eg, polymerase chain reaction)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81262</del>	<del>\$60.46</del>	IGH@ (Immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, B cell), gene rearrangement analysis to detect abnormal clonal population(s); direct probe methodology (eg, Southern blot)
81263	<del>\$259.77</del>	IGH@ (Immunoglobulin heavy chain locus) (eg, leukemia and lymphoma, B-cell), variable region somatic mutation analysis
<del>81264</del>	<del>\$152.35</del>	IGK@ (Immunoglobulin kappa light chain locus) (eg, leukemia and lymphoma, B cell), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)
<del>81265</del>	<del>\$205.57</del>	Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non- hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)
<del>81266</del>	<del>\$268.84</del>	Comparative analysis using Short Tandem Repeat (STR) markers; each additional specimen (eg, additional cord blood donor, additional fetal samples from different cultures, or additional zygosity in multiple birth pregnancies) (List separately in addition to code for primary procedure)
<del>81267</del>	<del>\$182.98</del>	Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection
<del>81268</del>	<del>\$230.02</del>	Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type
<del>81269</del>	<del>\$178.52</del>	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; duplication/deletion variants
<del>81270</del>	<del>\$80.84</del>	JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant
81271	<del>\$120.83</del>	HTT (huntingtin) (eg, Huntington disease) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
81272	<del>\$290.63</del>	KIT (v kit Hardy Zuckerman 4 feline sarcoma viral oncogene homolog) (eg, gastrointestinal stromal tumor [GIST], acute myeloid leukemia, melanoma), gene analysis, targeted sequence analysis (eg, exons 8, 11, 13, 17, 18)
81273	<del>\$110.14</del>	KIT (v kit Hardy Zuckerman 4 feline sarcoma viral oncogene homolog) (eg, mastocytosis), gene analysis, D816 variant(s)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81274	<del>\$242.40</del>	HTT (huntingtin) (eg, Huntington disease) gene analysis; characterization of alleles (eg, expanded size)
<del>81275</del>	<del>\$170.45</del>	KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; variants in exon 2 (eg, codons 12 and 13)
<del>81276</del>	<del>\$170.45</del>	KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, earcinoma) gene analysis; additional variant(s) (eg, codon 61, eodon 146)
81277	<del>\$1,023.12</del>	Cytogenomic neoplasia (genome wide) microarray analysis, interrogation of genomic regions for copy number and loss of heterozygosity variants for chromosomal abnormalities
81278	<del>\$182.85</del>	IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma) translocation analysis, major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative
81279	<del>\$163.35</del>	JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) targeted sequence analysis (eg, exons 12 and 13)
81283	<del>\$64.71</del>	IFNL3 (interferon, lambda 3) (eg, drug response), gene analysis, rs12979860 variant
81284	<del>\$120.83</del>	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; evaluation to detect abnormal (expanded) alleles
81285	<del>\$242.40</del>	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; characterization of alleles (eg, expanded size)
<del>81286</del>	<del>\$242.40</del>	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; full gene sequence
81287	\$109.93	MGMT (O-6-methylguanine-DNA methyltransferase) (eg, glioblastoma multiforme) promoter methylation analysis
81288	<del>\$169.63</del>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; promoter methylation analysis
81289	<del>\$163.35</del>	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; known familial variant(s)
<del>81290</del>	<del>\$34.67</del>	MCOLN1 (mucolipin 1) (eg, Mucolipidosis, type IV) gene analysis, common variants (eg, IVS3-2A>G, del6.4kb)
<del>81291</del>	\$ <del>57.63</del>	MTHFR (5,10 methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)
81292	<del>\$595.70</del>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81293</del>	<del>\$291.94</del>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
81294	<del>\$178.52</del>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
<del>81295</del>	<del>\$336.66</del>	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
<del>81296</del>	<del>\$297.88</del>	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
<del>81297</del>	<del>\$188.13</del>	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
<del>81298</del>	<del>\$566.11</del>	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
<del>81299</del>	<del>\$271.66</del>	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non- polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
<del>81300</del>	<del>\$209.92</del>	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
<del>81301</del>	<del>\$307.43</del>	Microsatellite instability analysis (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) of markers for mismatch repair deficiency (eg, BAT25, BAT26), includes comparison of neoplastic and normal tissue, if performed
<del>81302</del>	<del>\$465.58</del>	MECP2 (methyl CpG binding protein 2) (eg, Rett syndrome) gene analysis; full sequence analysis
81303	<del>\$105.8</del> 4	MECP2 (methyl CpG binding protein 2) (eg, Rett syndrome) gene analysis; known familial variant
81304	<del>\$132.30</del>	MECP2 (methyl CpG binding protein 2) (eg, Rett syndrome) gene analysis; duplication/deletion variants
<del>81305</del>	<del>\$154.70</del>	MYD88 (myeloid differentiation primary response 88) (eg, Waldenstrom's macroglobulinemia, lymphoplasmacytic leukemia) gene analysis, p.Leu265Pro (L265P) variant
<del>81306</del>	<del>\$256.98</del>	NUDT15 (nudix hydrolase 15) (eg, drug metabolism) gene analysis, common variant(s) (eg, *2, *3, *4, *5, *6)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81307</del>	<del>\$596.67</del>	PALB2 (partner and localizer of BRCA2) (eg, breast and pancreatic cancer) gene analysis; full gene sequence
81308	<del>\$265.79</del>	PALB2 (partner and localizer of BRCA2) (eg, breast and pancreatic cancer) gene analysis; known familial variant
<del>81309</del>	<del>\$242.40</del>	PIK3CA (phosphatidylinositol 4, 5 biphosphate 3 kinase, catalytic subunit alpha) (eg, colorectal and breast cancer) gene analysis, targeted sequence analysis (eg, exons 7, 9, 20)
<del>81310</del>	<del>\$217.43</del>	NPM1 (nucleophosmin) (eg, acute myeloid leukemia) gene analysis, exon 12 variants
<del>81311</del>	<del>\$260.89</del>	NRAS (neuroblastoma RAS viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 and 13) and exon 3 (eg, codon 61)
<del>81312</del>	<del>\$120.83</del>	PABPN1 (poly[A] binding protein nuclear 1) (eg, oculopharyngeal muscular dystrophy) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<del>81313</del>	<del>\$224.95</del>	PCA3/KLK3 (prostate cancer antigen 3 [non-protein coding]/kallikrein-related peptidase 3 [prostate specific antigen]) ratio (eg, prostate cancer)
<del>81314</del>	<del>\$290.63</del>	PDGFRA (platelet-derived growth factor receptor, alpha polypeptide) (eg, gastrointestinal stromal tumor [GIST]), gene analysis, targeted sequence analysis (eg, exons 12, 18)
<del>81315</del>	<del>\$182.85</del>	PML/RARalpha, (t(15;17)), (promyelocytic leukemia/retinoic acid receptor alpha) (eg, promyelocytic leukemia) translocation analysis; common breakpoints (eg, intron 3 and intron 6), qualitative or quantitative
<del>81316</del>	<del>\$182.85</del>	PML/RARalpha, (t(15;17)), (promyelocytic leukemia/retinoic acid receptor alpha) (eg, promyelocytic leukemia) translocation analysis; single breakpoint (eg, intron 3, intron 6 or exon 6), qualitative or quantitative
<del>81317</del>	<del>\$596.67</del>	PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
<del>81318</del>	<del>\$291.94</del>	PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
81319	<del>\$179.49</del>	PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<del>81320</del>	<del>\$256.98</del>	PLCG2 (phospholipase C gamma 2) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, R665W, S707F, L845F)
<del>81321</del>	<del>\$529.20</del>	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; full sequence analysis
<del>81322</del>	<del>\$41.10</del>	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; known familial variant
81323	<del>\$264.60</del>	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; duplication/deletion variant
81324	<del>\$668.87</del>	PMP22 (peripheral myelin protein 22) (eg, Charcot Marie- Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; duplication/deletion analysis
<del>81325</del>	<del>\$678.77</del>	PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie- Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; full sequence analysis
<del>81326</del>	<del>\$41.10</del>	PMP22 (peripheral myelin protein 22) (eg, Charcot Marie- Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; known familial variant
<del>81327</del>	<del>\$169.34</del>	SEPT9 (Septin9) (eg, colorectal cancer) promoter methylation analysis
<del>81328</del>	<del>\$154.18</del>	SLCO1B1 (solute carrier organic anion transporter family, member 1B1) (eg, adverse drug reaction), gene analysis, common variant(s) (eg, *5)
<del>81329</del>	<del>\$120.83</del>	SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; dosage/deletion analysis (eg, carrier testing), includes SMN2 (survival of motor neuron 2, centromeric) analysis, if performed
<del>81330</del>	<del>\$41.45</del>	SMPD1(sphingomyelin phosphodiesterase 1, acid lysosomal) (eg, Niemann-Pick disease, Type A) gene analysis, common variants (eg, R496L, L302P, fsP330)
81331	<del>\$45.04</del>	SNRPN/UBE3A (small nuclear ribonucleoprotein polypeptide N and ubiquitin protein ligase E3A) (eg, Prader Willi syndrome and/or Angelman syndrome), methylation analysis
<del>81332</del>	<del>\$38.50</del>	SERPINA1 (serpin peptidase inhibitor, clade A, alpha 1 antiproteinase, antitrypsin, member 1) (eg, alpha 1 antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81333</del>	<del>\$120.83</del>	TGFBI (transforming growth factor beta-induced) (eg, corneal dystrophy) gene analysis, common variants (eg, R124H, R124C, R124L, R555W, R555Q)
<del>8133</del> 4	<del>\$290.63</del>	RUNX1 (runt related transcription factor 1) (eg, acute myeloid leukemia, familial platelet disorder with associated myeloid malignancy), gene analysis, targeted sequence analysis (eg, exons 3-8)
<del>81335</del>	<del>\$154.18</del>	TPMT (thiopurine S-methyltransferase) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3)
<del>81336</del>	<del>\$265.79</del>	SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; full gene sequence
<del>81337</del>	<del>\$163.35</del>	SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; known familial sequence variant(s)
81338	<del>\$132.59</del>	MPL (MPL proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene analysis; common variants (eg, W515A, W515K, W515L, W515R)
<del>81339</del>	<del>\$163.35</del>	MPL (MPL proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene analysis; sequence analysis, exon 10
<del>81340</del>	<del>\$184.27</del>	TRB@ (T cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using amplification methodology (eg, polymerase chain reaction)
<del>81341</del>	\$43.74	TRB@ (T cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using direct probe methodology (eg, Southern blot)
81342	<del>\$177.72</del>	TRG@ (T cell antigen receptor, gamma) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)
81343	<del>\$120.83</del>	PPP2R2B (protein phosphatase 2 regulatory subunit Bbeta) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81344	<del>\$120.83</del>	TBP (TATA box binding protein) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<del>81345</del>	<del>\$163.35</del>	TERT (telomerase reverse transcriptase) (eg, thyroid carcinoma, glioblastoma multiforme) gene analysis, targeted sequence analysis (eg, promoter region)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81346</del>	<del>\$154.18</del>	TYMS (thymidylate synthetase) (eg, 5-fluorouracil/5-FU drug metabolism), gene analysis, common variant(s) (eg, tandem repeat variant)
<del>81347</del>	<del>\$170.45</del>	SF3B1 (splicing factor [3b] subunit B1) (eg, myelodysplastic syndrome/acute myeloid leukemia) gene analysis, common variants (eg, A672T, E622D, L833F, R625C, R625L)
81348	<del>\$154.70</del>	SRSF2 (serine and arginine-rich splicing factor 2) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variants (eg, P95H, P95L)
<del>81349</del>	<del>\$0</del>	Cytogenomic (genome wide) analysis for constitutional chromosomal abnormalities; interrogation of genomic regions for copy number and loss of heterozygosity variants, low pass sequencing analysis
<del>81350</del>	<del>\$206.39</del>	UGT1A1 (UDP glucuronosyltransferase 1 family, polypeptide A1) (eg, drug metabolism, hereditary unconjugated hyperbilirubinemia [Gilbert syndrome]) gene analysis, common variants (eg, *28, *36, *37)
<del>81351</del>	<del>\$566.11</del>	TP53 (tumor protein 53) (eg, Li Fraumeni syndrome) gene analysis; full gene sequence
<del>81352</del>	<del>\$290.63</del>	TP53 (tumor protein 53) (eg, Li Fraumeni syndrome) gene analysis; targeted sequence analysis (eg, 4 oncology)
<del>81353</del>	<del>\$271.66</del>	TP53 (tumor protein 53) (eg, Li Fraumeni syndrome) gene analysis; known familial variant
<del>81355</del>	\$ <del>77.79</del>	VKORC1 (vitamin K epoxide reductase complex, subunit 1) (eg, warfarin metabolism), gene analysis, common variant(s) (eg, 1639G>A, c.173+1000C>T)
<del>81357</del>	<del>\$170.45</del>	U2AF1 (U2 small nuclear RNA auxiliary factor 1) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variants (eg, S34F, S34Y, Q157R, Q157P)
<del>81360</del>	<del>\$170.45</del>	ZRSR2 (zinc finger CCCH-type, RNA binding motif and serine/arginine rich 2) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variant(s) (eg, E65fs, E122fs, R448fs)
<del>81361</del>	<del>\$154.18</del>	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); common variant(s) (eg, HbS, HbC, HbE)
<del>81362</del>	<del>\$330.97</del>	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); known familial variant(s)
<del>81363</del>	<del>\$178.52</del>	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); duplication/deletion variant(s)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81364	<del>\$286.28</del>	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); full gene sequence
<del>81370</del>	<del>\$354.67</del>	HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA A, B, C, DRB1/3/4/5, and DQB1
81371	<del>\$356.79</del>	HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA A, B, and DRB1 (eg, verification typing)
81372	<del>\$355.97</del>	HLA Class I typing, low resolution (eg, antigen equivalents); complete (ie, HLA A, B, and C)
81373	<del>\$112.39</del>	HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA A, B, or C), each
81374	<del>\$65.56</del>	HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each
<del>81375</del>	<del>\$194.69</del>	HLA Class II typing, low resolution (eg, antigen equivalents); HLA DRB1/3/4/5 and DQB1
<del>81376</del>	<del>\$107.80</del>	HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA DRB1, DRB3/4/5, DQB1, DQA1, DPB1, or DPA1), each
81377	<del>\$83.56</del>	HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each
<del>81378</del>	<del>\$304.79</del>	HLA Class I and II typing, high resolution (ie, alleles or allele groups), HLA A, B, C, and DRB1
81379	<del>\$295.81</del>	HLA Class I typing, high resolution (ie, alleles or allele groups); complete (ie, HLA-A, -B, and -C)
<del>81380</del>	<del>\$156.33</del>	HLA Class I typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA A, B, or C), each
81381	<del>\$149.85</del>	HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each
<del>81382</del>	<del>\$109.09</del>	HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA DRB1, DRB3/4/5, DQB1, DQA1, DPB1, or DPA1), each
<del>81383</del>	<del>\$96.25</del>	HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA DQB1*06:02P), each
81400	<del>\$56.41</del>	Molecular Pathology Procedure Level 1
81401	<del>\$120.83</del>	Molecular Pathology Procedure Level 2
<del>81402</del>	<del>\$132.59</del>	Molecular Pathology Procedure Level 3
<del>81403</del>	<del>\$163.35</del>	Molecular Pathology Procedure Level 4
81404	<del>\$242.40</del>	Molecular Pathology Procedure Level 5
<del>81405</del>	<del>\$265.79</del>	Molecular Pathology Procedure Level 6
<del>81406</del>	<del>\$249.50</del>	Molecular Pathology Procedure Level 7

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81407</del>	<del>\$746.41</del>	Molecular Pathology Procedure Level 8
<del>81408</del>	<del>\$1,764.00</del>	Molecular Pathology Procedure Level 9
<del>81410</del>	<del>\$444.53</del>	Aortic dysfunction or dilation (eg, Marfan syndrome, Loeys Dietz syndrome, Ehler Danlos syndrome type IV, arterial tortuosity syndrome); genomic sequence analysis panel, must include sequencing of at least 9 genes, including FBN1, TGFBR1, TGFBR2, COL3A1, MYH11, ACTA2, SLC2A10, SMAD3, and MYLK
81411	\$1,190.87	Aortic dysfunction or dilation (eg, Marfan syndrome, Loeys Dietz syndrome, Ehler Danlos syndrome type IV, arterial tortuosity syndrome); duplication/deletion analysis panel, must include analyses for TGFBR1, TGFBR2, MYH11, and COL3A1
<del>81412</del>	<del>\$2,159.63</del>	Ashkenazi Jewish associated disorders (eg, Bloom syndrome, Canavan disease, cystic fibrosis, familial dysautonomia, Fanconi anemia group C, Gaucher disease, Tay-Sachs disease), genomic sequence analysis panel, must include sequencing of at least 9 genes, including ASPA, BLM, CFTR, FANCC, GBA, HEXA, IKBKAP, MCOLN1, and SMPD1
<del>81413</del>	\$515.8 <del>8</del>	Cardiac ion channelopathies (eg, Brugada syndrome, long QT syndrome, short QT syndrome, catecholaminergic polymorphic ventricular tachycardia); genomic sequence analysis panel, must include sequencing of at least 10 genes, including ANK2, CASQ2, CAV3, KCNE1, KCNE2, KCNH2, KCNJ2, KCNQ1, RYR2, and SCN5A
81414	\$515.88	Cardiac ion channelopathies (eg, Brugada syndrome, long QT syndrome, short QT syndrome, catecholaminergic polymorphic ventricular tachycardia); duplication/deletion gene analysis panel, must include analysis of at least 2 genes, including KCNH2 and KCNQ1
81415	<del>\$4,215.96</del>	Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis
<del>81416</del>	<del>\$10,584.00</del>	Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator exome (eg, parents, siblings) (List separately in addition to code for primary procedure)
81417	\$282.24	Exome (eg, unexplained constitutional or heritable disorder or syndrome); re evaluation of previously obtained exome sequence (eg, updated knowledge or unrelated condition/syndrome)

# Proposed Final Adoption Date published in the Mass. Register: xx xx July 22, 20242

## 101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

101 CMR: EXECUTIVE OFFICE OF HEALTH AND HUMAN SERVICES

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81419</del>	\$ <del>2,159.63</del>	Epilepsy genomic sequence analysis panel, must include analyses for ALDH7A1, CACNA1A, CDKL5, CHD2, GABRG2, GRIN2A, KCNQ2, MECP2, PCDH19, POLG, PRRT2, SCN1A, SCN1B, SCN2A, SCN8A, SLC2A1, SLC9A6, STXBP1, SYNGAP1, TCF4, TPP1, TSC1, TSC2, and ZEB2
<del>81420</del>	<del>\$669.48</del>	Fetal chromosomal aneuploidy (eg, trisomy 21, monosomy X) genomic sequence analysis panel, circulating cell-free fetal DNA in maternal blood, must include analysis of chromosomes 13, 18, and 21
<del>81422</del>	<del>\$669.48</del>	Fetal chromosomal microdeletion(s) genomic sequence analysis (eg, DiGeorge syndrome, Cri du chat syndrome), circulating cell-free fetal DNA in maternal blood
81425	<del>\$4,437.52</del>	Genome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis
<del>81426</del>	<del>\$2,390.18</del>	Genome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator genome (eg, parents, siblings) (List separately in addition to code for primary procedure)
<del>81427</del>	<del>\$2,061.81</del>	Genome (eg, unexplained constitutional or heritable disorder or syndrome); re-evaluation of previously obtained genome sequence (eg, updated knowledge or unrelated condition/syndrome)
<del>81430</del>	<del>\$1,433.25</del>	Hearing loss (eg, nonsyndromic hearing loss, Usher syndrome, Pendred syndrome); genomic sequence analysis panel, must include sequencing of at least 60 genes, including CDH23, CLRN1, GJB2, GPR98, MTRNR1, MYO7A, MYO15A, PCDH15, OTOF, SLC26A4, TMC1, TMPRSS3, USH1C, USH1G, USH2A, and WFS1
<del>81431</del>	<del>\$599.38</del>	Hearing loss (eg., nonsyndromic hearing loss, Usher syndrome, Pendred syndrome); duplication/deletion analysis panel, must include copy number analyses for STRC and DFNB1 deletions in GJB2 and GJB6 genes
<del>81432</del>	<del>\$598.92</del>	Hereditary breast cancer related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer); genomic sequence analysis panel, must include sequencing of at least 10 genes, always including BRCA1, BRCA2, CDH1, MLH1, MSH2, MSH6, PALB2, PTEN, STK11, and TP53

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81433</del>	<del>\$387.14</del>	Hereditary breast cancer related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer); duplication/deletion analysis panel, must include analyses for BRCA1, BRCA2, MLH1, MSH2, and STK11
<del>8143</del> 4	<del>\$527.36</del>	Hereditary retinal disorders (eg, retinitis pigmentosa, Leber congenital amaurosis, cone rod dystrophy), genomic sequence analysis panel, must include sequencing of at least 15 genes, including ABCA4, CNGA1, CRB1, EYS, PDE6A, PDE6B, PRPF31, PRPH2, RDH12, RHO, RP1, RP2, RPE65, RPGR, and USH2A
<del>81435</del>	<del>\$515.88</del>	Hereditary colon cancer disorders (eg, Lynch syndrome, PTEN hamartoma syndrome, Cowden syndrome, familial adenomatosis polyposis); genomic sequence analysis panel, must include sequencing of at least 10 genes, including APC, BMPR1A, CDH1, MLH1, MSH2, MSH6, MUTYH, PTEN, SMAD4, and STK11
<del>81436</del>	<del>\$515.88</del>	Hereditary colon cancer disorders (eg, Lynch syndrome, PTEN hamartoma syndrome, Cowden syndrome, familial adenomatosis polyposis); duplication/deletion analysis panel, must include analysis of at least 5 genes, including MLH1, MSH2, EPCAM, SMAD4, and STK11
81437	<del>\$387.1</del> 4	Hereditary neuroendocrine tumor disorders (eg, medullary thyroid carcinoma, parathyroid carcinoma, malignant pheochromocytoma or paraganglioma); genomic sequence analysis panel, must include sequencing of at least 6 genes, including MAX, SDHB, SDHC, SDHD, TMEM127, and VHL
<del>81438</del>	<del>\$387.1</del> 4	Hereditary neuroendocrine tumor disorders (eg, medullary thyroid carcinoma, parathyroid carcinoma, malignant pheochromocytoma or paraganglioma); duplication/deletion analysis panel, must include analyses for SDHB, SDHC, SDHD, and VHL
<del>81439</del>	<del>\$515.88</del>	Hereditary cardiomyopathy (eg, hypertrophic cardiomyopathy, dilated cardiomyopathy, arrhythmogenic right ventricular cardiomyopathy), genomic sequence analysis panel, must include sequencing of at least 5 cardiomyopathy related genes (eg, DSG2, MYBPC3, MYH7, PKP2, TTN)

<u>Code</u>	Rate	<u>Description</u>
81440	<del>\$2,931.77</del>	Nuclear encoded mitochondrial genes (eg, neurologic or myopathic phenotypes), genomic sequence panel, must include analysis of at least 100 genes, including BCS1L, C10orf2, COQ2, COX10, DGUOK, MPV17, OPA1, PDSS2, POLG, POLG2, RRM2B, SCO1, SCO2, SLC25A4, SUCLA2, SUCLG1, TAZ, TK2, and TYMP
<del>81442</del>	<del>\$1,890.66</del>	Noonan spectrum disorders (eg, Noonan syndrome, cardio-facio cutaneous syndrome, Costello syndrome, LEOPARD syndrome, Noonan like syndrome), genomic sequence analysis panel, must include sequencing of at least 12 genes, including BRAF, CBL, HRAS, KRAS, MAP2K1, MAP2K2, NRAS, PTPN11, RAF1, RIT1, SHOC2, and SOS1
<del>81443</del>	<del>\$2,159.63</del>	Genetic testing for severe inherited conditions (eg, cystic fibrosis, Ashkenazi Jewish associated disorders [eg, Bloom syndrome, Canavan disease, Fanconi anemia type C, mucolipidosis type VI, Gaucher disease, Tay Sachs disease], beta hemoglobinopathies, phenylketonuria, galactosemia), genomic sequence analysis panel, must include sequencing of at least 15 genes (eg, ACADM, ARSA, ASPA, ATP7B, BCKDHA, BCKDHB, BLM, CFTR, DHCR7, FANCC, G6PC, GAA, GALT, GBA, GBE1, HBB, HEXA, IKBKAP, MCOLN1, PAH)
81445	<del>\$527.36</del>	Targeted genomic sequence analysis panel, solid organ neoplasm, DNA analysis, and RNA analysis when performed, 5-50 genes (eg, ALK, BRAF, CDKN2A, EGFR, ERBB2, KIT, KRAS, NRAS, MET, PDGFRA, PDGFRB, PGR, PIK3CA, PTEN, RET), interrogation for sequence variants and copy number variants or rearrangements, if performed
81448	<del>\$515.88</del>	Hereditary peripheral neuropathies (eg, Charcot Marie Tooth, spastic paraplegia), genomic sequence analysis panel, must include sequencing of at least 5 peripheral neuropathy related genes (eg, BSCL2, GJB1, MFN2, MPZ, REEP1, SPAST, SPG11, SPTLC1)
<del>81450</del>	<del>\$669.91</del>	Targeted genomic sequence analysis panel, hematolymphoid neoplasm or disorder, DNA analysis, and RNA analysis when performed, 5-50 genes (eg, BRAF, CEBPA, DNMT3A, EZH2, FLT3, IDH1, IDH2, JAK2, KRAS, KIT, MLL, NRAS, NPM1, NOTCH1), interrogation for sequence variants, and copy number variants or rearrangements, or isoform expression or mRNA expression levels, if performed

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81455</del>	\$ <del>2,575.09</del>	Targeted genomic sequence analysis panel, solid organ or hematolymphoid neoplasm, DNA analysis, and RNA analysis when performed, 51 or greater genes (eg, ALK, BRAF, CDKN2A, CEBPA, DNMT3A, EGFR, ERBB2, EZH2, FLT3, IDH1, IDH2, JAK2, KIT, KRAS, MLL, NPM1, NRAS, MET, NOTCH1, PDGFRA, PDGFRB, PGR, PIK3CA, PTEN, RET), interrogation for sequence variants and copy number variants or rearrangements, if performed
<del>81460</del>	\$ <del>1,135.13</del>	Whole mitochondrial genome (eg, Leigh syndrome, mitochondrial encephalomyopathy, lactic acidosis, and stroke-like episodes [MELAS], myoclonic epilepsy with ragged red fibers [MERFF], neuropathy, ataxia, and retinitis pigmentosa [NARP], Leber hereditary optic neuropathy [LHON]), genomic sequence, must include sequence analysis of entire mitochondrial genome with heteroplasmy detection
<del>81465</del>	<del>\$825.55</del>	Whole mitochondrial genome large deletion analysis panel (eg, Kearns-Sayre syndrome, chronic progressive external ophthalmoplegia), including heteroplasmy detection, if performed
<del>81470</del>	<del>\$806.15</del>	X-linked intellectual disability (XLID) (eg, syndromic and non-syndromic XLID); genomic sequence analysis panel, must include sequencing of at least 60 genes, including ARX, ATRX, CDKL5, FGD1, FMR1, HUWE1, IL1RAPL, KDM5C, L1CAM, MECP2, MED12, MID1, OCRL, RPS6KA3, and SLC16A2
<del>81471</del>	<del>\$806.15</del>	X-linked intellectual disability (XLID) (eg, syndromic and non-syndromic XLID); duplication/deletion gene analysis, must include analysis of at least 60 genes, including ARX, ATRX, CDKL5, FGD1, FMR1, HUWE1, IL1RAPL, KDM5C, L1CAM, MECP2, MED12, MID1, OCRL, RPS6KA3, and SLC16A2
81479	I.C.	Unlisted molecular pathology procedure
<del>81490</del>	<del>\$741.45</del>	Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using immunoassays, utilizing serum, prognostic algorithm reported as a disease activity score
<del>81493</del>	<del>\$926.10</del>	Coronary artery disease, mRNA, gene expression profiling by real time RT PCR of 23 genes, utilizing whole peripheral blood, algorithm reported as a risk score
<del>81500</del>	<del>\$229.76</del>	Oncology (ovarian), biochemical assays of two proteins (CA-125 and HE4), utilizing serum, with menopausal status, algorithm reported as a risk score

<u>Code</u>	Rate	<b>Description</b>
<del>81503</del>	<del>\$791.15</del>	Oncology (ovarian), biochemical assays of five proteins (CA-125, apolipoprotein A1, beta-2 microglobulin, transferrin, and pre-albumin), utilizing serum, algorithm reported as a risk score
<del>81506</del>	<del>\$60.79</del>	Endocrinology (type 2 diabetes), biochemical assays of seven analytes (glucose, HbA1c, insulin, hs CRP, adiponectin, ferritin, interleukin 2 receptor alpha), utilizing serum or plasma, algorithm reporting a risk score
<del>81508</del>	<del>\$47.89</del>	Fetal congenital abnormalities, biochemical assays of two proteins (PAPP-A, hCG [any form]), utilizing maternal serum, algorithm reported as a risk score
<del>81509</del>	\$1,311.86	Fetal congenital abnormalities, biochemical assays of three proteins (PAPP-A, hCG [any form], DIA), utilizing maternal serum, algorithm reported as a risk score
<del>81510</del>	<del>\$48.99</del>	Fetal congenital abnormalities, biochemical assays of three analytes (AFP, uE3, hCG [any form]), utilizing maternal serum, algorithm reported as a risk score
<del>81511</del>	\$135.39	Fetal congenital abnormalities, biochemical assays of four analytes (AFP, uE3, hCG [any form], DIA) utilizing maternal serum, algorithm reported as a risk score (may include additional results from previous biochemical testing)
81512	<del>\$61.32</del>	Fetal congenital abnormalities, biochemical assays of five analytes (AFP, uE3, total hCG, hyperglycosylated hCG, DIA) utilizing maternal serum, algorithm reported as a risk score
<del>81513</del>	<del>\$125.80</del>	Infectious disease, bacterial vaginosis, quantitative real time amplification of RNA markers for Atopobium vaginae, Gardnerella vaginalis, and Lactobacillus species, utilizing vaginal fluid specimens, algorithm reported as a positive or negative result for bacterial vaginosis
<del>8151</del> 4	<del>\$231.96</del>	Infectious disease, bacterial vaginosis and vaginitis, quantitative real-time amplification of DNA markers for Gardnerella vaginalis, Atopobium vaginae, Megasphaera type 1, Bacterial Vaginosis Associated Bacteria 2 (BVAB-2), and Lactobacillus species (L. crispatus and L. jensenii), utilizing vaginal-fluid specimens, algorithm reported as a positive or negative for high likelihood of bacterial vaginosis, includes separate detection of Trichomonas vaginalis and/or Candida species (C. albicans, C. tropicalis, C. parapsilosis, C. dubliniensis), Candida glabrata, Candida krusei, when reported

<u>Code</u>	Rate	<b>Description</b>
<del>81518</del>	\$3,415.99	Oncology (breast), mRNA, gene expression profiling by real- time RT-PCR of 11 genes (7 content and 4 housekeeping), utilizing formalin fixed paraffin embedded tissue, algorithms reported as percentage risk for metastatic recurrence and likelihood of benefit from extended endocrine therapy
<del>81519</del>	<del>\$3,415.99</del>	Oncology (breast), mRNA, gene expression profiling by real- time RT PCR of 21 genes, utilizing formalin-fixed paraffin embedded tissue, algorithm reported as recurrence score
<del>81520</del>	<del>\$2,214.01</del>	Oncology (breast), mRNA gene expression profiling by hybrid capture of 58 genes (50 content and 8 housekeeping), utilizing formalin-fixed paraffin embedded tissue, algorithm reported as a recurrence risk score
<del>81521</del>	\$3,415.99	Oncology (breast), mRNA, microarray gene expression profiling of 70 content genes and 465 housekeeping genes, utilizing fresh frozen or formalin fixed paraffin embedded tissue, algorithm reported as index related to risk of distant metastasis
<del>81522</del>	\$3,415.99	Oncology (breast), mRNA, gene expression profiling by RT-PCR of 12 genes (8 content and 4 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as recurrence risk score
<del>81523</del>	<del>\$3,415.99</del>	Oncology (breast), mRNA, next-generation sequencing gene expression profiling of 70 content genes and 31 housekeeping genes, utilizing formalin fixed paraffin embedded tissue, algorithm reported as index related to risk to distant metastasis
<del>81525</del>	<del>\$2,748.31</del>	Oncology (colon), mRNA, gene expression profiling by real- time RT PCR of 12 genes (7 content and 5 housekeeping), utilizing formalin fixed paraffin embedded tissue, algorithm reported as a recurrence score
<del>81528</del>	\$448.82	Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result
<del>81529</del>	<del>\$6,344.23</del>	Oncology (cutaneous melanoma), mRNA, gene expression profiling by real time RT PCR of 31 genes (28 content and 3 housekeeping), utilizing formalin fixed paraffin embedded tissue, algorithm reported as recurrence risk, including likelihood of sentinel lymph node metastasis

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<del>81535</del>	\$511.08	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by DAPI stain and morphology, predictive algorithm reported as a drug response score; first single drug or drug combination
<del>81536</del>	<del>\$156.61</del>	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by DAPI stain and morphology, predictive algorithm reported as a drug response score; each additional single drug or drug combination (List separately in addition to code for primary procedure)
<del>81538</del>	\$2,532.22	Oncology (lung), mass spectrometric 8-protein signature, including amyloid A, utilizing serum, prognostic and predictive algorithm reported as good versus poor overall survival
<del>81539</del>	<del>\$670.32</del>	Oncology (high-grade prostate cancer), biochemical assay of four proteins (Total PSA, Free PSA, Intact PSA, and human kallikrein-2 [hK2]), utilizing plasma or serum, prognostic algorithm reported as a probability score
<del>81540</del>	<del>\$3,307.50</del>	Oncology (tumor of unknown origin), mRNA, gene expression profiling by real time RT-PCR of 92 genes (87 content and 5 housekeeping) to classify tumor into main cancer type and subtype, utilizing formalin-fixed paraffin embedded tissue, algorithm reported as a probability of a predicted main cancer type and subtype
<del>81541</del>	\$3,415.99	Oncology (prostate), mRNA gene expression profiling by real- time RT PCR of 46 genes (31 content and 15 housekeeping), utilizing formalin fixed paraffin embedded tissue, algorithm reported as a disease specific mortality risk score
<del>815</del> 42	<del>\$3,415.99</del>	Oncology (prostate), mRNA, microarray gene expression profiling of 22 content genes, utilizing formalin-fixed paraffinembedded tissue, algorithm reported as metastasis risk score
<del>81546</del>	\$3,175.20	Oncology (thyroid), mRNA, gene expression analysis of 10,196 genes, utilizing fine needle aspirate, algorithm reported as a categorical result (eg, benign or suspicious)
<del>81551</del>	<del>\$1,790.46</del>	Oncology (prostate), promoter methylation profiling by real- time PCR of 3 genes (GSTP1, APC, RASSF1), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a likelihood of prostate cancer detection on repeat biopsy

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>81552</del>	<del>\$6,858.43</del>	Oncology (uveal melanoma), mRNA, gene expression profiling by real time RT-PCR of 15 genes (12 content and 3 housekeeping), utilizing fine needle aspirate or formalin fixed paraffin embedded tissue, algorithm reported as risk of metastasis
<del>81554</del>	<del>\$4,851.00</del>	Pulmonary disease (idiopathic pulmonary fibrosis [IPF]), mRNA, gene expression analysis of 190 genes, utilizing transbronchial biopsies, diagnostic algorithm reported as categorical result (eg, positive or negative for high probability of usual interstitial pneumonia [UIP])
<del>81560</del>	<del>\$0</del>	Transplantation medicine (allograft rejection, pediatric liver and small bowel), measurement of donor and third-party-induced CD154+T-cytotoxic memory cells, utilizing whole peripheral blood, algorithm reported as a rejection risk score
<del>81595</del>	<del>\$2,857.68</del>	Cardiology (heart transplant), mRNA, gene expression profiling by real-time quantitative PCR of 20 genes (11 content and 9 housekeeping), utilizing subfraction of peripheral blood, algorithm reported as a rejection risk score
<del>81596</del>	<del>\$63.67</del>	Infectious disease, chronic hepatitis C virus (HCV) infection, six biochemical assays (ALT, A2 macroglobulin, apolipoprotein A-1, total bilirubin, GGT, and haptoglobin) utilizing serum, prognostic algorithm reported as scores for fibrosis and necroinflammatory activity in liver
<del>81599</del>	I.C.	Unlisted multianalyte assay with algorithmic analysis
G0027	<del>\$5.73</del>	Semen analysis; presence and/or motility of sperm excluding Huhner
G0103	<del>\$17.03</del>	Prostate cancer screening; prostate specific antigen test (PSA)
G0123	<del>\$17.87</del>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision
G0143	<del>\$23.86</del>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with manual screening and rescreening by cytotechnologist under physician supervision
G0144	<del>\$38.78</del>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system, under physician supervision

<u>Code</u>	<u>Rate</u>	<b>Description</b>
G0145	<del>\$23.36</del>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision
G0147	<del>\$13.36</del>	Screening cytopathology smears, cervical or vaginal, performed by automated system under physician supervision
G0148	\$28.17	Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening
G0306	<del>\$6.85</del>	Complete CBC, automated (HgB, HCT, RBC, WBC, without platelet count) and automated WBC differential count
G0307	\$5.71	Complete CBC, automated (HgB, HCT, RBC, WBC; without platelet count)
G0328	<del>\$15.92</del>	Colorectal cancer screening; fecal occult blood test, immunoassay, one to three simultaneous determinations
G0432	<del>\$17.26</del>	Infectious agent antibody detection by enzyme immunoassay (EIA) technique, HIV 1 and/or HIV 2, screening
G0433	<del>\$16.13</del>	Infectious agent antibody detection by enzyme linked immunosorbent assay (ELISA) technique, HIV-1 and/or HIV-2, screening
G0435	<del>\$10.57</del>	Infectious agent antibody detection by rapid antibody test, HIV-1 and/or HIV-2, screening
<del>G0480</del>	\$ <del>59.69</del>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug specific calibration and matrix matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1–7 drug class(es), including metabolite(s) if performed

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>G0481</del>	<del>\$91.84</del>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed
G0482	<del>\$123.97</del>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 15-21 drug class(es), including metabolite(s) if performed

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<del>G0483</del>	<del>\$160.71</del>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug specific calibration and matrix matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 22 or more drug class(es), including metabolite(s) if performed
<del>G2023</del>	<del>\$23.46</del>	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID- 19]), any specimen source
<del>G2023 CG</del>	<del>\$44.27</del>	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID-19]), any specimen source. [Used when provider 1) has a qualified ordering clinician present at the specimen collection site available to order medically necessary COVID-19 diagnostic tests; and 2) ensures the test results are provided to the patient (along with any initial follow-up counseling, as appropriate), either directly or through the patient's ordering clinician.]
<del>G2024</del>	<del>\$25.46</del>	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID- 19]) from an individual in a SNF or by a laboratory on behalf of a HHA, any specimen source
<del>G2024 CG</del>	<del>\$46.27</del>	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID-19]), from an individual in a SNF or by a laboratory on behalf of a HHA, any specimen source. [Used when provider 1) has a qualified ordering clinician present at the specimen collection site available to order medically necessary COVID-19 diagnostic tests; and 2) ensures the test results are provided to the patient (along with any initial follow-up counseling, as appropriate), either directly or through the patient's ordering clinician.]

<u>Code</u>	<u>Rate</u>	<b>Description</b>
<del>G9143</del>	<del>\$106.48</del>	Warfarin responsiveness testing by genetic technique using any method, any number of specimen(s)
P2028	<del>\$4.37</del>	Cephalin floculation, blood
P2029	<del>\$4.37</del>	Congo red, blood
P2031	<del>\$4.37</del>	Hair analysis (excluding arsenic)
P2033	<del>\$4.37</del>	Thymol turbidity, blood
P2038	<del>\$4.37</del>	Mucoprotein, blood (seromucoid) (medical necessity procedure)
<del>P9604</del>	<del>\$4.65</del>	Travel allowance, one way in connection with medically necessary laboratory specimen collection drawn from homebound or nursing homebound patient; prorated trip charge
<del>P9612</del>	<del>\$2.65</del>	Catheterization for collection of specimen, single patient, all places of service
P9615	<del>\$2.65</del>	Catheterization for collection of specimen(s) (multiple patients)
<del>Q0111</del>	<del>\$13.36</del>	Wet mounts, including preparations of vaginal, cervical or skin specimens
<del>Q0112</del>	<del>\$5.14</del>	All potassium hydroxide (KOH) preparations
Q0113	<del>\$3.77</del>	Pinworm examinations
Q0114	<del>\$8.59</del>	Fern test
<del>Q0115</del>	<del>\$22.05</del>	Postcoital direct, qualitative examinations of vaginal or cervical mucous
<del>U0002</del>	<del>\$51.31</del>	2019-nCoV Coronavirus, SARS-CoV-2/2019-nCoV (COVID-19), any technique, multiple types or subtypes (includes all targets), non-CDC
<del>U0003</del>	<del>\$75.00</del>	Infectious agent detection by nucleic acid (DNA or RNA); Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique, making use of high throughput technologies as described by CMS-2020-01-R
<del>U0004</del>	<del>\$75.00</del>	2019 nCoV Coronavirus, SARS-CoV-2/2019 nCoV (COVID-19), any technique, multiple types or subtypes (includes all targets), non-CDC, making use of high throughput technologies as described by CMS-2020-01-R
<del>U0005</del>	<del>\$25.00</del>	Infectious agent detection by nucleic acid (DNA or RNA); Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique, CDC or non-CDC, making use of high throughput technologies, completed within 2 calendar days from date of specimen collection (list separately in addition to either HCPCS code U0003 or U0004) as described by CMS-2020-01-R2

#### 101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

#### 320.06: Filing and Reporting Requirements

- (1) <u>Required Reports</u>. Reporting requirements are governed by 957 CMR 6.00: *Cost Reporting Requirements*.
- (2) <u>Penalty for Noncompliance</u>. The purchasing governmental unit may impose a penalty in the amount of up to 15% of its payments to any provider that fails to submit required information. The purchasing governmental unit will notify the provider in advance of its intention to impose a penalty under 101 CMR 320.06(2).

#### 320.07: Severability

The provisions of 101 CMR 323.00 are severable. If any provision of 101 CMR 323.00 or application of any provision to an applicable individual, entity, or circumstance is held invalid or unconstitutional, that holding will not be construed to affect the validity or constitutionality of any remaining provisions of 101 CMR 323.00 or application of those provisions to applicable individuals, entities, or circumstances. The provisions of 101 CMR 320.00 are severable, and if any provision of 101 CMR 320.00 or application of such provision to any eligible clinical laboratory provider or any circumstances are held to be invalid or unconstitutional, such invalidity will not be construed to affect the validity or constitutionality of any remaining provisions to any eligible clinical laboratory providers or circumstances other than those held invalid.

#### REGULATORY AUTHORITY

101 CMR 320.00: M.G.L. c. 118E.