2019 GREATEST FLOOD RISK:

SEVERE WINTER WEATHER

COASTAL EROSION

COASTAL AND INLAND FLOODING

NOR' EASTERS



HISTORICAL FLOOD EVENTS

- 9/1938 "The Great New England Hurricane" 10-17 inches of rain and 20-foot storm surge
- 2/1978 "Blizzard of '78" 30 inch snowfall, 30-foot waves off shore 24 RL claims
- 10/1991 "Perfect Storm" 25 foot waves coincided with high tide 69 RL claims
- 4/2010 "Nor'easter" 7 inches rain, coastal flooding and high tide. 52 RL claims

• 1/2018 Nor'easter "Greyson"

Peak winds coinciding with high tide broke Boston Harbor 1978 high tide record.

• 3/2018- Nor'easters "Riley & Skylar" Blizzard, high wind and storm surge. FEMA DR-4372/ 4379



TOP NATURAL HAZARD RISKS FOR QUINCY



AREAS OF FLOODING CONCERNS



FEMA REPETITIVE LOSS CLAIMS



RL HOUGHS NECK GERMANTOWN



RL FURNACE BROOK



Identify extent & magnitude of flooding from tides, storm surge, and sea level rise...





CLIMATE CHANGE FLOODING IMPACTS

 Recommended approach for sea level rise estimates for projecting future coastal flooding risk in Quincy MA

| Time Period | Sea Level Rise Projection ² (Feet) | Likely Range ³ (Feet) |
|------------------|---|----------------------------------|
| Base (2000) | 0 | n/a |
| Near Term (2030) | 0.6 | 0.5-0.8 |
| Mid Term (2050) | 1.1 | 0.8-1.4 |
| Long Term (2070) | 1.6 | 1.3-2.4 |

² 50% percentile, or median value
³ Range = 66% percent confidence limits (>17% and <83%)









COMMUNITY ASSET INVENTORY



COMMUNITY ASSET INVENTORY

- People
- Built Environment
- Natural Environment
- Economy







Community Asset Organization

| FEMA Community Asset Categories | Critical Sectors | Characteristics of Community Assets |
|------------------------------------|---|---|
| People | Schools, Vulnerable Populations, Cultural Facilities | Areas of greater population density, or population with unique vulnerabilities or less able to respond and recover during a disaster. |
| Built Environment | Critical Municipal Facilities, Water, Wastewater, Energy, Stormwater, Transportation, Cultural Resources | Critical facilities necessary for a community's response to and recovery from emergencies, infrastructure critical for public health and safety, economic viability, or needed for critical facilities to operate. |
| Economy | Marinas, Downtown Business District | Major employers, primary economic sectors and commercial centers where loss or inoperability would have severe impact on the community and ability to recover from a disaster. |
| Natural Environment | Natural Resources | Areas that provide protective function to reduce magnitude of hazard impact and increase resiliency. Areas of sensitive habitat that are vulnerable to hazard events, protection of areas that are important to community objectives, such as the protection of sensitive habitat, provide socio-economic benefits, etc. |



COMMUNITY ASSETS





VULNERABILITY ASSESSMENT



VULNERABILITY ASSESSMENT

- Hurricanes
- Earthquakes
- Flooding
 - Exposure Assessment for Building Flood Risk
 - Vulnerability of Community Assets
 - Vulnerability of Future Development





SUMMARY OF EXISTING FLOOD RISK- PROPERTIES



SUMMARY OF FUTURE FLOOD RISK- PROPERTIES

Parcels in Coastal Flood Hazard Area Subject to SLR





MITIGATION STRATEGY



HIGH PRIORITY MITIGATION ACTIONS

| Mitigation Action | Timeframe | Geographic Area | |
|---|-----------|---|--|
| Public Education | 1 year | Citywide | |
| Emergency Power Generators | 1 year | Citywide | |
| Quincy's Emergency Communication System | 1 year | Citywide | |
| Faxon Park Outreach | 1 year | South Quincy/Fore River | |
| Building Inspections Records System | 1-2 years | Citywide | |
| Tide Gate Management Plan | 1-2 years | Citywide | |
| Tree Removal Equipment | 1-2 years | Citywide | |
| Stormwater Control Station | 1-2 years | Furnace Brook North | |
| Stormwater Pumping Station | 1-2 years | Houghs Neck/Germantown | |
| High Capacity Mobile Pumps | 1-2 years | Houghs Neck/Germantown | |
| Pump Station Rehabilitation | 1-2 years | Merrymount/Blacks Creek | |
| Drainage Hydraulic Model | 1-2 years | Squantum Point/Marina Bay | |
| Hurricane Barrier Evaluation | 1-3 years | Citywide | |
| Costal Buffer Maintenance | 1-3 years | Houghs Neck/Germantown | |
| Invasive Species Removal Program | 1-5 years | Citywide | |
| Drainage Improvements | 1-5 years | Houghs Neck/Germantown | |
| Tide Gate Modernization | 1-5 years | Houghs Neck/Germantown, Merrymount/Blacks Creek | |
| Salt Marsh Restoration | 1-5 years | Merrymount/Blacks Creek | |
| Seawall Construction | 2-3 years | Houghs Neck/Germantown | |
| Tide Gate Construction | 2-3 years | Houghs Neck/Germantown | |
| Hydraulic Model and Tide Gate Updates | 2-4 years | Houghs Neck/Germantown | |
| Drainage Improvments | 2-4 years | South Quincy/Fore River | |
| Seismic Impact Evaluation and Gas Utility Study | 3-5 years | Citywide | |
| Flood Protection | 3-5 years | Houghs Neck/Germantown | |
| Sewer System Rehabilitation | 3-5 years | Merrymount/Blacks Creek, Furnace Brook North | |
| Sewer Interceptor Relief | 3-5 years | South Quincy/Fore River | |
| Slope Protection and Infrastructure Hardening | 3-5 years | Squantum Point/Marina Bay | |
| O'Rourke Field Conversion | 5 years | Furnace Brook North | |



HIGH PRIORITY MITIGATION ACTIONS

| Mitigation Action | Timeframe | Geographic Area | |
|---|-----------|---|--|
| Public Education | 1 year | Citywide | |
| Emergency Power Generators | 1 year | Citywide | |
| Quincy's Emergency Communication System | 1 year | Citywide | |
| Building Inspections Records System | 1-2 years | Citywide | |
| Tide Gate Management Plan | 1-2 years | Citywide | |
| Tree Removal Equipment | 1-2 years | Citywide | |
| Hurricane Barrier Evaluation | 1-3 years | Citywide | |
| Invasive Species Removal Program | 1-5 years | Citywide | |
| Seismic Impact Evaluation and Gas Utility Study | 3-5 years | Citywide | |
| Stormwater Control Station | 1-2 years | Furnace Brook North | |
| O'Rourke Field Conversion | 5 years | Furnace Brook North | |
| Stormwater Pumping Station | 1-2 years | Houghs Neck/Germantown | |
| High Capacity Mobile Pumps | 1-2 years | Houghs Neck/Germantown | |
| Costal Buffer Maintenance | 1-3 years | Houghs Neck/Germantown | |
| Drainage Improvements | 1-5 years | Houghs Neck/Germantown | |
| Seawall Construction | 2-3 years | Houghs Neck/Germantown | |
| Tide Gate Construction | 2-3 years | Houghs Neck/Germantown | |
| Hydraulic Model and Tide Gate Updates | 2-4 years | Houghs Neck/Germantown | |
| Flood Protection | 3-5 years | Houghs Neck/Germantown | |
| Tide Gate Modernization | 1-5 years | Houghs Neck/Germantown, Merrymount/Blacks Creek | |
| Pump Station Rehabilitation | 1-2 years | Merrymount/Blacks Creek | |
| Salt Marsh Restoration | 1-5 years | Merrymount/Blacks Creek | |
| Sewer System Rehabilitation | 3-5 years | Merrymount/Blacks Creek, Furnace Brook North | |
| Faxon Park Outreach | 1 year | South Quincy/Fore River | |
| Drainage Improvments | 2-4 years | South Quincy/Fore River | |
| Sewer Interceptor Relief | 3-5 years | South Quincy/Fore River | |
| Drainage Hydraulic Model | 1-2 years | Squantum Point/Marina Bay | |
| Slope Protection and Infrastructure Hardening | 3-5 years | Squantum Point/Marina Bay | |





Quincy MVP Workshop Schedule

| 8:30 AM | Sign in, Refreshments | |
|----------|---|---------------------|
| 9:00 AM | Welcome, Introductions | Core Team- Lead |
| 9:10 AM | Climate Change Projections and Implications for Quincy | Tighe & Bond |
| 9:25 AM | Workshop Instructions Presentation | Tighe & Bond |
| 9:40 AM | Discussion #1 Identifying Risk Area and Community Strengths | Table groups |
| 10:20 AM | Short Break | |
| 10:30 AM | Discussion #2 Identify Actions to address vulnerabilities or protect strengths. | Table groups |
| 11:10 AM | Short Break | |
| 11:20 AM | Discussion #3 Prioritize Climate Actions | Table groups |
| 11:45 PM | Short Break | |
| 12:00 PM | Discussion #4 Small group report out to full group | Table groups report |
| | Report out top 5-6 actions | out |
| 12:45 PM | Wrap up and closing remarks | |
| 1:00 PM | Adjourn | |











- 1) Quincy HMP Summary & Neighborhood Summaries
- 2) Quincy Community Assets Maps
- 3) Community Asset GIS Viewer
- 4) Mitigation Strategy Table
- 5) Risk Matrix





Session #1



Wellnes

Identify Risk Areas and Community Strengths

9:40-10:20

Session #2

Identify Actions to address vulnerabilities and protect strengths

10:30-11:10

Session #3

Prioritize Climate Actions

11:20-11:45

Wellnes

Table Groups report out to Full Group

12:00-12:45

Community Resilience Building WORKSHOP GUIDE

www.CommunityResilienceBuilding.org

Community Resilience Building WORKSHOP GUIDE

✓ Tried, tested and trusted by over 100 communities...

✓ "Anywhere at Any Scale" approach...

- Large/Small; Urban/Rural; Wealthy/Disadvantaged
- Local/Clusters/Region(s); State/Federal Agencies

✓ Unique community-driven process...

- > Partners/Stakeholders Municipalities, Businesses, Academia, NGOs, etc.
- Wildfire, drought, flooding, heat, hurricanes, tornado, earthquakes, etc.
- Safety, Health, Sustainability, Equity, etc.

www.CommunityResilienceBuilding.org

Workshop #2 May 14, 2019

CITY OF QUINCY

Wellness

COMMUNITY RESILIENCE BUILDING WORKSHOP

May 14, 2019

WORKSHOP PROCESS AND OUTCOMES

Build Resilience and Preparedness:

- Plan for more frequent and intense weather events
- Improve pre-event planning, response & recovery, and long-term actions
- A prepared and resilient Quincy will be able to maintain functions, protect its residents, and be ready for future storm events and a changing climate

HAZARD MITIGATION PLANNING PROCESS vs MVP

- 1) Define potential risk due to natural hazards including impacts of climate change
- 2) Identify key community assets and vulnerability to risk
- 3) Define mitigation projects to improve resiliency
- 4) Prioritize projects for areas most at risk

MASSACHUSETTS' CHANGING CLIMATE

Changing Weather

- Higher Temperatures
- Shorter Winters
- More frequent and intense storms
- Sea Level Rise
- > Droughts

Amplifies existing risks

- Community and regional infrastructure
- Local and regional economies
- Public Health
- Natural resources and our environment

Goal for Building Resilience to a Changing Climate:

Protect life, property, natural resources, and the economy

QUINCY WORKSHOP GOALS

- Complete the requirements to become a certified Municipal Vulnerability Preparedness Community.
- Examine how to integrate climate change planning into other City plans and programs identified in the Hazard Mitigation Plan Capabilities Assessment.
- Provide community outreach opportunity for Quincy Hazard Mitigation Planning.

Hazard Mitigation and MVP Core Team

NATURAL HAZARD RISK ASSESSMENT

WHAT ARE THE NATURAL HAZARD RISKS FOR QUINCY?

Invasive Species

HISTORICAL FLOOD EVENTS

- 9/1938 "The Great New England Hurricane" 10-17 inches of rain and 20-foot storm surge
- 2/1978 "Blizzard of '78" 30 inch snowfall, 30-foot waves off shore 24 RL claims
- 10/1991 "Perfect Storm"

25 foot waves coincided with high tide 69 RL claims

- 4/2010 "Nor'easter" 7 inches rain, coastal flooding and high tide. 52 RL claims
- 1/2018 Nor'easter "Greyson"

Peak winds coinciding with high tide broke Boston Harbor 1978 high tide record.

• 3/2018- Nor'easters "Riley & Skylar" Blizzard, high wind and storm surge. FEMA DR-4372/ 4379 2019 GREATEST FLOOD RISK:

SEVERE WINTER WEATHER

COASTAL EROSION

COASTAL AND INLAND FLOODING

NOR' EASTERS

