



The Commonwealth of Massachusetts  
Executive Office of Health and Human Services  
Department of Public Health  
Bureau of Infectious Disease and Laboratory Sciences  
305 South Street, Jamaica Plain, MA 02130

**Maura T. Healey**  
Governor

**Kiame Mahaniah, MD, MBA**  
Secretary

**Kimberley Driscoll**  
Lieutenant Governor

**Robert Goldstein, MD, PhD**  
Commissioner

To: Camp Directors  
From: Pejman Talebian, MA, MPH, Director, Immunization Division  
Date: March 25 2026  
Subject: Required Immunizations for Children Attending Camp and Camp Staff

**Measles outbreaks nationally and internationally, 2025-2026:**

Measles cases have surged dramatically in the United States during 2025 (2285 confirmed cases) and 2026 (1487 confirmed cases as of 3/19) in the context of large international outbreaks. The majority of the cases in the U.S. are in children and adolescents who are unvaccinated or who have no evidence of immunity to measles. **It is extremely important that campers and camp staff provide evidence of immunity to measles to avoid the severe disruptions to camp activities that occur when a case of measles is identified at a camp due to isolation of those ill and quarantine of those exposed who lack evidence of immunity to measles.**

**Required Vaccines:**

Minimum Standards for Recreational Camps for Children, 105 CMR 430.152, has been updated. Immunization requirements for children attending camp follow the Massachusetts school immunization requirements, as outlined in the [Massachusetts School Immunization Requirements](#) table, which reflects the newest requirement: meningococcal vaccine (MenACWY) for students entering grades 7 and 11 (on or after the 16<sup>th</sup> birthday, in the latter case; see the tables that follow for further details). Children should meet the immunization requirements for the grade they will enter in the school year following their camp session. Children attending camp who are not yet school-aged should follow the Childcare/Preschool immunization requirements included in the School Immunization Requirements table.

Campers, staff, and volunteers 18 years of age and older should follow the immunizations outlined in the document [Adult Occupational Immunizations](#). The following pages include portions of the Massachusetts School Immunization Requirements table and Adult Occupational Immunizations table relevant to camps.

If you have any questions about vaccines, immunization recommendations, or suspect or confirmed disease cases, please contact the MA Department of Public Health Immunization Division - Data Assessment Unit at [ImmAssessmentUnit@mass.gov](mailto:ImmAssessmentUnit@mass.gov). Address questions about enforcement with your legal counsel.

See the following pages for Grades Kindergarten-6, Grades 7-12 & campers, staff, and volunteers 18 years of age and older

## Grades Kindergarten-6<sup>s</sup>

In ungraded classrooms, Kindergarten requirements apply to all students  $\geq 5$  years.

DTaP/Tdap	<b>5 doses;</b> 4 doses are acceptable if the fourth dose is given on or after the 4th birthday; DT is only acceptable with a letter stating a medical contraindication to DTaP
Polio	<b>4 doses;</b> fourth dose must be given on or after the 4 <sup>th</sup> birthday and $\geq 6$ months after the previous dose or a fifth dose is required; 3 doses are acceptable if the third dose is given on or after the 4 <sup>th</sup> birthday and $\geq 6$ months after the previous dose
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable
MMR	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday, and second dose must be given $\geq 28$ days after first dose; laboratory evidence of immunity acceptable
Varicella	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given $\geq 28$ days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable

<sup>s</sup> Address questions about enforcement with your legal counsel.

\* A reliable history of chickenpox includes a diagnosis of chickenpox or interpretation of parent/guardian description of chickenpox by a physician, nurse practitioner, physician assistant, or designee.

See the following pages for Grades 7-12, & campers, staff, and volunteers 18 years of age and older

## Grades 7-12<sup>§</sup>

In ungraded classrooms, Grade 7 requirements apply to all students  $\geq 12$  years.

Tdap	<b>1 dose;</b> and history of DTaP primary series or age-appropriate catch-up vaccination; Tdap given at $\geq 7$ years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule; Td or Tdap should be given if it has been $\geq 10$ years since last Tdap
Polio	<b>4 doses;</b> fourth dose must be given on or after the 4 <sup>th</sup> birthday and $\geq 6$ months after the previous dose or a fifth dose is required; 3 doses are acceptable if the third dose is given on or after the 4 <sup>th</sup> birthday and $\geq 6$ months after the previous dose
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable; 2 doses of Heplisav-B given on or after 18 years of age are acceptable
MMR	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday, and second dose must be given $\geq 28$ days after first dose; laboratory evidence of immunity acceptable
Varicella	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given $\geq 28$ days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable
Meningococcal <b>Grade 7-10</b>	<b>1 dose;</b> this dose must be given on or after the 10 <sup>th</sup> birthday. Meningococcal conjugate vaccine, MenACWY (formerly MCV4) and MenABCWY, fulfill this requirement; monovalent meningococcal B (MenB) vaccine is not required and does not meet this requirement
Meningococcal <b>Grade 11-12<sup>‡</sup></b>	<b>2 doses;</b> second dose MenACWY (formerly MCV4) must be given on or after the 16 <sup>th</sup> birthday and $\geq 8$ weeks after the previous dose; 1 dose is acceptable if it was given on or after the 16 <sup>th</sup> birthday. Meningococcal conjugate vaccine, MenACWY (MCV4) and MenABCWY, fulfill this requirement; monovalent meningococcal B (MenB) vaccine is not required and does not meet this requirement

**§** Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

**\*** A reliable history of chickenpox includes a diagnosis of chickenpox or interpretation of parent/guardian description of chickenpox by a physician, nurse practitioner, physician assistant, or designee.

**‡** Students who are 15 years old in Grade 11 are in compliance until they turn 16 years old.

See the following pages for campers, staff, and volunteers 18 years of age and older

### Campers, staff, and volunteers 18 years of age and older

MMR	<b>2 doses;</b> anyone born in or after 1957; <b>1 dose;</b> anyone born before 1957 outside the US; anyone born in the US before 1957 is considered immune; laboratory evidence of immunity to measles, mumps, and rubella is acceptable
Varicella	<b>2 doses;</b> anyone born in or after 1980 in the US, and anyone born outside the US; anyone born before 1980 in the US is considered immune; a reliable history of chickenpox* or laboratory evidence of immunity is acceptable
Tdap	<b>1 dose;</b> and history of DTaP primary series or age-appropriate catch-up vaccination; Tdap given at $\geq 7$ years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule; Td or Tdap should be given if it has been $\geq 10$ years since Tdap
Hepatitis B	<b>3 doses;</b> (or 2 doses of Heplisav-B) for staff whose responsibilities include first aid; laboratory evidence of immunity is acceptable

\* A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by a physician, nurse practitioner, physician assistant or designee.