

MAURA T. HEALEY
GOVERNOR

KIMBERLEY DRISCOLL
LIEUTENANT GOVERNOR

TERRENCE M. REIDY
SECRETARY

The Commonwealth of Massachusetts
Executive Office of Public Safety and Security
Department of Fire Services

P.O. Box 1025 ~ State Road

Stow, Massachusetts 01775

Telephone (978) 567~3100


www.mass.gov/dfs



ANTHONY P. CAPUTO
CHAIRMAN

8/3/2023

Chrisopher Polny



Official use Only

Rule 1 & 2,
Chapter 9

Board of Fire Prevention Regulations
527 CMR 12:00 Interpretation Committee
Department of Fire Services
PO Box 1025, State Road
Stow, MA 01775

Background:

Request for Interpretation Relative to Rule 1 &2, Chapter 9:

Question # 1: Table 1 Percent to Cross Section of Conduit & Tubing for Conductors and Cables Notes to Tables (4). Do conduit bodies count as connectors when applying Chapter 9 Notes to tables item #4 “Where conduit or tubing nipples, not including connectors, having a maximum length of 24 in...”

Response: No, the raceway is not considered extended by a conduit body.

Motion made by Charlie Palmieri, seconded by Paul Kennedy. Motion Carries.

Question #2: Would the installation of the following cord and plug connected equipment, with no other associated electrical wiring installed or existing premises wiring used require a license or permit per Rules 1 & 2

- Sump Pump
- Electric Range
- Electric Clothes Dryer
- Gas Clothes Dryer
- Fixed in Place Microwave

- f. Refrigerator
- g. Condensate pump for AC system where drainage from unit is hard piped into it
- h. Wall mounted TV
- i. Dishwashers

Response: No Response, Committee referred submitter to bring this to the BSEE.

Update: After review from the BFPR, a motion was made by Larry Fisher to bring Question #2 back to the committee for further review.

If you have any questions or need any additional information, please contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "A. P. Caputo". The signature is fluid and cursive, with the first name "Anthony" and last name "Caputo" clearly distinguishable.

Anthony P. Caputo, Chairman
Board of Fire Prevention Regulations