aqa	NJS	Sales of the second sec	For Lawn Care Specialists	These requirements for lawn care applications. These requirements are for commercial pes- ticide applications (including weed and feed) made to turf and do not apply to fertilizer only applications, tree and shrub applications or		 Consumer Information Sheet: must be given to consumers before an application 	Pre-notification: must be given on request by the consumer	Application Information: must be left after an application
angle purch moust not a motherage a	The address equal:		altodrovje no adversi terilio vras njaštrao lon solitot sinit ni belitoda (nadi soli ol sonodnito ladi gorbaltet njestrao aste sqvi brioq statiograppe	evolus ont evolts fool ano baixod ad	This notice deals only with sign posting. If you need additional information on the other provisions, contact the Pesticide Bureau at 617-626-1781	KEEB		PESTICIDE BUREAU, MASSACHUSETTS DEPARTMENT OF FOOD AND AGRICULTURE 251 CAUSEWAY STREET 02114-2151
plice of allows and the second of standards of standards.	Sign Posting Guidelines	Signs must be posted on pesticide treated lawns. This includes fertilizers/herbicide (weed and feed) applications	The standardized sign that the Department has developed must be used in order to comply with the regulations.	Sign(s) are not required and should not be posted for fertilizer only appli- cations.	Applicators must post sign(s) on lawns before beginning the pestl- cide application and leave the sign(s) posted on the lawn when they leave the property.	Posted signs must be at least one foot above the surface of the turf. The sign(s) must be posted in such	a position that the printed side faces the direction that persons will be entering the area. Residents or man-	agers of the property will be respon- sible for removing the sign(s).

Materials: The signs must be made of sturdy, rigid, weather resistant materials. In other words, the sign cannot be made of floppy material such as in a flag type format. The signs must be posted one foot above the surface of the turf. The Department has observed that a number of signs mounted on corrugated cardboard are acceptable, provided that they remain one foot above the surface of the turf. If this problem cannot be solved, alternative mounting materials should be sought.	Active and a contract of the second active a
 Specifications for Lawn Care Signs The sign must: The sign must: be at least 5" X 4" have black lettering on a yellow field have bold print lettering be printed on one side only not contain any other words or symbols than specified in this notice contain lettering that conforms to the appropriate point type size be posted one foot above the surface of the turf. 	Revenues and a first vince attaction and the service and the provide a provi
Sign posting requirements for different types of properties are outlined below: Residential Applications The applicator must have the property posted during the application and leave the signs posted during the application and leave the signs posted upon leaving. Applicators are not required to ensure that the signs remain posted for a period of time after the application. Sign(s) must be posted "at conspicuous points of access" to the property. Sign(s) are required to be posted at the point where people are likely to enter the treated area. In the case of residential proper- ties, a single sign must be posted at the front of the property on the treated lawn. However, if a residential property has more than one entrance, those areas must be posted.	Sign posting is the only applicable provision of the regulation for golf courses. Since the access to golf courses is usually through one area, golf courses are allowed to post a written noti- fication of which holes were treated with pesti- cides within the past 72 hours. This notification must be posted in a conspicuous area within the club house such as a bulletin board. Otherwise, approved sign(s) must be posted on each tee that was treated. Commercial Properties and Municipal Fields Commercial properties, municipal fields and school yards must have signs posted at each entrance to the treated area. Since signs are not required to be posted for a specific period of time, the Department recommends that the signs be removed after 72 hours.