



Commonwealth of Massachusetts

Executive Office of
Energy and Environmental Affairs

**Vizon jeral di prujetu di guia pa avaliasons di
konformidadi di lokal i planus i akordus di
binifisius kumunitárius**

9 di otubru, 2025



- **Housekeeping i ajenda**
- **Kontextu sobri reformas di lokalizason i lisensiamentu**
- **Vizon jeral di orientasons sobri planus i akordus di binifisius kumunitáriu**
 - Kumentáriu públiku i perguntas
- **Vizon jeral di orientasons sobri avaliasons di konformidadi di lokal**
- **Dimonstrason di mapa di kritérius di konformidadi di lokal i di faramenta MassEnviroScreen**
 - Kumentáriu públiku i perguntas
- **Vizon jeral di oportunidades di involvimentu públiku**

Kumison di lokalizason i lisensiamentu di infrastrukturas di enerjia



- Kumison foi kriadu pa [orden izekutivu 620](#)
- Obrigatóriu pa akonselha guvernador sobri:
 1. **asilera implantason responsável di infraestruturas enerjétiku linpu através di lokalizason i lisensiamentu di reforma** di un manera konsistenti ku rikizitus legal aplikável i planu pa enerjia linpu i kima;
 2. **fasilita partisipason di kumunidade** na lokalizason i lisensiamentu di infra-struturas di enerjia linpu; i
 3. **na garanti ki binifísius di tranzison pa enerjia linpu é partilhadu iguai** entri tudu rizidentis di Commonwealth.
- Fazedá dós sesons di voz públiku i resebedu más di 1,500 kumentáriu públiku.
- Rikumendasons ki mandadu pa guvernador Healey 29 di marsu na 2024.
- Rikumendasons di kumison foi txeu pasadu pa lei através di *un lei ki ta prumovi un redi di enerjia linpu, na prumovi igualdadi i ta pruteji kontribuintes* (lei di klima di 2024), sinadu pa guvernador Healey na nuvenbru di 2024.

Pirmison konsolidadu di stadu

- Tudu lisensas di stadu, rijional i lokal pa grandis instalasons di infrastrukturas di enerjia linpu kunbinadu na **un lisensa konsolidadu** imitidu pa EFSB.
- Tudu ajensias di stadu i lokal ki, di otu manera, ta tinha un funson di lisensiamentu ta ser kapaz di **intirvini i partisipa automatikamenti**, na imiti diklarasons di kondisons di lisensas rikumendadu.
- Tudu prujetus debi manda un análisi di inpákitu kumulativu komu parti di pididu pa kumison di lokalizason di instalasons di enerjia (EFSB).
- Disizon di autorizason debi ser imitidu na prazu di **menus di 15 mêtis** a kontar di ditirminason di totalidadi di pididu.
- Disizons di EFSB podi rikoredu diretamenti pa supremu tribunal judisial.



- Ta aplika pa instalasons di jerason >25 MW, instalasons di armazenamentu >100 MWh, infrastrukturas rilasionadu ku enerjia eólíka offshore i grandis novus prujetus di transmison

Pirmisons lokal konsolidadu

- Guvernus lokal (munisípius i kumisons rijional, sima kumisons di Cape Cod i Martha's Vineyard) **ta manti tudu puderis di lisensiamentu pa prujetus ka sujeitos pa rivizon di EFSB.**
- Guvernus lokal **podì kontinua izekuta prusesus di aprovason siparadu** en simultâniu (pur izenplu, zonas úmidu, zonamentu, etc.), más é obrigadu pa **imiti un úniku lisensa** ki ta inklui aprovasons individual pa infrastrukturas di enerjia linpu.
- Disizon di autorizason debi ser imitidu **dentu di 12 mêtis.**
- Guvernus lokal podì manda rivizon di lisensas diretamenti pa EFSB si és ka teni rikursus sufisienti.
- Pididus di lisensa tanbé podì ser analizadu pa EFSB dipós di disizon final di guvernu lokal, kazu for pididu un rivizon pa partis ki podì mostra kuzé ki foi substansial i spisifikamenti inpakitadu pa disizon, i ainda más ta rikoredu diretamenti pa supremu tribunal judisial.
- Dipartamentu di rikursus di enerjia (DOER) é risponsável pa **kria un pididu di lisensa munisipal padron i un konjuntu kumun di padrons bázikus di saúdi, siguransa i ambienti** pa ser uzadu pa pisoas ki ta toma disizon lokal kuandu ta autoriza infrastrukturas di enerjia linpu.



- Ta aplika pa instalasons di jerason <25 MW, instalasons di armazenamentu <100 MWh i prujetus di transmison i distribuison jurisdisional ki ka ta pertensi a EFSB



Involvimentu kumunitáriu más signifikativu & justu

- Stabilisimentu formal di gabineti di justisa i ekuidadi ambiental na statutu, ku un mandatu spisífiku pa dizinvolvi orientason sobri akordu di binifísius kumunitáriu i análises di inpákitu kumulativu.
- Primerus rikizitus obrigatórius di involvimentu di kumunidade, ki ta inklui dukumentason di isforsus pa involvi organizasons kumunitárius i demostrason di isforsus pa dizinvolvi akordus di binifísius kumunitárius.
- Novu divizon di partisipason públiku na DPU pa djuda kumunidades i kandidatus prujetus ku perguntas di involvimentu i prusesu na prusidimentus di DPU i di EFSB.
- Novu divizon di lokalizason i lisenziamentu na DOER pa djuda kumunidades i rikerentis di prujetus ku kiston di involvimentu i prusesu na lisenziamentu lokal.
- Apoiu finanseru di intervenientis sta dispunível pa organizasons ku pokus rikursus ki kré participa na un prusesu di EFSB i pirmitidu statutu di intervenientis. Munisípius ku un populason di 7,500 ô menus é automatikamenti ilijível pa apoiu finanseru.

Funsons i responsabilidadi

- Ten sinku áreas di trabadju ki sta dikori di prujetu di lei ki sta ser jiridu pa trêš ajensias diferentis: EEA, DPU, i DOER.
- Tudu trêš ajensias sta di pertu kumunikason entri és mesmu, i otus ajensias di stadu ki ten papél signifikativu na kriason di lisensas di enerjia tanbé foi konsultadu sima propostas ta ser dizinvolvidu.
- Regulamentus í izijidu pa ser prumolgadu ti 1 di marsu di 2026.
- Na primavera di 2025, ajensias fazi sesons ku partis interesadu pa da informasons pa públiku sobri inplimentason, resebi kumentáriu i rispondi perguntas sobri inúmeru propostas priliminaris. Más informasons sta dispunível na [webpage di sesons di partis interesadu di lei di klima di 2024](#).

Fluxus di trabadju

Orientason di
konformidadi di lokal
EEA

Guia di inpákitus
kumulativus i binifisius
pa kumunidadi
EEA

Regras di lokalizason i
pirmison pa munisípius
DOER

Regras di lokalizason i
autorizason di EFSB
EFSB

Regras di apoiu pa
finansiamentu di
intervenienti di DPU
DPU



Planu di binifísius kumunitáriu & akordus

Gabineti izekutivu di enerjia i asuntos ambiental (EEA)
Gabineti di justisa i ekuidadi ambiental (OEJE)
9 di Otubru di 2025

Planu di binifísius kumunitáriu & akordus

- Konformi izijidu pa **lei di klima di 2024**, OEJE divulgaba normas i orientasuns 12 di sitenbru, ki ta guverna uzu putensial i aplikabilitadi di planus i akordus di binifisius kumunitáriu.
- **Planu di binifísius kumunitáriu (CBP)**: Un dokumentu ka legal vinkulativu ki ta diskrevi modi ki un prujetu ta ben involvi i binifisia kumunidades lokal duranti dizinvolvimentu i operason di un instalason enerjétiku.
- **Akordu di binifísius kumunitáriu (CBA)**: Un akordu negosiadu i legalmenti vinkulativu entri un kandidatu pa un prujetu i un kumunidade, jeralmenti riprizentadu pa un ligason di grupus kumunitáriu ô pa un órgon di guvernu lokal, ki ta diskrevi binifísius ki kumunidades ta ben resebi.
- Komu parti di pididu di un prujetu pa autoridadi di lisenziamentu rilivanti, rikerenti podi identifika i fala di kualker isforsu pa entra na un planu ô akordu di binifisius kumunitáriu.



Planus di binifisius kumunitáriu vs. akordus di binifisius kumunitáriu

Inkuantu tudu dôs CBPs i CBAs ta sublinha binifisius pa kumunidade, difiri en termus di propóztu, aplikabilidadi i ânbitu.

Planu di binifísius kumunitáriu (CBP)	Akordu di binifísius kumunitárius (CBA)
• Planu di kunprimisus ka vinkulativu • Mandadu ku pididu di lisensa • Ta sublinha binifisius prupodu • Orienta transparênsia i responsabilidadi	• Kontratu juridikamenti vinkulativu • Nigosiadu entri promotor i riprizenantis di kumunidade • Obrigasons izekutável • Ta da rikursu legal si violadu



Binifísius kumunidadei

- Un CBP i CBA signifíkativu ta da binifisius tanjível, personalizadu i risponsável:
 - Rizultadus tanjível i duradouru ki ta rispondi pa prioridadis di kumunidadei
 - Ta varia di akordu ku prujetu; adaptadu pa tamanhu di prujetu, pa nisisidadis lokal i pa inpákitus
 - Identifikadu antis através di kulaborason ku kumunidadeis inpakitádu
 - Inklui kunprimisus klaru, linhas di tenpu i rizultadus ki ta da pa midi
 - Kunplimenta, más pa **ka substitui**, mididas di mitigason nisisáriu.
- Ku kés ilimentus li en konta, binifisius ta inquadra normalmenti na kuatu katigurias anplu – EJ & ekuidadi, dizinvolvimentu ikunómiku i kriason di forsa di tarefa, infrastruturas i apoiu kumunitáriu i prutesons ambiental i di saúdi públiku.



Katigurias di binifisius kumunitáriu

- 1. EJ i ekuidadi:** Aborda danus stóriku, riduzi inpákitus ambiental i garanti ki kumunidades más afetadu resebi asesu prioritáriu pa enerjia i pa binifísius ambiental, pa enerjia linpu i pa pruteson di saúdi públiku.
- 2. Dizinvolvimentu ikunómiku i mó di obra:** Kria impregus ben rimuneradu i asesível pa rizidentis lokal, apoia pikinotis inprezas i inprezas pertensentis minorias i konstrui oportunidades ikunómiku au longu prazu.
- 3. Infrastrutura i apoiu kumunitáriu:** Invisti na infrastrukturas fíziku i susial di ki kumunidades mesti pa prospera, sima kaza asesível, asesu a transportis, banda larga ô krexis.
- 4. Pruteson di ambienti i di saúdi públiku:** Pruteji saúdi di pisoas i ambienti natural através di isforsus di prizervason, privenson i kontrolu di poluison, ristaurason di teras i abitats i mididas di riziliensia klimátiku.



Transforma kunprimisus pa asons

Un CBP ben struturadu debi:

- Diskrevi klaru kada binifísiu prupodu, ki ta inklui kuzé ki sta ser dadu i pa kénha é tem intenson di sirvi.
- Da un linha di tenpu klaru pa intrega, alinhadu ku fazis di prujetu (pur izenplu, kontruson préviu, konstruson, operasons).
- Identifika partis risponsável pa implimentason.
- Sublinha fontis di finansiamentu i orsamentu pa kada binifísiu, na da transparênsia na modi ki rikursus é atribuídu i sustentadu.
- Inklui markus **SMARTIE** pa kada kunprimisu, na garanti ki objetivus é:

Spisífiku // Mensurável // Atinjível // Rilivanti // Tenporal // Inkluzivu // Ekuitativu

Pasu a pasu: Modi pa dizinvolvi un CBP forti

Inkuantu kada kumunidade é diferente i podi ten nisisidadis diferentis, kel strutura li ta sigura un abordajen konsistenti pa transparênsia, inkluzon i risponsabilidadi. Kada pasu tem intenson di ser sufisientimenti flexível pa podi adapta pa kontextu lokal, mas sufisientimenti rigurozu pa garanti ki prusesu ta leba pa binifísius real i ki ta da midi pa kumunidade.

- 1** Mapeamentu di partis interesadus i identifikason di kumunidade
- 2** Dizinvolvi un planu di involvimentu di kumunidade
- 3** Fazi asons di sensibilizason di kumunidade antis di pididu
- 4** Kria em konjuntu kunprimisus di binifísius
- 5** Dizinvolvi un CBP públiku i skritu
- 6** Formaliza risponsabilidadi



Izenplus di kunprimisus ifetivus & signifikativus

Kunprimisus ki fazeda ta bem dipendi di tipu i di dimenson di prujetu, di inpákitus na kumunidade i ta ser adaptadu pa kontextu di objetivus i dizafius di kada kumunidade.

Katiguria	Izemplus
Justisa i ekuidadi ambiental	- Fundus pa instalason di monitoris di kualidadi di ar i di un programa di monitorizason di saúdi ambiental lideradu pa kumunidade. - Kria un funson di ligason lokal pa manti komunikason abertu durante konstruson i operason
Dizinvovimentu ikunómiku i mó di obra	- Inplimenta programas di formason i aprendizajen - Kontrata inpreiteirus lokal pa konstruson i manutenson
Infra-struturas i apoiu kumunitáriu	- Invisti djuntu na midjora stradas, paseius ô portus nisisáriu pa lojístika di prujetu ki ta binifisia kumunidade tanbé - Inkurpora postus públikus di karegamentu di veíkulus ilétrikus, alimentadu pa instalason, oferesedu di grasa ô ku tarifas riduzidu pa rizidentis lokal
Pruteson di ambienti i di saúdi públiku	- Inplimenta un konpensason abranjenti di ristauru ô konservason di abitats pa tirenus perturbadu - Da rikursus di prujetu di ridusond di ruidu na instalasons



Kumentáriu públíku

Orientasons na avaliasons di konformidadi di lokal

Avaliasons di konformidadi di lokal



- Konformi izijidu pa lei di klima di 2024, 12 di sitenbru, EEA divulgaba orientasons, ki ta inklui un metodolojia pa ditirmina konformidadi di lokal pa infrastrukturas di enerjia i rikumendasons pa uza metodolojia na análisi di pididus di lisensas konsolidadu pa EFSB i pa governus lokal.
- Avaliasons di konformidadi di lokal ten intenson pa:
 - Insentiva dizinvolvimentu di infrastrukturas di enerjia na áreas dizejável, ki ta inklui na ambienti konstruídu atual ô na tirenu antis dizinvolvidu/di baixu valor di konservason;
 - Ivita, minimiza i mitiga inpákitus na tirenu natural i prudutivu ikulojikamenti inportanti; i,
 - Garanti ki kumunidades ki dja ta aborda un karga disrupursionadu di ambienti i saúdi públiku ka ta apoia un karga disrupursionadu di infra-strukturas di enerjia;
 - Garanti viabilidadi longu prazu di dizinvolvimentu di enerjia solar i di armazenamentu na Commonwealth; i,
 - Apoia imison di lisensas di stadu i lokal konsolidadu, ki ta sirvi komu un feramenta di sileson pa prumotoris i un feramenta ki ta informa disizon final di ajensia di lisensiamentu.
- Instalasons di infrastrukturas di enerjia linpu ki sta fazi pididu pa EFSB ô pa munisípius lisensas konsolidadu ta ten ki di konpleta un avaliason di konformidadi di lokal, ku alguns ixsesons.
- Kés pontuasons li ta ser tomadu en konta pa autoridades lisensiadoras i inpákita na tipus i nível di mididas di minimizason ô mitigason ambiental nisisáriu pa imisons di un lisensa.

Instalasons aplikável

Instalasons aplikável

- Maioria di instalasons di jerson i armazenamentu di enerjia linpu ki sta kandidata pa un lisensa konsolidada imitidu pa EFSB ô pa guvernu lokal
- Tudu instalasons di transmison i distribuison ki ta fazi pidi pa un lisensa konsolidadu i ki é lokalizadu na un “direitu di pasajen públiku ki stabilisidu risenti”

Instalasons ka aplikável

- Tudu instalasons di transmison i distribuison ki sta fazi pidi pa un lisensa konsolidadu i ki KA É lokalizadu na un “direitu di pasajen públiku ki stabilisidu risenti”
- Instalasons ki sta fazi pdidiu pa un lisensa konsolidadu imitidu pa EFSB i ki for obrigadu prienxi un análisi di inpákitu kumulativu (SIA)
- Pikinotis instalasons di jerson di enerjia linpu ki:
 - Ten un área di inplantason infirior a un *acre*
 - É instalasons solar ku kapasidadi nominal infirior ô igual 25 kW, ô;
 - É instalasons trás di kontador ku un kapasidadi nominal infirior ô igual 250 kW.

Infraestrutura linear offshore ka é nisisáriu pa konpleta strutura di pontuason di avaliason di konformidadi di lokal, más debi ser konsideradu altamenti inadikuadu ta pasa pa áreas prutejedu identifikadu na planu di jiston osiânika di stadu.

- Avaliason di konformidadi di lokal ta uza un strutura di pontuason ki ta avalia ditirminadu kritérius susial i ambiental na uza konjuntus di dados i faramentas dispunível publikamenti.
- EEA ta prupoi kalkula pa kada lokal:
 - **Pontuasons di konformidadi spisífiku di kritériu**, un klasifikason kuantitativa (0.0 pa 5.0) di konformidadi di un ditirminadu lokal di prujetu en termus di kritérius susial, ambiental i fízikus spisífikus (riziliênsia pa mudansa klimátiku, karbonu, biodiversidadi, agrikultura, inkargus susial i ambiental).
 - Kalkuladu na uza métudu spisífiku di kritériu na uza pegada di prujetu, dados jeoespasia i otus informason pa rifliti inpákitus ô ixpuzison privistu na pegada di lokal.
 - **Modifikadoris di pontuason** ki ta podi subtrai ô adisiona pontus un pontuason baziadu na karaterístikas spisífiku di prujetu ki ta rifliti kritérius susial, ambiental i fíziku spisífiku (putensial di dizinvolvimentu i binifisius susial i ambiental).
 - **Pontuason total di konformidadi di lokal**, ki ta riprizona tantu ki sustentabilidadi é pa un lokal pa un ditirminadu prujetu di infrastrutura enerjética na tudu kritérius i modifikadoris di pontuason

Pontuasons di konformidadi spisífiku di kritériu

Kritériu	Rizumu di métodu di pontuason	Pontus pusível
Riziliênsia klimátika	Maioris klasifikasons di ixpuzison pa (1) txeias fluvial i (2) riskus di txeias kosteiras	0 pa 5
Armazenamentu i sikuestru di karbonu	Armazenamentu total di karbonu di ekosistema, más putensial di sikuestru di 50 anus.	0 pa 5
Biodiversidadi	Sobripuzison ku ilimentus spisífiku di NHESP Priority Habitat, ben komu valor di integridadi ekolójika	0 pa 5
Rikursus agríkulas	Sobripuzison ku áreas dizignadu komu: (i) Teras agríkulas di primeru kualidadi; (ii) Teras agríkulas di inportânsia stadu interu; i (iii) Teras agríkulas di inportânsia úniku, ku maior pezu dadu pa áreas sob uzu agríkua ativu.	0 pa 5
Inkargus susial i ambiental	Sobripuzison ku pontuason MassEnviroScreen	0 pa 5
Tudu	Total:	0 pa 25

Pontuasons di konformidadi más baxu (0-2) = lokal más adikuadus i di minor inpákitu/ixpuzison; spera pokus mididas modestu di minimizason/mitigason

Pontuasons di konformidadi más ilevadu (4-5) = lokal menus adikuado, ku maior inpákitu/ixpuzison; spera más mididas substansial di minimizason/mitigason

Riziliênsia pa mudansa klimátiku

- Riziliênsia pa mudansa klimátiku ta ser avaliadu baziadu na ixpuzison di lokal pa dós riskus klimátikus: (1) txeias fluvial; i (2) txeias kosteiras kauzadu pa subida di nível di mar i pa tempestadis.
- Ixpuzison ta ser mididu através di [*faramenta di normas di konseson pa riziliênsia klimátiku*](#) di ResilientMass.
- *Klasifikason di ixpuzison más ilevadu* derivadu di faramenta pa kualker un di dós prigus ta ser uzadu pa ditirmina pontuason di konformidadi pa riziliênsia pa mudansa klimátiku, di akordu ku tabela siguinti.

Klasifikason di ixpuzison más ilevadu pa riskus di txeias fluvial i/ô kosteiras	Pontuason di konformidadi pa riziliênsia pa mudansa klimátiku
Ka ixpostu	0.0
Baxu ixpuzison	2.0
Ixpuzison muderadu	3.5
Alta ixpuzison	5.0

Armazenamentu i sikuestru di karbonu

- Armazenamentu i sikuestru di karbonu ta ser avaliadu baziadu na stocks istimadu di karbonu i na prujesons di 50 anus di sikuestru di karbonu na un lokal, na rifliti perdas di karbonu privistu asosiadu ku linpeza di lokal pa un instalason enerjétiku.
- Kuantis di stadu interu di karbonu total di ekosistema na 2070, a partir di dadus di [National Forest Carbon Monitoring System](#) ta ser uzadu pa pontua áreas ku maior teor di karbonu (florestas).
- [Dadus anual di kubertura di solu di NLCD](#) ta ser uzadu pa distingui tirenu ku nível más baxus di armazenamentu di karbonu.
- Pontuasons é kalkuladu pa:
 1. Identifika valoris di índisi di karbonu di ekosistema di sélulas di gradi di 30m sentradu dentu di pegada di lokal; i
 2. Kalkula média di kés valoris li di índisi di karbonu di ekosistema.

Kubertura di solu (NLCD anual)	Karbonu total di ekosistema (<i>Karbonu total di ekosistema NFCMS na 2070</i>)	Índisi di karbonu di ekosistema
Dizinvolvedu (ixkluindu spasu abertu dizinvolidu)	Asumidu pa ser mínimu	0.0
Ka dizinvolidu (ki ta inklui spasus abertu dizinvolidu)	$\leq 200 \text{ MgCO}_2\text{e/acre}$	1.0
Ka dizinvolidu (ki ta inklui spasus abertu dizinvolidu)	$> 200 \text{ MgCO}_2\text{e/acre}$	1.0 a 5.0, ridimensionadu a partir di <i>karbonu total di ekosistema NFCMS na 2070</i>

Biodiversidadi

- Biodiversidadi ta ser avaliada baziadu na valoris spisífiku di lokal di un índisi di biodiversidadi ki integra [Biomap](#), [NHESP Priority Habitat](#), i [UMass CAPS Index of Ecological Integrity](#) (djobi tabela). Índisi di biodiversidadi sta mapiadu na 30 milhons di sélulas di gradi na stadu interu
- Pontuasons é kalkuladu pa:
 1. Identifikason di valoris di índisi di biodiversidadi di sélulas di grelha sentradu dentu di pegada di lokal
 2. Kalkula média di 25% más ilevadus di kés valoris di índisi di biodiversidadi.

Kritériu di biodiversidadi	Índisi di biodiversidadi / Pontuason di konformidadi
Ka na ilimentus/kunpunentes di BioMap ô abitat prioritáriu	0.0 pa 2.0, skaladu pa índisi di integridadi ikulójiku di CAPS
Na kunpunente kunetividadi rijjional di BioMap i ka na paizajen natural krítiku, abitat sentral ô abitat prioritáriu	2.5
Na paizajen natural krítiku di BioMap i ka na abitat prinsipal ô abitat prioritáriu	3.5
Na BioMap Core Habitat i ka na abitat prioritáriu	4,5
Na abitat prioritáriu	5.0

Rikursus agríkulas

- Rikursus agríkulas ta ser avaliadu baziadu na valoris spisífiku di lokal di un índisi di rikursus agríkulas ki ta integra [klasis di solu di teras agríkulas di NRCS pa Massachusetts](#) i uzu di teras agríkulas istimadu a partir di [dadus di kubertura di teras anual di NLCD](#) (djobi tabela). Índisi di rikursus agríkulas é mapiadu na sélulas di grelha na tudu stadu.
- Pontuasons é kalkuladu pa:
 - Identifika valoris di índisi di rikursus agríkulas di sélulas di grelha sentralizadu dentu di pegada di lokal; i
 - Kalkula média di 50% maioris valoris di kés rásius di rikursus agríkulas li.
- Instalasons solar di uzu dupla i dijistoris anaeróbikus kriadu pa prusesa rizídu orgânikus rilasionadu ku iexplorasons agríkulas ta resebi automatikamenti un 0, independentementi di índisi di rikursus agríkulas

Klasi di solus agríkulas	Kubertura di solu (NLCD anual)	Índisi di rikursus agríkulas / pontuason di konformidadi
Kualker	Dizinvolvedu	0.0
Ninhun	Otus subdizinvolvedu	0.0
Teras agríkulas di inportânsia úniku	Otus subdizinvolvedu	1.0
Teras agríkulas di inportânsia stadu interu	Otus subdizinvolvedu	2.0
Ninhun	Agrikultura (kulturas, pastagens/feno)	2.5
Solus agríkulas di primeru kualidadi	Otus subdizinvolvedu	3.0
Teras agríkulas di inportânsia úniku	Agrikultura (kulturas, pastagens/feno)	3.0
Teras agríkulas di inportânsia stadu interu	Agrikultura (kulturas, pastagens/feno)	4.0
Solus agríkulas di	Agrikultura (kulturas,	5.0

Inkargus susial i ambiental

- Kritérius di inkargus susial i ambiental ta ser avaliadu ma izamina pegada ambiental di un instalason i sés interseksion ku pontuasons stabilisidu pa kada grupu di blokus sensitáriu na faramenta MassEnviroScreen.
- MassEnviroScreen ta identifika kumunidadis ambientalmenti más vulnerável ô sobrikarregadu na Massachusetts baziadu na un pontuason di inpákitu kumulativa ki ta inkorpora ixpuzison pa poluison i kritérius adisional di saúdi públiku i rendimentu.
- Kada bloku sensitáriu ta resebi un pontuason úniku ki ta korespondi pa persentil en ki é ta kai na tudu stadu en rilason a skala relativu di inkargus susial i ambiental ki kumunidade ta infrenta kunparadu ku otus kumunidadis.

Pontuason di MassEnviroScreen	Pontuason di konformidadi pa inkargus susial i ambiental
	0.0 = minor inpákitu 5.0 = maior inpákitu
Baxu di 10	0.0
10 – 29.9	1.0
30 – 49.9	2.0
50 – 69.9	3.0
70 – 89.9	4.0
90 i más	5.0

Modifikadoris di pontuason

Kritérius di konformidadi di lokalizason	Fonti di dadus	Métodu di pontuason
Putensial di dizinvolvermentu	Kartas di pré-ditirminason ki tomadu djuntu di DOER (só pa kuberturas solar, áreas kontaminadu, aterus kualifikadu i tirenu dizinvolveridu antis)	<u>Pontuason total automatika di konformidadi di lokal di 25:</u> Lokalizadu na spasu abertu prutejedu <u>Subtrason di 1 pontu:</u> Lokalizadu na un área di investimentu di prujetu di invistimentu di kapital (CIP) Pontus pa tudu pontuasons di konformidadi di lokal spisiífiku pa Kritériu (ixsetu riziliênsia pa mudansa klimátiku): Kuberturas solar ô instalasons aplikável lokalizadu na tirenu abandonadu, aterus kualifikadus ô tirenu dizinvolveridu antis
Binifísius susial i ambiental	Akordus sinadu entri munisípiu anfitrión i instalason aplikável	Prujetus ta podi subtrai un (1) pontu pa sés pontuason pa podi da ditirminadus binifisius susial i ambiental ti un total di sinku (5) pontus, si akordadu pa munisípiu anfitrión.

Putensial di dizinvolvimentu

- Putensial di dizinvolvimentu ta ser pontuadu baziadu na si lokal ta satisfazi rikizitus di ditirminadus tipus di katigurias di tirenu altamenti adikuadu ô altamenti inadikuadu.
- Kuberturas solar i instalasons lokalizadu na áreas dizagragadu, aterus sanitáriu kualifikadu ô tirenu dizinvolidu antis ta ten ki automatikamenti sinku (5) pontus subtraídu pa sés pontuason total di aptidon di lokal.
- Prujetus di jerason distribuídu lokalizadu na un área CIP ta ten ki automatikamenti un (1) pontu subtraídu pa sés pontuason total di konformidadi di lokal.
- Instalasons ki ta sobripoi pa spasu abertu protejidu ta resebi automatikamenti un pontuason total di konformidadi di lokal di 25.
 - Instalasons di transmison i distribuison ki ta atravesa spasus abertus protejidu ta podi pidi un izenson si és ta konsigui mostra ki ka ten otu rota ô lokal adikuadu.

Binifisius susial i ambiental

- Podi ser kalkuladu un pontuason di binifisius susial i ambiental pa rifliti kualker binifisius susial i ambiental dadu pa prujetu. Prujetus ta podi ten un (1) pontu subtraídu pa sés pontuason total di konformidadi di lokal, ti ki un total di sinku (5) pontus, pa mostra kada un di siguintis binifisius:
 - Midjora abitat lokal;
 - Midjora kualidadi di ar istirior na disloka fonti imisora;
 - Kria oportunidades rikriativu perlongadu;
 - Kria oportunidades rikriativus perlogadu;
 - Aplika kréditus di kontas di enerjia solar kumunitáriu na kontas di klientis di sirvisus públiku di ilitrisidadi ô riduzi kustus di enerjia na munisípiu anfitrion
 - Ta stabilesi servidons kultural, en parseria ku kumunidades tribal i indíjenas;
 - Kria ô manti trabadjus lokal;
 - Ten un dizenu favorável pa polinizadoris; ô
 - Otus binifisius ki ta midjora kualidadi di vida, konformi priorizadu pa kumunidade di akolhimentu.
- Instalasons ki ta kré kandidata pa un subtrator di pontuason di kritérius di binifisius susial i ambiental debi kordena ku munisípiu anfitrion. Si munisípiu anfitrion i instalason ta konkorda ku un ô más binifisius, ta podi sina un akordu, ki modifikará pontuason total di konformidadi di lokal i ta rizulta na kondisons vinkulativu na lisensa.

Ditirminason di pontuason

Fazi inisial di pididu préviu

Kandidatu ta istima sé própriu pontuason.

Kandidatu ta da un pontuason istimadu pa partis interesadu duranti prusesu di pididu préviu.

Antis di aprizenta pididu di autorizason

Kandidatu ta da dukumentason pa rivizor di pontuason di konformidadi di lokal, ki ta imiti un ditirminason di pontuason na prazu di 30 dias.

Si pontuason for kontestadu

Kandidatu ô parti afetadu podi pidi un rivizon di pontuason pa EFSB ô pa DOER, ki ta dipendi di tipu di lisensa.



Rikumendasons di uzu di EFSB

- Prujetus ki ta mesti di konpleta un análisi di inpákitu kumulativu ka ta ten ki di konpleta un avaliason di konformidadi di lokal.
- EFSB debi inkurpora ilimentus di kritériu di konformidadi di lokal (pur izenplu, sikuestru di karbonu, abitat, etc.) na sés análisis di CIA i di pontuason di rota i lokal, senpri ki pusível.
- É rikumendadu ki EFSB konsidera pontuason total di konformidadi di lokal na sés disizons, djuntu ku otus aspetus di prujetu.
- Pontuason total di konformidadi di lokal debi ser konsideradu na kontekstu di planu di kriason di prujetu i di mididas di mitigason planiadu.
- EFSB debi uza pontuasons di konformidadi spisífiku di kritériu komu rikursu pa ditirmina si debi ser nisisáriu mididas di minimizason ô mitigason ambiental pa ki un projectu resebi un lisensa konsolidadu.

Rikumendasons pa uzu pa guvernus lokal

- Ta rikumendadu ki munisípius konsidera pontuason total di konformidadi di lokal i pontuasons di konformidadi spisífiku di kritérius di un prujetu na ditirmina kondisons di lisensa.
- Lokal ku un pontuason di konformidadi total di lokal baxu di un ditirminadu nível debi ser konsideradu altamenti adikuadu i ta iziji un mitigason mínimu ô ninhun, indipendentementi di pontuasons di konformidadi spisífiku di kritériu.
- Munisípius debi uza pontuasons di konformidadi spisífiku di kritérius komu rikursu pa ditirmina si debi ser nisisáriu mididas di minimizason ô mitigason ambiental pa ki un prujetu resebi un lisensa lokal konsolidadu.
- Nível i tipu di mididas di mitigason nisisáriu debi bazia na pontuason di konformidadi di lokal spisífiku pa kritérius. Rikizitus debi ser rilivanti pa katiguria na kal pontuason foi avaliadu.
- DOER divulgaba sés [orientason sobri mididas di minimizason i mitigason](#) kel simana li pa da orientasons na mididas di minimizason i mitigason kualifikadu pa inpákitus identifikadu na avaliasons di konformidadi di lokal.

Intirvalu di pontuason di kritériu	Konformidadi (pa kritérius spisífiku)	Intirpretason: (pa kritérius spisífiku)
1 ô menus	Altamenti adikuadu, inpákitu mínimu	Ninhun mididas di minimizason ô mitigason izijidu
1 pa 2	Adikuadu, baxu inpákitu	Ta podi ser nisisáriu mididas modestu di minimizason i/ô mitigason
2 pa 3	Muderadamenti adikuadu, inpákitus moderadu	Mididas di minimizason i/ô mitigason provavelmenti nisisáriu
3 pa 4	Poku adikuadu, inpákitu moderadu ilevadu	Mididas signifikativu di minimizason i/ô mitigason ta ser provavelmenti nisisáriu
4 pa 5	Inadikuadu, altu inpákitu	Si pirmitidu, ta izijidu jeralmenti un minimizason i/ô mitigason ixtensu



Dimonstrason di mapas

Izenplu di pontuason di prujetu: Instalason solar di Auburn

	Kritériu	Stadu di lokal di prujetu	Pontuason
Pontuason di konformidadi spisífiku pa kritériu	Riziliênsia klimátiku	Klasifikason di ixpuzison más ilevadu: Baixa ixpuzison pa txeias fluvial	2.0
	Armazenamentu i sikuestru di karbonu	Pegada é prinsipalmenti di klasi di kubertura di solu dizinvolvidu, ku putensial mínimu di armazenamentu di karbonu nu ekosistema	0.3
	Biodiversidadi	~25% di pegada ta sobripoi paizajen natural krítika di BioMap; restanti pa kunetividadi rijional di BioMap	3.5
	Rikursus agríkulas	Pegada é prinsipalmenti di klasi di kubertura di solu dizinvolvidu, ku un putensial agríkula mínimu	0.1
	Inkargus susial i ambiental	Grupu di blokus sensitáriu ten un karga di poluison infirior a média i karaterístikas populasional sensível, ku un pontuason MassEnviroScreen = 22.5	1.0
		Sub-Total	6,9
Modifikadoris di pontuason	Putensial di dizinvolvimentu	Spasu abertu ka prutejedu, ma área di prujetu di invistimentu di kapital, kuberturas solar, área kontaminadu, ateru sanitáriu kualifikadu ô tirenu previammenti dizinvolvidu.	
	Binifísius susial i ambiental	Akordu sinadu entri munisípiu anfitrión i kandidatu na konkorda ki prujetu ten un dizenhu favorável pa polinizadoris	-1.0
		Pontuason total:	5,9 / 25



Kumentáriu públiku

Kalindáriu di lokalizason i autorizason di involvimentu públiku



OCT/NOV 2025

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
28	29	30	1	2	3	4
5	DOER Info Session (Bourne)	DOER Info Session (Danvers)	DOER Info Session (Fitchburg)	DOER Info Session (Amherst) EEA Webinar on Site Suitability and CBA Guidance	10	11
12	13	14	DOER Public Hearing (Virtual)	16	DOER Written Comments Deadline	18
19	20	21	22	23	EEA Written Comments Deadline	25
26	EFSB/DPU Public Hearing (New Bedford)	28	EFSB/DPU Public Hearing (Pittsfield)	30	31	1
2	EFSB/DPU Public Hearing (Boston)	4	EFSB/DPU Public Hearing (Lynn)	6	EFSB and DPU Written Comments Deadline	8

Obrigadu

- Informason na regulamentus, prusesus i oportunidadis involvimentu públiku podi ser atxadu na: www.mass.gov/energypermitting
- Perguntas podi ser dirijidu pa energypermitting@mass.gov