Commonwealth of Massachusetts

Executive Office of Energy and Environmental Affairs MEPA Office

For Office Use Only Executive Office of Environmental Affairs

MEPA Analyst: Purvi Pate

Phone: 617-626- 1029

Notice of Project Change

The information requested on this form must be completed to begin MEPA Review of a NPC in

accordance with the provisions of the Massachusetts Environmental Policy Act and its implementing regulations (see 301 CMR 11.10(1)).

EEA # 14346		
Project Name: South Coast Rail – Phase 1 Service		
Street Address: MassDOT Rail ROW, Middleborough to New Bedford and Fall River		
Municipality: South Coast Region	Watershed: Taunton, Buzzards Bay, Mt. Hope Bay	
Universal Transverse Mercator Coordinates:	Latitude: Start: 41.8962° N; End: 41.6397° N, 41.7042° N	
Start: 4640034.4, 340710.1; End: 4611560.7, 339809.6; 4619188.4, 320307.	Longitude: Start: 70.9202° W; End: 70.9234° W, 71.1597° W	
Estimated commencement date: 2019	Estimated comple	
Project Type: Transportation (rail)	Status of project of	
Proponent: Massachusetts Department of Transportation (MassDOT)		
Street Address: 10 Park Plaza		
Municipality: Boston	State: MA	Zip Code: 02116
Name of Contact Person: Jean Fox		
Firm/Agency: MassDOT	Street Address:	10 Park Plaza, Suite 3910
Municipality: Boston	State: MA	Zip Code: 02116
Phone: 857-368-8853 Fax:		E-mail: Jean.Fox@state.ma.us
With this Notice of Project Change, are you requesting: a Single EIR? (see 301 CMR 11.06(8)) Special Review Procedure? (see 301 CMR 11.09) Waiver of mandatory EIR? (see 301 CMR 11.11) Yes No a Phase I Waiver? (see 301 CMR 11.11) Yes No		
Which MEPA review threshold(s) does the project meet or exceed (see 301 CMR 11.03)? Complete project; Land, ACEC, Rare Species, Transportation, Historical & Archaeological Resources, and Wetlands, Waterways & Tidelands. Phase 1 new elements: potentially Rare Species, Wetlands Which State Agency Permits will the project require? DEP Wetland Variance, Water Quality Certification, Chapter 91 License (potentially), Conservation & Management Permit Identify any financial assistance or land transfer from an Agency of the Commonwealth, including the Agency name and the amount of funding or land area in acres:		

PROJECT INFORMATION

previously issued Certificate?

In 25 words or less, what is the project change? MassDOT would permit and construct the SCR Project in phases. Phase 1 would implement service using the Middleborough Main Line and Middleborough Secondary, not previously fully evaluated under MEPA. See full project change description provided in Attachment A. Date of publication of availability of the ENF in the Environmental Monitor: (Date: 11/24/08) Was an EIR required? ⊠Yes \square No; if yes, was a Draft EIR filed? ⊠Yes (Date: 2/15/11) No ∏No was a Single EIR filed?

Yes (Date:) ⊠No Have other NPCs been filed? Tyes (Date(s):) 🖾 No If this is a NPC solely for lapse of time (see 301 CMR 11.10(2)) proceed directly to **ATTACHMENTS & SIGNATURES.** PERMITS / FINANCIAL ASSISTANCE / LAND TRANSFER List or describe all new or modified state permits, financial assistance, or land transfers not previously reviewed: dd w/ list of State Agency Actions (e.g., Agency Project, Financial Assistance, Land Transfer, List of Permits) Phase 1 of the SCR Project will require additional DEP Wetlands Variances, Water Quality Certification, and MESA Conservation and Management Permit for improvements to the Middleborough Secondary line. Phase 1 may also require additional Chapter 91 license (to be determined). Are you requesting a finding that this project change is insignificant? A change in a Project is ordinarily insignificant if it results solely in an increase in square footage, linear footage, height, depth or other relevant measures of the physical dimensions of the Project of less than 10% over estimates previously reviewed, provided the increase does not meet or exceed any review thresholds. A change in a Project is also ordinarily insignificant if it results solely in an increase in impacts of less than 25% of the level specified in any review threshold, provided that cumulative impacts of the Project do not meet or exceed any review thresholds that were not previously met or exceeded. (see 301 CMR 11.10(6)) Yes No; if yes, provide an explanation of this request in the Project Change Description below. FOR PROJECTS SUBJECT TO AN EIR If the project requires the submission of an EIR, are you requesting that a Scope in a previously issued Certificate be rescinded? ⊠No; if yes, provide an explanation of this request_ If the project requires the submission of an EIR, are you requesting a change to a Scope in a

⊠Yes	No; if yes, provide an explanation of this request	MassDOT requests that the
Secretary i	issue a Scope for Phase 1 of the SCR Project, to allow public	review of potential impacts and
mitigation i	measures associated with project phasing and new project ele	ements (reconstruction of the
Middlebord	ough Secondary and construction of new stations).	•

SUMMARY OF PROJECT CHANGE PARAMETERS AND IMPACTS

Summary of Project Size & Environmental Impacts	Previously reviewed	Net Change (Phase 1)	Currently Proposed (Total)
	LAND		
Total site acreage	16.4 mi new track 35.5 mi upgraded track	+7.6 mi upgraded track	16.4 mi new track 43.1 mi upgraded track
Acres of land altered (stations)	95.3 ac	+10 ac	105.3 ac (approx.)
Acres of impervious area (stations)	13.6 ac	+3 ac	16.6 ac
Square feet of bordering vegetated wetlands alteration	9.6 ac	10,000 sf	6.35 ac
wettarios aiteration	(reduced to 6.1 acres by 30% design)	(approx.)	
Square feet of other wetland alteration	Riverfront 7.9 ac BLSF 6.7 ac LUW 1.9 ac Bank 16.813 lf	TBD	TBD
Acres of non-water dependent use of tidelands or waterways	8400 lf of upgraded track	0	8400 lf of upgraded track
STRUCTURES			
Gross square footage	. N/A		
Number of housing units	N/A		
Maximum height (in feet)	N/A		
TRANSPORTATION			
Vehicle trips per day	-255,932	TBD	TBD
Parking spaces (new)	3,467	+ 500 ¹	3,967
WATER/WASTEWATER			
Gallons/day (GPD) of water use	N/A		

¹ Associated with potential station for Phase 1 service

GPD water withdrawal	N/A	
GPD wastewater generation/ treatment	N/A	
Length of water/sewer mains (in miles)	N/A	

Does the project change involve any new or modified : conversion of public parkland or other Article 97 public natural resources to any purpose not in accordance with Article 97?
5. impact upon an Area of Critical Environmental Concern?

Potential impacts to rare species habitat along Middleborough Secondary.

PROJECT CHANGE DESCRIPTION (attach additional pages as necessary). The project change description should include:

- (a) a brief description of the project as most recently reviewed
- (b) a description of material changes to the project as previously reviewed,
- (c) if applicable, the significance of the proposed changes, with specific reference to the factors listed 301 CMR 11.10(6), and
- (d) measures that the project is taking to avoid damage to the environment or to minimize and mitigate unavoidable environmental impacts. If the change will involve modification of any previously issued Section 61 Finding, include a draft of the modified Section 61 Finding (or it will be required in a Supplemental EIR).

See attached narrative and figures.

ATTACHMENTS & SIGNATURES

Attachments:

- 1. Secretary's most recent Certificate on this project
- Plan showing most recent previously-reviewed proposed build condition
 Plan showing currently proposed build condition
- 4. Original U.S.G.S. map or good quality color copy (8-1/2 x 11 inches or larger) indicating the project location and boundaries
- 5. List of all agencies and persons to whom the proponent circulated the NPC, in accordance with 301 CMR 11.10(7)

Signatures:

Date Signature of Responsible Officer or Proponent	3/15/17 Menuts Change Date Signature of person preparing NPC (if different from above)	
James Eng	Meredith Avery	
Name (print or type)	Name (print or type)	
_MassDOT Firm/Agency	VHB Firm/Agency	
10 Park Plaza, Suite 4160	101 Walnut Street	
Street	Street	
Boston, MA 02116 Municipality/State/Zip	Watertown, MA 02471 Municipality/State/Zip	
857-368-8963 Phone	617-607-2604	
FIIUIE	Phone	