



The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Environmental Health
Community Sanitation Program
250 Washington Street, Boston, MA 02108-4619
Phone: 617-624-5757 Fax: 617-624-5777
TTY: 617-624-5286

CHARLES D. BAKER
Governor

KARYN E. POLITO
Lieutenant Governor

MARYLOU SUDDERS
Secretary

MONICA BHAREL, MD, MPH
Commissioner

Tel: 617-624-6000
www.mass.gov/dph

November 19, 2015

Steven W. Tompkins, Sheriff
Suffolk County Sheriff's Department
20 Bradston Street
Boston, MA 02118

Re: Facility Inspection – Suffolk County House of Correction, Boston

Dear Sheriff Tompkins:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Minimum Requirements for the Management of Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; 105 CMR 520.000 Labeling; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Suffolk County House of Corrections on October 28 and 29, 2015 accompanied by Captain Brian Reynolds, Support Service Supervisor, and John Fallon, EHSO. Violations noted during the inspection are listed below including 17 repeat violations:

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

BUILDING # 1

11th Floor

Staff Bathroom # 1142

Unable to Inspect - Occupied

Classroom # 1145

No Violations Noted

Classroom # 1156

No Violations Noted

Slop Sink Room # 1158

No Violations Noted

Meeting Room

No Violations Noted

Program Area*Classroom # 1 (1151)*

No Violations Noted

Classroom # 2 (1153)

Unable to Inspect - Occupied

Caseworker's Office # 1143

No Violations Noted

Unit 1-11-1*Common Area*

No Violations Noted

Showers

No Violations Noted

Bathroom

No Longer Used

Kitchenette

No Violations Noted

Laundry Area

No Violations Noted

Cells

No Violations Noted

Unit 1-11-2*Common Area*

105 CMR 451.353

Interior Maintenance: Ceiling vent dusty

Showers

105 CMR 451.123

Unable to Inspect Shower # 2 – Occupied
Maintenance: Wall dirty in shower # 1*Bathroom*

No Longer Used

Laundry Area

105 CMR 451.353*

105 CMR 451.353*

Interior Maintenance: Debris behind washing machine
Interior Maintenance: Window cracked near cell # 9*Kitchenette*

No Violations Noted

Cells

No Violations Noted

10th Floor*10th Floor Visiting Room*

No Violations Noted

Room # 1053

No Violations Noted

Room # 1054

Unable to Inspect - Locked

Room # 1059

No Violations Noted

Offices

No Violations Noted

Staff Bathroom # 1074

No Violations Noted

Slop Sink Room # 1050

105 CMR 451.353

Interior Maintenance: Wet mop stored in bucket

Unit 1-10-1

Common Area

No Violations Noted

Shower

No Violations Noted

Kitchenette

No Violations Noted

Cell

105 CMR 451.353

Interior Maintenance: Wall damaged near window next to cell # 8

Unit 1-10-2

Common Area

105 CMR 451.353

Interior Maintenance: Debris behind washer/dryer machines

Showers

No Violations Noted

Kitchenette

No Violations Noted

Cells

105 CMR 451.103

105 CMR 451.353

Mattresses: Mattress damaged in cell # 10, 13, 15, and 16

Interior Maintenance: Wall paint peeling near window outside cell # 9

Unit 1-10-3

Unable to Inspect – No Longer Used

Unit 1-10-4 Women's Infirmary Area

Exam Room

No Violations Noted

9th Floor

Staff Bathroom # 944

105 CMR 451.123

Maintenance: Ceiling vent dusty

Slop Sink # 956

No Violations Noted

Recreational Deck # 940

No Violations Noted

Unit 1-9-1

Common Area

105 CMR 451.353

Interior Maintenance: Ceiling vent dirty

105 CMR 451.353

Interior Maintenance: Debris behind washer/dryer machines

Shower Area

No Violations Noted

Closet

No Violations Noted

Kitchenette

No Violations Noted

Cells

No Violations Noted

Unit 1-9-2

Common Area

No Violations Noted

Shower Area

No Violations Noted

Slop Sink Room

No Violations Noted

Storage Room # 958

No Violations Noted

Kitchenette

No Violations Noted

Laundry

No Violations Noted

Cells

105 CMR 451.103

Mattresses: Mattress damaged in cell # 7

8th Floor

8th Floor Program Area

Unable to Inspect - Locked

Slop Sink # 848

No Violations Noted

Recreational Deck

No Violations Noted

Unit 1-8-1

Common Area

105 CMR 451.353

Interior Maintenance: Ceiling vent dusty

Utility Closet

No Violations Noted

Showers

105 CMR 451.123

Maintenance: Curtain missing in shower # 2

Cells

105 CMR 451.103

Mattresses: Mattress damaged in cell # 12

Unit 1-8-2

Common Area

105 CMR 451.353

Interior Maintenance: Ceiling vent dusty

Showers

No Violations Noted

Cells

105 CMR 451.103

Mattresses: Mattress damaged in cell # 5 and 8

105 CMR 451.353

Interior Maintenance: Debris on floor outside cell # 2

7th Floor (Office Space)

Slop Sink Room # 755

No Violations Noted

Parole Office

FC 4-204.112(A)

Design and Construction, Functionality: No functioning thermometer in refrigerator

6th Floor

6th Floor Meeting Room and Dining Hall

No Violations Noted

Unit 1-6-1

Upper Cells

105 CMR 451.103

Mattresses: Mattress damaged in cell # 23

Upper Showers

105 CMR 451.123*

Maintenance: Soap scum on walls in shower # 1 and 2

Lower Cells

No Violations Noted

Lower Laundry Area

105 CMR 451.353

Interior Maintenance: Suds overflowing from washing machine drain

Lower Shower Area

105 CMR 451.123

Maintenance: Ceiling vent dusty in shower # 1

Inmate Dining Area

No Violations Noted

Recreation Area

105 CMR 451.345

Illumination in Common Passage Ways and Areas: Inadequate lighting, light out

Unit 1-6-2

Common Area

No Violations Noted

Showers

No Violations Noted

Upper Cells

No Violations Noted

Upper Showers

No Violations Noted

Lower Laundry

105 CMR 451.353

Interior Maintenance: Dryer vent damaged

Lower Cells

105 CMR 451.140

Adequate Ventilation: Inadequate ventilation, wall ventilation grille blocked in cell # 1

Lower Showers

No Violations Noted

Staff Bathroom # 656

No Violations Noted

5th Floor

Slop Sink Room # 563

105 CMR 451.353

Interior Maintenance: Light out

5th Floor Custody

Bathroom # 1

No Violations Noted

Bathroom # 2

No Violations Noted

Kitchenette

No Violations Noted

Unit 1-5-1

Common Area

No Violations Noted

Utility Closet # 540

No Violations Noted

Shower Area

No Violations Noted

Kitchenette

No Violations Noted

Cells

No Violations Noted

Unit 1-5-2

Unable to Inspect – Closed

Unit 1-5-2 A

Unable to Inspect – Closed

4th Floor

Hallway

No Violations Noted

Staff Bathroom # 445

No Violations Noted

Slop Sink # 454

No Violations Noted

Utility Room

FC 3-305.12(I)

Preventing Contamination from Premises: Food stored under cleaning products and other chemicals

Visit/Contact Area

No Violations Noted

Unit 1-4-1

Unable to Inspect - Closed

Unit 1-4-2

Common Area

No Violations Noted

Shower Area

No Violations Noted

Kitchenette

No Violations Noted

<i>Cells</i>	No Violations Noted
<u>3rd Floor</u>	
<i>Slop Sink Room # 371</i>	No Violations Noted
<i>Recreational Deck</i>	No Violations Noted
<i>Unit I-3-1</i>	
<i>Common Area</i> 105 CMR 451.353*	Interior Maintenance: Ceiling vent dusty
<i>Room # 333 and 334</i>	No Violations Noted
<i>Storage Room # 336</i>	No Violations Noted
<i>Staff Bathroom # 337</i>	No Violations Noted
<i>Cells</i> 105 CMR 451.103	Mattresses: Mattress damaged in cell # 4
<i>Recreational Deck</i>	No Violations Noted
<i>Unit I-3-2</i>	
<i>Common Area</i> 105 CMR 451.353	Interior Maintenance: Ceiling vent dusty
<i>Staff Bathroom # 360</i>	No Violations Noted
<i>Recreational Room # 368</i>	No Violations Noted
<i>Shower Area</i> 105 CMR 451.123* 105 CMR 451.123	Maintenance: Debris on floor in cell # 3 Maintenance: Wall dirty in shower # 2 and 3
<i>Kitchenette</i> FC 5-205.15(B)	Plumbing System, Operations and Maintenance: Plumbing system not maintained in good repair, sinking dripping
<i>Cells</i> 105 CMR 451.103	Mattresses: Mattress damaged in cell # 2 and 6

2nd Floor

Checkpoint

No Violations Noted

Office Area

FC 4-204.112(A)

Design and Construction, Functionality: No functioning thermometer in refrigerator

Main Visiting

No Violations Noted

Chapel # 170

No Violations Noted

Mosque # 269

No Violations Noted

Staff Bathroom # 263

105 CMR 451.123

Maintenance: Ceiling vent dusty

105 CMR 451.123

Maintenance: Ceiling paint peeling

Slop Sink Room # 271

105 CMR 451.353

Interior Maintenance: Wet mop stored in bucket

105 CMR 451.353

Interior Maintenance: Slop sink drain cover missing

Unit 1-2-1

Common Area

No Violations Noted

Slop Sink Room # 229

No Violations Noted

Staff Bathroom

No Violations Noted

Bathroom # 230

No Violations Noted

Closet # 236

No Violations Noted

Bathroom # 235

105 CMR 451.123*

Maintenance: Shower curtain missing in shower # 2

105 CMR 451.123*

Maintenance: Ceiling vent dusty

105 CMR 451.123

Maintenance: Shower curtain damaged in shower # 1

Storage Room # 14

No Violations Noted

Rooms

105 CMR 451.353

Interior Maintenance: Debris in vent in room # 23

Workout Room # 16

105 CMR 451.353*

Interior Maintenance: Ceiling damaged

Laundry Room
105 CMR 451.353

Interior Maintenance: Debris behind dryer

TV Area
105 CMR 451.353

Interior Maintenance: Ceiling tiles water damaged

1st Floor

Lobby Area

No Violations Noted

Male Bathroom # 139

No Violations Noted

Female Bathroom # 140

No Violations Noted

Lower Administration

Break Area
FC 4-601.11(C)
FC 4-602.12(B)

Cleaning of Equipment and Utensils, Objective: Non-food contact surface dirty,
refrigerator interior dirty
Cleaning of Equipment and Utensils; Frequency: Interior of microwave oven dirty

Male Bathroom
105 CMR 451.123*

Maintenance Ceiling vent dusty

Female Locker room
105 CMR 451.123

Maintenance: Ceiling vent dusty

Central Control

No Violations Noted

Central Control Bathroom

No Violations Noted

Community Work Program

Common Area

No Violations Noted

Control Desk

No Violations Noted

Bathroom/Shower # 109

No Violations Noted

Bathroom # 2

No Violations Noted

Shower # 3
105 CMR 451.123

Maintenance: Shower wall dirty

Shower # 2
105 CMR 451.123

Maintenance: Shower wall dirty

Rooms

No Violations Noted

Laundry Room

105 CMR 451.353

Interior Maintenance: Debris behind washing/drying machines

TV Area

No Violations Noted

Utility Closet

No Violations Noted

Staff Bathroom # 121

No Violations Noted

Computer Room # 122

No Violations Noted

Office # 123

No Violations Noted

Serving Area

No Violations Noted

Slop Sink Room # 125

105 CMR 451.353*

Interior Maintenance: Ceiling vent dusty

BUILDING # 2

Hallway

No Violations Noted

Staff Lounge

FC 4-601.11(C)

Cleaning of Equipment and Utensils, Objective: Non-food contact surface dirty, toaster interior dirty

Vending Machines

No Violations Noted

Water Fountain

No Violations Noted

Female Locker Room # 2109

No Violations Noted

Male Locker Room # 2110 and 2111

No Violations Noted

Weight Room

No Violations Noted

Locker Room # 2119

No Violations Noted

Administrative Staff Area

Male Bathroom # 2221

No Violations Noted

Female Bathroom # 2222

No Violations Noted

Kitchenette

No Violations Noted

BUILDING # 3

3rd Floor

Staff Bathroom # 3378

105 CMR 451.123

Maintenance: Ceiling vent dusty

2nd Floor Housing

Staff Bathroom # 3278 and 3470

Unable to Inspect - Locked

Unit 3-1

Common Area

No Violations Noted

Staff Bathroom # 3270

No Violations Noted

Slop Sink Room # 3265

No Violations Noted

Handicapped Shower Unit # 3266

No Violations Noted

Laundry Storage # 3366

No Violations Noted

Lower Laundry Area

No Violations Noted

Lower Shower Area

105 CMR 451.123

Maintenance: Shower curtain missing in shower # 2 and 3

Kitchenette

No Violations Noted

Upper Laundry Area

105 CMR 451.353

Interior Maintenance: Debris behind washing/drying machines

Upper Shower Area

105 CMR 451.123

Maintenance: Shower curtain missing in shower # 2

105 CMR 451.123

Maintenance: Shower curtain damaged in shower # 4

105 CMR 451.123

Maintenance: Ceiling vent dusty in shower # 1, 3, and 5

105 CMR 451.123

Maintenance: Wall dirty in shower # 1 and 3

105 CMR 451.123

Maintenance: Floor dirty in shower # 3

Cells

No Violations Noted

Recreational Deck 3-1 and 3-2

No Violations Noted

Unit 3-2

Common Area

No Violations Noted

Staff Bathroom # 3296

No Violations Noted

Storage Room # 3392

No Violations Noted

Handicapped Shower # 3293

No Violations Noted

Slop Sink Room # 3294

No Violations Noted

Lower Laundry Area

Unable to Inspect – Under Repair

Lower Shower Area

105 CMR 451.123

Maintenance: Shower curtain missing in shower # 1, 2, and 5

Kitchenette

Unable to Inspect – Under Repair

Upper Laundry Area

No Violations Noted

Upper Shower Area

105 CMR 451.123

Maintenance: Shower curtain missing in shower # 8 and 10

Uniform Storage # 3390

No Violations Noted

Slop Sink Room # 3393

No Violations Noted

Cells (cell # 17-24 under repair)

No Violations Noted

Staff Bathroom # 3479

No Violations Noted

Unit 3-3

Unable to Inspect – Not in Use

Unit 3-4

Common Area

No Violations Noted

Recreational Deck 3-4

No Violations Noted

Handicapped Shower # 3491

No Violations Noted

Slop Sink # 3492

No Violations Noted

Staff Bathroom # 3494

No Violations Noted

Lower Laundry Area

No Violations Noted

Lower Shower Area

No Violations Noted

Kitchenette

No Violations Noted

Upper Laundry Area

No Violations Noted

Upper Shower Area

105 CMR 451.123

Maintenance: Wall dirty in shower # 8, 9, and 10

Slop Sink Room # 3582

No Violations Noted

Uniform Storage # 3581

No Violations Noted

Cells

No Violations Noted

1st Floor Education Area

Common Area

No Violations Noted

Classrooms

No Violations Noted

Library # 3149

No Violations Noted

Staff Bathroom # 3142

No Violations Noted

Inmate Bathroom # 3162

Unable to Inspect - Occupied

Office Area # 3131

No Violations Noted

Office Staff Bathroom # 3126

No Violations Noted

Main Laundry

Hallway

105 CMR 451.353

Interior Maintenance: Ceiling tile missing

Office

No Violations Noted

Storage # 3184

No Violations Noted

Laundry Area

105 CMR 451.353

Interior Maintenance: Standing water on floor

Two-Compartment Sink

No Violations Noted

Handwash Sink

No Violations Noted

Bathroom # 3181

No Violations Noted

BUILDING # 4

Dining Hall # 4137

No Violations Noted

Bathroom # 4257 and 4268

No Violations Noted

Bathroom # 4275 and 4285

No Violations Noted

Bathroom # 4354 and 4366

No Violations Noted

Bathroom # 4374 and 4387

No Violations Noted

Slop Sink # 4375

No Violations Noted

Unit 4-1

Common Area

No Violations Noted

Kitchenette

No Violations Noted

Slop Sink Room

No Violations Noted

Lower Shower Area

105 CMR 451.123

Maintenance: Curtain missing in shower # 3 and 4

Handicapped Shower # 4364

No Violations Noted

Upper Shower Area

105 CMR 451.123

Maintenance: Shower curtain missing in shower # 6

Handicapped Shower # 4365

No Violations Noted

Cells

No Violations Noted

Unit 4-2

Staff Bathroom # 4254

No Violations Noted

Bathroom # 4268

No Violations Noted

Common Area

No Violations Noted

Kitchenette

No Violations Noted

Laundry Area

No Violations Noted

Storage Room # 6123

No Violations Noted

TV Room # 4273

No Violations Noted

Room # 4352

No Violations Noted

<i>Laundry Storage Room</i>	No Violations Noted
<i>Slop Sink Room</i>	No Violations Noted
<i>Cells</i>	No Violations Noted
<i>Utility Room # 4388</i>	No Violations Noted
<i>Handicapped Shower # 4274</i>	No Violations Noted
<i>Bathroom # 4285</i>	No Violations Noted
<i>Handicapped Shower # 4256</i>	No Violations Noted
<i>Unit 4-3</i>	
<i>Common Area</i>	No Violations Noted
<i>Kitchenette</i>	No Violations Noted
<i>Slop Sink Room</i>	No Violations Noted
<i>Lower Shower Area</i>	Unable to Inspect – In Use
<i>Upper Shower Area</i> 105 CMR 451.123	Maintenance: Shower curtain missing in shower # 2, 4, 5, and 6
<i>Handicapped Shower # 4377</i>	No Violations Noted
<i>Cells</i>	No Violations Noted
<i>Unit 4-4 DCAM Office</i> FC 4-602.12(B) FC 4-602.12(B)	Cleaning of Equipment and Utensils; Frequency: Interior of toaster oven dirty Cleaning of Equipment and Utensils; Frequency: Interior of microwave oven dirty
<i>CGI</i>	
<i>Industries</i>	No Violations Noted
<i>Maintenance Department</i>	No Violations Noted

Slop Sink Closet

No Violations Noted

Staff Bathroom

No Violations Noted

Inmate Bathroom

No Violations Noted

BUILDING # 5

Food Service Area

Section 1

Inmate Locker Room

FC 6-501.111(B)

Maintenance and Operations; Pest Control: Flying insects observed

Slop Sink Room

FC 6-501.111(B)

Maintenance and Operations; Pest Control: Flying insects observed

Chemical Storage

No Violations Noted

Staff Bathroom

105 CMR 451.123

Maintenance: Ceiling vent dusty

Mechanical Warewashing Area

FC 6-501.12(A)*

Maintenance and Operation; Cleaning: Facility not cleaned properly, standing water observed under tray warewash machine

FC 6-501.11

Maintenance and Operation; Repairing: Facility not in good repair, ceiling damaged above warewash machine

Pot Wash Area

FC 6-501.11

Maintenance and Operation; Repairing: Facility not in good repair, floor damaged

FC 6-501.14

Maintenance and Operation; Cleaning: Ventilation Systems, ceiling vent blocked

Pot Wash Handwash Sink

No Violations Noted

Tray Area Handwash Sink

FC 5-205.15(B)

Plumbing System, Operations and Maintenance: Plumbing system not maintained in good repair, faucet loose

Section 2

Kettles

No Violations Noted

Handwash Sink

FC 5-205.15(B)

Plumbing System, Operations and Maintenance: Plumbing system not maintained in good repair, sink continually running

Prep-Sink

No Violations Noted

Supply Room

No Violations Noted

Office

No Violations Noted

Section 3

Stove Top Area

No Violations Noted

Section 4

No Violations Noted

Prep-Table

No Violations Noted

Refrigerator # 1

No Violations Noted

Bread Cooler # 2

No Violations Noted

Refrigerator # 3

No Violations Noted

Freezer # 4

FC 4-602.13

Cleaning of Equipment and Utensils, Frequency: Nonfood-Contact Surfaces dirty, ice build-up on fire extinguisher

FC 4-602.13

Cleaning of Equipment and Utensils, Frequency: Nonfood-Contact Surfaces dirty, ice build-up on wall fans

Refrigerator # 5

No Violations Noted

Ice Machine

FC 4-602.13

Cleaning of Equipment and Utensils, Frequency: Nonfood-Contact Surfaces dirty, condensation buildup on inside of ice machine

Section 5

Pots and Pans Room

No Violations Noted

Special Diet Area

No Violations Noted

Section 6

FC 6-501.111(B)

Maintenance and Operations; Pest Control: Drain flies observed

FC 6-501.11

Maintenance and Operation; Repairing: Facility not in good repair, wall divider damaged

Refrigerator # 6

FC 3-304.12(A)

Preventing Contamination from Utensils: Service utensils handle stored below the food and container line

FC 6-501.11

Maintenance and Operation; Repairing: Facility not in good repair, wall damaged

2-Bay Sink Area

No Violations Noted

Prep-Refrigerators and Tray Assembly Line

No Violations Noted

Staff Food Line and Dining Room

FC 7-206.12

Poisonous or Toxic Materials; Pesticides: Rodent traps not covered and tamper resistant Design, Construction, and Installation; Functionality: Outer door not weather and vermin tight

FC 6-202.15(A)(2)

Warehouse

FC 3-302.11(A)(4)

Preventing Food and Ingredient Contamination: Preventing cross contamination, macaroni not appropriately covered

Commissary

FC 3-302.11(A)(4)

Preventing Food and Ingredient Contamination: Preventing cross contamination, cereal not appropriately covered

Staff Bathroom

No Violations Noted

BUILDING # 6

105 CMR 451.350*

Structural Maintenance: Outer door not rodent and weathertight near commissary

Health Services Medical Area

Hallway

No Violations Noted

Exam Room # 1 (3172)

No Violations Noted

Exam Room # 2 (3134)

No Violations Noted

Exam Room # 3 (3171)

No Violations Noted

Exam Room # 4 (3133)

No Violations Noted

File Room # 6226

105 CMR 451.353

Interior Maintenance: Ceiling tiles water stained

Inmate Bathroom # 6229

105 CMR 451.110(A)

Hygiene Supplies at Toilet and Handwash Sink: No paper towels at handwash sink

X-Ray Room # 6265

No Violations Noted

Dental Exam Room # 6261

No Violations Noted

Dental Storage Closet

No Violations Noted

<i>Medication Room</i>	No Violations Noted
<i>Lab Room # 6268</i>	No Violations Noted
<i>Break Room</i>	No Violations Noted
<i>Medical Unit</i>	
<i>Storage # 6253</i>	No Violations Noted
<i>Recreational Room # 6258</i>	No Violations Noted
<i>Kitchenette # 6256</i>	No Violations Noted
<i>Isolation Cells</i>	No Violations Noted
<i>Isolation Handwash Sink</i>	No Violations Noted
<i>Cells</i>	No Violations Noted
<i>Shower Area</i>	No Violations Noted
<i>Inmate Property # 6246</i>	No Violations Noted
<i>Staff Bathroom # 6247</i>	No Violations Noted
<i>Chemical Storage Room # 6248</i>	No Violations Noted
<i>Medical Waste/Biohazard Storage # 6250</i>	No Violations Noted
<i>Storage Room # 6252</i> 105 CMR 451.353	Interior Maintenance: Oxygen tanks not secured
<i>Storage Room # 6253</i>	No Violations Noted
<i>Office # 6254</i>	No Violations Noted

Booking Area

Hallway

No Violations Noted

Control

No Violations Noted

Holding Cell # 6105

No Violations Noted

Property Room # 6106

No Violations Noted

Old Shower Room # 6111

No Violations Noted

Male Holding Cells

No Violations Noted

Bathroom # 6114

No Violations Noted

Break Room # 6131

No Violations Noted

Staff Bathroom # 6135

No Violations Noted

Female Property Room

No Violations Noted

Female Changing Room # 6138

No Violations Noted

Storage Room # 6139

No Violations Noted

Female Holding Cells

No Violations Noted

BUILDING # 7

Vehicle Trap

105 CMR 451.350

Structural Maintenance: Ceiling damaged

Bathroom

No Violations Noted

BUILDING # 8

Lobby Areas

No Violations Noted

Unit 8-1*Staff Bathroom*

No Violations Noted

Common Area

No Violations Noted

Electrical # 8-108

No Violations Noted

Staff Break Room # 8-116

No Violations Noted

Laundry Area

No Violations Noted

Slop Sink Room # 8-123

No Violations Noted

Bathroom # 8-121

105 CMR 451.123

Maintenance: Floor damaged

Bathroom # 8-122

105 CMR 451.123*

Maintenance: Floor damaged

Holding Cell # 7

No Violations Noted

Cells

No Violations Noted

Unit 8-2*Hallway*

No Violations Noted

Staff Bathroom # 8-206

No Violations Noted

Medical # 8-207

No Violations Noted

Medical # 8-212

No Violations Noted

Storage # 8-226

No Violations Noted

Common Area

No Violations Noted

Laundry Area

No Violations Noted

<i>Room # 8-215</i>	No Violations Noted
<i>Recreational Room # 8-215 and 8-216</i>	No Violations Noted
<i>Recreational Room # 8-217</i>	No Violations Noted
<i>Storage # 8-218 A & B</i>	No Violations Noted
<i>Inmate Bathroom # 8-221</i> 105 CMR 451.123	Maintenance: Soap scum on floor in shower # 1 and 2
<i>Inmate Bathroom # 8-222</i>	No Violations Noted
<i>Slop Sink # 8-223</i>	No Violations Noted
<i>Cells</i>	No Violations Noted
<i>Unit 8-3</i>	
<i>Hallway</i>	No Violations Noted
<i>Staff Bathroom # 8-306</i>	No Violations Noted
<i>Storage # 8-307</i> FC 4-501.11(A)*	Maintenance and Operation, Equipment: Equipment not maintained in a state of good repair, shelf rusted in refrigerator
<i>Storage # 8-326</i>	No Violations Noted
<i>Inmate Property # 8-311</i>	No Violations Noted
<i>Common Area</i>	No Violations Noted
<i>Laundry Area</i>	No Violations Noted
<i>Room # 8-315</i>	No Violations Noted
<i>Recreational Room # 8-316</i>	No Violations Noted

Recreational Room # 8-317

No Violations Noted

Storage # 8-318A

No Violations Noted

Inmate Bathroom # 8-321

105 CMR 451.123*

Maintenance: Floor damaged throughout bathroom

Inmate Bathroom # 8-322

105 CMR 451.123*

Maintenance: Floor left unfinished

Slop Sink Room # 8-323

No Violations Noted

Cells

No Violations Noted

Unit 8-4

Unable to Inspect - Closed

Observations and Recommendations

1. The inmate population was 832 at the time of inspection.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X – Minimum Sanitation Standards for Food Establishments" and "[1999 Food Code](#)".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "General Food Regulations" click "105 CMR 520.000: Labeling."

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Jonathan Brown
Environmental Health Inspector, CSP, BEH

cc: Jan Sullivan, Acting Director, BEH
Steven Hughes, Director, CSP, BEH
Jay Youmans, Director of Government Affairs
Marylou Sudders, Secretary, Executive Office of Health and Human Services
Carol Higgins O'Brien, Commissioner, DOC
Yolanda Smith, Superintendent
Brian Reynolds, Captain, Support Service Supervisor
John Fallon, EHSO/FS
Diane Chalifoux-Judge, R.S., Principal Health Inspector, Boston Inspectional Services
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Daniel Bennett, Secretary, EOPS