

TABLE 2

Cancer Incidence in CT 4221, Weymouth, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	3	3.3	NC	NC -- NC	2	2.3	NC	NC -- NC	1	0.9	NC	NC -- NC
Brain	1	1.3	NC	NC -- NC	1	0.7	NC	NC -- NC	0	0.6	NC	NC -- NC
Kidney	8	2.2	357 *	154 -- 704	5	1.4	366 *	118 -- 854	3	0.9	NC	NC -- NC
Leukemia	2	1.9	NC	NC -- NC	2	1.1	NC	NC -- NC	0	0.8	NC	NC -- NC
Liver	1	0.6	NC	NC -- NC	0	0.5	NC	NC -- NC	1	0.2	NC	NC -- NC
Lung	16	13.6	118	67 -- 192	9	7.4	121	55 -- 230	7	6.1	114	46 -- 236
NHL	4	3.5	NC	NC -- NC	2	1.8	NC	NC -- NC	2	1.7	NC	NC -- NC
Pancreas	6	2.0	305 *	111 -- 664	3	0.9	NC	NC -- NC	3	1.0	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 3

Cancer Incidence in CT 4222, Weymouth, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	7	5.1	137	55 -- 282	4	3.7	NC	NC -- NC	3	1.4	NC	NC -- NC
Brain	5	2.1	252	81 -- 589	3	1.1	NC	NC -- NC	2	0.9	NC	NC -- NC
Kidney	4	3.4	NC	NC -- NC	3	2.1	NC	NC -- NC	1	1.3	NC	NC -- NC
Leukemia	2	2.9	NC	NC -- NC	2	1.7	NC	NC -- NC	0	1.3	NC	NC -- NC
Liver	1	0.9	NC	NC -- NC	1	0.7	NC	NC -- NC	0	0.2	NC	NC -- NC
Lung	31	20.7	150	* 102 -- 212	17	11.4	150	87 -- 239	14	9.3	150	82 -- 252
NHL	9	5.5	163	75 -- 310	6	2.9	207	76 -- 451	3	2.6	NC	NC -- NC
Pancreas	2	3.0	NC	NC -- NC	2	1.5	NC	NC -- NC	0	1.6	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 4

Cancer Incidence in CT 4223, Weymouth, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	12	6.6	182	94 -- 319	8	4.7	170	73 -- 335	4	1.9	NC	NC -- NC
Brain	3	2.6	NC	NC -- NC	1	1.4	NC	NC -- NC	2	1.1	NC	NC -- NC
Kidney	4	4.5	NC	NC -- NC	2	2.7	NC	NC -- NC	2	1.8	NC	NC -- NC
Leukemia	1	3.8	NC	NC -- NC	1	2.1	NC	NC -- NC	0	1.7	NC	NC -- NC
Liver	1	1.2	NC	NC -- NC	1	0.9	NC	NC -- NC	0	0.3	NC	NC -- NC
Lung	41	27.2	151	* 108 -- 204	20	14.8	135	82 -- 209	21	12.4	169	* 105 -- 259
NHL	7	7.1	98	39 -- 203	5	3.7	135	43 -- 315	2	3.4	NC	NC -- NC
Pancreas	1	3.9	NC	NC -- NC	1	1.9	NC	NC -- NC	0	2.1	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 5

Cancer Incidence in CT 4224, Weymouth, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	9	7.6	119	54 -- 225	7	4.8	146	59 -- 301	2	2.8	NC	NC -- NC
Brain	2	2.3	NC	NC -- NC	1	1.2	NC	NC -- NC	1	1.2	NC	NC -- NC
Kidney	3	4.5	NC	NC -- NC	1	2.4	NC	NC -- NC	2	2.1	NC	NC -- NC
Leukemia	3	4.0	NC	NC -- NC	3	1.9	NC	NC -- NC	0	2.1	NC	NC -- NC
Liver	1	1.2	NC	NC -- NC	0	0.8	NC	NC -- NC	1	0.4	NC	NC -- NC
Lung	37	28.9	128	90 -- 176	18	14.0	129	76 -- 204	19	15.0	127	76 -- 198
NHL	9	7.6	118	54 -- 224	8	3.3	241	* 104 -- 475	1	4.3	NC	NC -- NC
Pancreas	7	4.8	146	58 -- 300	4	1.8	NC	NC -- NC	3	3.0	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 6

Cancer Incidence in CT 4225, Weymouth, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	5	6.6	76	25 -- 177	4	4.6	NC	NC -- NC	1	2.0	NC	NC -- NC
Brain	2	2.7	NC	NC -- NC	1	1.4	NC	NC -- NC	1	1.2	NC	NC -- NC
Kidney	6	4.5	132	48 -- 288	2	2.7	NC	NC -- NC	4	1.9	NC	NC -- NC
Leukemia	2	3.9	NC	NC -- NC	1	2.1	NC	NC -- NC	1	1.8	NC	NC -- NC
Liver	0	1.2	NC	NC -- NC	0	0.9	NC	NC -- NC	0	0.3	NC	NC -- NC
Lung	36	27.5	131	92 -- 181	16	14.4	111	63 -- 180	20	13.1	153	93 -- 236
NHL	6	7.3	82	30 -- 178	2	3.7	NC	NC -- NC	4	3.6	NC	NC -- NC
Pancreas	4	4.0	NC	NC -- NC	3	1.8	NC	NC -- NC	1	2.2	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 7

Cancer Incidence in CT 4226, Weymouth, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	8	5.0	160	69 -- 315	5	3.7	137	44 -- 319	3	1.3	NC	NC -- NC
Brain	1	1.9	NC	NC -- NC	0	1.1	NC	NC -- NC	1	0.8	NC	NC -- NC
Kidney	1	3.4	NC	NC -- NC	1	2.1	NC	NC -- NC	0	1.3	NC	NC -- NC
Leukemia	1	2.8	NC	NC -- NC	0	1.6	NC	NC -- NC	1	1.2	NC	NC -- NC
Liver	1	0.9	NC	NC -- NC	0	0.7	NC	NC -- NC	1	0.2	NC	NC -- NC
Lung	21	20.8	101	62 -- 154	10	11.6	86	41 -- 159	11	9.2	119	59 -- 213
NHL	2	5.3	NC	NC -- NC	1	2.8	NC	NC -- NC	1	2.5	NC	NC -- NC
Pancreas	2	2.9	NC	NC -- NC	0	1.5	NC	NC -- NC	2	1.5	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 8

Cancer Incidence in CT 4227, Weymouth, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	5	3.1	160	52 -- 374	4	2.3	NC	NC -- NC	1	0.9	NC	NC -- NC
Brain	1	1.2	NC	NC -- NC	1	0.6	NC	NC -- NC	0	0.5	NC	NC -- NC
Kidney	5	2.1	240	77 -- 560	3	1.3	NC	NC -- NC	2	0.8	NC	NC -- NC
Leukemia	3	1.7	NC	NC -- NC	1	1.0	NC	NC -- NC	2	0.8	NC	NC -- NC
Liver	1	0.6	NC	NC -- NC	0	0.4	NC	NC -- NC	1	0.2	NC	NC -- NC
Lung	16	12.9	124	71 -- 202	8	7.1	113	49 -- 222	8	5.8	139	60 -- 273
NHL	3	3.3	NC	NC -- NC	2	1.7	NC	NC -- NC	1	1.6	NC	NC -- NC
Pancreas	1	1.9	NC	NC -- NC	0	0.9	NC	NC -- NC	1	1.0	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 9

Cancer Incidence in CT 4228, Weymouth, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	4	3.7	NC	NC -- NC	3	2.7	NC	NC -- NC	1	1.0	NC	NC -- NC
Brain	4	1.3	NC	NC -- NC	4	0.7	NC	NC -- NC	0	0.6	NC	NC -- NC
Kidney	0	2.4	NC	NC -- NC	0	1.5	NC	NC -- NC	0	0.9	NC	NC -- NC
Leukemia	5	2.0	254	82 -- 593	1	1.1	NC	NC -- NC	4	0.8	NC	NC -- NC
Liver	1	0.7	NC	NC -- NC	1	0.5	NC	NC -- NC	0	0.2	NC	NC -- NC
Lung	25	14.9	168	* 109 -- 248	15	8.4	178	100 -- 294	10	6.5	154	74 -- 284
NHL	5	3.7	135	43 -- 314	1	2.0	NC	NC -- NC	4	1.7	NC	NC -- NC
Pancreas	2	2.1	NC	NC -- NC	1	1.1	NC	NC -- NC	1	1.1	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.