

TABLE 10

Cancer Incidence in Abington, MA : 1995-1998

Cancer Type	Total					Males					Females				
	Obs	Exp	SIR	95% CI		Obs	Exp	SIR	95% CI		Obs	Exp	SIR	95% CI	
Bladder	12	9.6	125	64	-- 218	9	6.8	133	61	-- 252	3	2.8	NC	NC	-- NC
Brain	1	3.7	NC	NC	-- NC	0	2.1	NC	NC	-- NC	1	1.7	NC	NC	-- NC
Kidney	7	6.4	109	44	-- 224	5	3.9	129	41	-- 300	2	2.5	NC	NC	-- NC
Leukemia	6	5.6	106	39	-- 231	6	3.1	193	70	-- 420	0	2.5	NC	NC	-- NC
Liver	0	1.8	NC	NC	-- NC	0	1.3	NC	NC	-- NC	0	0.5	NC	NC	-- NC
Lung	46	38.6	119	87	-- 159	30	20.9	144	97	-- 205	16	17.7	90	52	-- 147
NHL	8	10.4	77	33	-- 152	8	5.4	149	64	-- 294	0	5.0	NC	NC	-- NC
Pancreas	5	5.8	86	28	-- 202	2	2.7	NC	NC	-- NC	3	3.1	NC	NC	-- NC

Note: SIRs are calculated based on the exact number of expected cases.

Expected number of cases presented are rounded to the nearest tenth.

SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases

95% CI = 95% Confidence Interval

Exp = Expected number of cases

NC = Not calculated

SIR = Standardized Incidence Ratio

* = Statistical significance

NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 11

Cancer Incidence in CT 5201, Abington, MA : 1995-1998

Cancer Type	Total					Males					Females				
	Obs	Exp	SIR	95% CI		Obs	Exp	SIR	95% CI		Obs	Exp	SIR	95% CI	
Bladder	7	4.4	161	64	-- 331	6	3.1	195	71	-- 425	1	1.3	NC	NC	-- NC
Brain	0	1.6	NC	NC	-- NC	0	0.9	NC	NC	-- NC	0	0.7	NC	NC	-- NC
Kidney	4	2.8	NC	NC	-- NC	3	1.7	NC	NC	-- NC	1	1.1	NC	NC	-- NC
Leukemia	2	2.5	NC	NC	-- NC	2	1.4	NC	NC	-- NC	0	1.1	NC	NC	-- NC
Liver	0	0.8	NC	NC	-- NC	0	0.6	NC	NC	-- NC	0	0.2	NC	NC	-- NC
Lung	12	16.9	71	37	-- 124	8	9.4	85	37	-- 168	4	7.5	NC	NC	-- NC
NHL	4	4.6	NC	NC	-- NC	4	2.4	NC	NC	-- NC	0	2.2	NC	NC	-- NC
Pancreas	0	2.6	NC	NC	-- NC	0	1.2	NC	NC	-- NC	0	1.4	NC	NC	-- NC

Note: SIRs are calculated based on the exact number of expected cases.

Expected number of cases presented are rounded to the nearest tenth.

SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases

95% CI = 95% Confidence Interval

Exp = Expected number of cases

NC = Not calculated

SIR = Standardized Incidence Ratio

* = Statistical significance

NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 12

Cancer Incidence in CT 5202.01, Abington, MA : 1995-1998

Cancer Type	Total						Males						Females					
	Obs	Exp	SIR	95% CI			Obs	Exp	SIR	95% CI			Obs	Exp	SIR	95% CI		
Bladder	4	2.3	NC	NC	--	NC	2	1.7	NC	NC	--	NC	2	0.6	NC	NC	--	NC
Brain	1	1.0	NC	NC	--	NC	0	0.6	NC	NC	--	NC	1	0.4	NC	NC	--	NC
Kidney	0	1.6	NC	NC	--	NC	0	1.0	NC	NC	--	NC	0	0.6	NC	NC	--	NC
Leukemia	1	1.4	NC	NC	--	NC	1	0.8	NC	NC	--	NC	0	0.6	NC	NC	--	NC
Liver	0	0.4	NC	NC	--	NC	0	0.3	NC	NC	--	NC	0	0.1	NC	NC	--	NC
Lung	15	9.6	156	87	--	258	10	5.4	186	89	--	343	5	4.2	118	38	--	275
NHL	1	2.5	NC	NC	--	NC	1	1.4	NC	NC	--	NC	0	1.2	NC	NC	--	NC
Pancreas	2	1.4	NC	NC	--	NC	0	0.7	NC	NC	--	NC	2	0.7	NC	NC	--	NC

Note: SIRs are calculated based on the exact number of expected cases.

Expected number of cases presented are rounded to the nearest tenth.

SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases

95% CI = 95% Confidence Interval

Exp = Expected number of cases

NC = Not calculated

SIR = Standardized Incidence Ratio

* = Statistical significance

NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 13

Cancer Incidence in CT 5202.02, Abington, MA : 1995-1998

Cancer Type	Total						Males						Females					
	Obs	Exp	SIR	95% CI			Obs	Exp	SIR	95% CI			Obs	Exp	SIR	95% CI		
Bladder	1	3.0	NC	NC	--	NC	1	2.0	NC	NC	--	NC	0	0.9	NC	NC	--	NC
Brain	0	1.2	NC	NC	--	NC	0	0.6	NC	NC	--	NC	0	0.5	NC	NC	--	NC
Kidney	3	2.0	NC	NC	--	NC	2	1.2	NC	NC	--	NC	1	0.8	NC	NC	--	NC
Leukemia	3	1.8	NC	NC	--	NC	3	0.9	NC	NC	--	NC	0	0.8	NC	NC	--	NC
Liver	0	0.5	NC	NC	--	NC	0	0.4	NC	NC	--	NC	0	0.2	NC	NC	--	NC
Lung	19	12.1	157	94	--	245	12	6.1	195	* 101	--	341	7	6.0	117	47	--	242
NHL	3	3.3	NC	NC	--	NC	3	1.6	NC	NC	--	NC	0	1.7	NC	NC	--	NC
Pancreas	3	1.8	NC	NC	--	NC	2	0.8	NC	NC	--	NC	1	1.0	NC	NC	--	NC

Note: SIRs are calculated based on the exact number of expected cases.

Expected number of cases presented are rounded to the nearest tenth.

SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases

95% CI = 95% Confidence Interval

Exp = Expected number of cases

NC = Not calculated

SIR = Standardized Incidence Ratio

* = Statistical significance

NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.