

TABLE 14

Cancer Incidence in Hingham, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	20	14.9	134	82 -- 207	14	10.6	132	72 -- 222	6	4.3	139	51 -- 303
Brain	4	5.6	NC	NC -- NC	1	3.1	NC	NC -- NC	3	2.5	NC	NC -- NC
Kidney	10	10.0	100	48 -- 184	7	6.1	115	46 -- 236	3	3.9	NC	NC -- NC
Leukemia	5	8.5	59	19 -- 137	4	4.7	NC	NC -- NC	1	3.8	NC	NC -- NC
Liver	5	2.8	181	58 -- 421	3	2.0	NC	NC -- NC	2	0.7	NC	NC -- NC
Lung	42	60.6	69	* 50 -- 94	23	33.2	69	44 -- 104	19	27.4	69	42 -- 108
NHL	16	15.6	102	59 -- 166	10	8.1	124	59 -- 227	6	7.5	80	29 -- 174
Pancreas	11	8.9	123	61 -- 220	6	4.3	141	51 -- 307	5	4.7	107	34 -- 249

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 15

Cancer Incidence in CT 5011.01, Hingham, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	2	2.7	NC	NC -- NC	2	2.0	NC	NC -- NC	0	0.7	NC	NC -- NC
Brain	1	1.0	NC	NC -- NC	0	0.5	NC	NC -- NC	1	0.4	NC	NC -- NC
Kidney	4	1.8	NC	NC -- NC	2	1.1	NC	NC -- NC	2	0.7	NC	NC -- NC
Leukemia	1	1.5	NC	NC -- NC	0	0.8	NC	NC -- NC	1	0.6	NC	NC -- NC
Liver	2	0.5	NC	NC -- NC	1	0.4	NC	NC -- NC	1	0.1	NC	NC -- NC
Lung	5	10.9	46	15 -- 107	3	6.1	NC	NC -- NC	2	4.8	NC	NC -- NC
NHL	2	2.7	NC	NC -- NC	2	1.4	NC	NC -- NC	0	1.3	NC	NC -- NC
Pancreas	2	1.6	NC	NC -- NC	1	0.8	NC	NC -- NC	1	0.8	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 16

Cancer Incidence in CT 5011.02, Hingham, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	9	5.3	169	77 -- 320	5	3.7	135	44 -- 316	4	1.6	NC	NC -- NC
Brain	2	2.0	NC	NC -- NC	1	1.1	NC	NC -- NC	1	0.9	NC	NC -- NC
Kidney	1	3.6	NC	NC -- NC	1	2.1	NC	NC -- NC	0	1.5	NC	NC -- NC
Leukemia	2	3.1	NC	NC -- NC	2	1.6	NC	NC -- NC	0	1.4	NC	NC -- NC
Liver	2	1.0	NC	NC -- NC	1	0.7	NC	NC -- NC	1	0.3	NC	NC -- NC
Lung	13	21.7	60	32 -- 103	5	11.5	44	14 -- 102	8	10.2	78	34 -- 154
NHL	7	5.7	123	49 -- 254	4	2.8	NC	NC -- NC	3	2.8	NC	NC -- NC
Pancreas	3	3.3	NC	NC -- NC	1	1.5	NC	NC -- NC	2	1.8	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.

TABLE 17

Cancer Incidence in CT 5012, Hingham, MA : 1995-1998

Cancer Type	Total				Males				Females			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	9	6.8	132	60 -- 251	7	4.9	143	57 -- 295	2	1.9	NC	NC -- NC
Brain	1	2.6	NC	NC -- NC	0	1.5	NC	NC -- NC	1	1.1	NC	NC -- NC
Kidney	5	4.7	107	34 -- 249	4	2.9	NC	NC -- NC	1	1.8	NC	NC -- NC
Leukemia	2	4.0	NC	NC -- NC	2	2.2	NC	NC -- NC	0	1.7	NC	NC -- NC
Liver	1	1.3	NC	NC -- NC	1	1.0	NC	NC -- NC	0	0.3	NC	NC -- NC
Lung	24	27.9	86	55 -- 128	15	15.6	96	54 -- 159	9	12.3	73	33 -- 139
NHL	7	7.2	98	39 -- 201	4	3.8	NC	NC -- NC	3	3.4	NC	NC -- NC
Pancreas	6	4.1	147	54 -- 321	4	2.0	NC	NC -- NC	2	2.1	NC	NC -- NC

Note: SIRs are calculated based on the exact number of expected cases.
 Expected number of cases presented are rounded to the nearest tenth.
 SIRs and 95% CI are not calculated when observed number of cases < 5.

Obs = Observed number of cases 95% CI = 95% Confidence Interval
 Exp = Expected number of cases NC = Not calculated
 SIR = Standardized Incidence Ratio * = Statistical significance
 NHL = Non-Hodgkin's Lymphoma

Data Source: Massachusetts Cancer Registry. Bureau of Health Statistics, Research & Evaluation, Massachusetts Department of Public Health.