

Cancer Incidence in Pittsfield

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	3	3.9	NC	NC -	NC U	2	2.0	NC	NC -	NC U	1	2.0	NC	NC -	NC U
	2000-2004	6	5.1	117	43 -	255 U	4	2.8	NC	NC -	NC U	2	2.3	NC	NC -	NC U
	2005-2009	8	5.9	136	59 -	268 U	2	3.1	NC	NC -	NC U	6	2.8	213	78 -	464 U
	2010-2014	5	6.9	73	23 -	170 U	2	3.6	NC	NC -	NC U	3	3.3	NC	NC -	NC U
	2015-2019	4	6.3	NC	NC -	NC U	2	3.5	NC	NC -	NC U	2	2.8	NC	NC -	NC U
Bladder (in situ and invasive)	1995-1999	73	79.6	92	72 -	115	50	56.0	89	66 -	118	23	23.6	97	62 -	146
	2000-2004	94	83.5	113	91 -	138	71	59.8	119	93 -	150	23	23.6	97	62 -	146
	2005-2009	86	81.8	105	84 -	130	63	59.2	106	82 -	136	23	22.6	102	65 -	153
	2010-2014	90	76.4	118	95 -	145	69	55.6	124	96 -	157	21	20.7	101	63 -	155
	2015-2019	93	75.6	123	99 -	151	62	55.7	111	85 -	143	31	19.9	156 *	106 -	221
Breast	1995-1999	232	226	103	90 -	117	1	1.6	NC	NC -	NC U	231	224.4	103	90 -	117
	2000-2004	219	216	101	88 -	116	3	1.7	NC	NC -	NC U	216	214.2	101	88 -	115
	2005-2009	222	211.9	105	91 -	119	1	1.7	NC	NC -	NC U	221	210.2	105	92 -	120
	2010-2014	189	216	87	75 -	101	0	1.8	NC	NC -	NC U	189	214.2	88	76 -	102
	2015-2019	198	224.4	88	76 -	101	1	2.1	NC	NC -	NC U	197	222.3	89	77 -	102
Childhood ALL	1995-1999	3	1.9	NC	NC -	NC U	1	1.0	NC	NC -	NC U	2	0.9	NC	NC -	NC U
	2000-2004	1	1.7	NC	NC -	NC U	1	1.0	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2005-2009	4	2.0	NC	NC -	NC U	3	1.1	NC	NC -	NC U	1	0.9	NC	NC -	NC U
	2010-2014	3	1.7	NC	NC -	NC U	2	1.0	NC	NC -	NC U	1	0.7	NC	NC -	NC U
	2015-2019	1	1.7	NC	NC -	NC U	1	0.9	NC	NC -	NC U	0	0.8	NC	NC -	NC U
Colon/rectum	1995-1999	162	187.5	86	74 -	101	85	89.8	95	76 -	117	77	97.7	79 *	62 -	98
	2000-2004	199	182.7	109	94 -	125	115	88.1	131 *	108 -	157	84	94.7	89	71 -	110
	2005-2009	172	145.4	118 *	101 -	137	84	69.9	120	96 -	149	88	75.4	117	94 -	144
	2010-2014	141	118.7	119	100 -	140	62	58.7	106	81 -	135	79	60.0	132 *	104 -	164
	2015-2019	143	107.8	133 *	112 -	156	69	55.0	125	98 -	159	74	52.8	140 *	110 -	176

Cancer Incidence in Pittsfield

Gallbladder	1995-1999	5	4.0	126	41 - 294 U	1	1.2	NC	NC - NC U	4	2.8	NC	NC - NC U
	2000-2004	2	3.7	NC	NC - NC U	2	1.1	NC	NC - NC U	0	2.6	NC	NC - NC U
	2005-2009	8	3.8	209	90 - 411 U	0	1.2	NC	NC - NC U	8	2.7	299 *	129 - 589 U
	2010-2014	3	4.1	NC	NC - NC U	1	1.1	NC	NC - NC U	2	3.0	NC	NC - NC U
	2015-2019	2	3.9	NC	NC - NC U	0	1.3	NC	NC - NC U	2	2.6	NC	NC - NC U
Liver and Intrahepatic Bile Duct (IBD)													
Non-Hodgkin Lymphoma (NHL)	1995-1999	7	11.8	59	24 - 122 U	4	7.9	NC	NC - NC U	3	3.9	NC	NC - NC U
	2000-2004	18	16.3	111	66 - 175	10	11.5	87	42 - 160 U	8	4.8	168	72 - 331 U
	2005-2009	25	22.1	113	73 - 167	18	16.1	112	66 - 176	7	6.0	116	47 - 240 U
	2010-2014	24	25.2	95	61 - 141	18	18.6	97	57 - 153	6	6.6	90	33 - 197 U
	2015-2019	42	29.7	141 *	102 - 191	33	21.8	152 *	104 - 213	9	7.9	113	52 - 215 U
Prostate	1995-1999	36	56.2	64 *	45 - 89	19	27.8	68	41 - 107	17	28.4	60 *	35 - 96
	2000-2004	64	58.7	109	84 - 139	37	29.2	127	89 - 175	27	29.6	91	60 - 133
	2005-2009	63	60.5	104	80 - 133	35	32.3	108	76 - 151	28	28.2	99	66 - 143
	2010-2014	57	59.9	95	72 - 123	29	31.3	93	62 - 133	28	28.6	98	65 - 142
	2015-2019	67	61.1	110	85 - 139	41	33.8	121	87 - 164	26	27.2	95	62 - 140
Stomach		--	--	--	--	--	--	--	--	--	--	--	--
	1995-1999					174	222.1	78 *	67 - 91				
	2000-2004	--	--	--	--	195	224.1	87	75 - 100	--	--	--	--
	2005-2009	--	--	--	--	205	213.3	96	83 - 110	--	--	--	--
	2010-2014	--	--	--	--	157	165.8	95	80 - 111	--	--	--	--
Stomach	2015-2019	--	--	--	--	198	180.7	110	95 - 126	--	--	--	--
	1995-1999	18	25.6	70	42 - 111	10	15.1	66	32 - 122 U	8	10.5	76	33 - 150 U
	2000-2004	12	25.4	47 *	24 - 83	7	15.1	46 *	19 - 95 U	5	10.3	49	16 - 114 U
	2005-2009	16	22.1	72	41 - 118	9	13.4	67	31 - 128 U	7	8.7	80	32 - 165 U
	2010-2014	18	21.4	84	50 - 133	11	13.3	83	41 - 148 U	7	8.2	86	34 - 177 U
	2015-2019	22	21.3	103	65 - 156	15	13.2	113	63 - 187	7	8.1	87	35 - 179 U

Cancer Incidence in Pittsfield

Biliary tract	2000-2009	14	11.1	126	69 - 212	6	5.9	102	37 - 222 U	8	5.2	155	67 - 305 U
	2010-2019	9	13.2	68	31 - 129 U	4	7.1	NC	NC - NC U	5	6.1	82	27 - 192 U
Childhood ALL	2000-2009	5	3.7	134	43 - 313 U	4	2.1	NC	NC - NC U	1	1.6	NC	NC - NC U
	2010-2019	4	3.4	NC	NC - NC U	3	1.9	NC	NC - NC U	1	1.5	NC	NC - NC U
Gallbladder	2000-2009	10	7.6	131	63 - 242 U	2	2.3	NC	NC - NC U	8	5.4	149	64 - 294 U
	2010-2019	5	8.0	62	20 - 146 U	1	2.4	NC	NC - NC U	4	5.6	NC	NC - NC U
Liver	2000-2009	43	38.7	111	80 - 150	28	27.8	101	67 - 146	15	10.9	138	77 - 228
	2010-2019	66	55.2	120	92 - 152	51	40.5	126	94 - 165	15	14.7	102	57 - 168
NHL	2000-2009	127	119.8	106	88 - 126	72	61.7	117	91 - 147	55	58.1	95	71 - 123
	2010-2019	124	121.5	102	85 - 122	70	65.4	107	83 - 135	54	56.1	96	72 - 126
Stomach	2000-2009	28	47.6	59 *	39 - 85	16	28.6	56 *	32 - 91	12	19.0	63	33 - 110
	2010-2019	40	42.9	93	67 - 127	26	26.6	98	64 - 143	14	16.3	86	47 - 144

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Great Barrington

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	1	0.7	NC	NC -	NC U	1	0.3	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2000-2004	2	0.9	NC	NC -	NC U	1	0.5	NC	NC -	NC U	1	0.4	NC	NC -	NC U
	2005-2009	2	1.0	NC	NC -	NC U	0	0.5	NC	NC -	NC U	2	0.5	NC	NC -	NC U
	2010-2014	1	1.2	NC	NC -	NC U	0	0.6	NC	NC -	NC U	1	0.6	NC	NC -	NC U
	2015-2019	0	1.1	NC	NC -	NC U	0	0.6	NC	NC -	NC U	0	0.5	NC	NC -	NC U
Breast	1995-1999	31	39.0	80	54 -	113	1	0.3	NC	NC -	NC U	30	38.7	77	52 -	111
	2000-2004	25	37.2	67 *	44 -	99	0	0.3	NC	NC -	NC U	25	36.9	68	44 -	100
	2005-2009	46	36.5	126	92 -	168	0	0.3	NC	NC -	NC U	46	36.2	127	93 -	170
	2010-2014	39	37.1	105	75 -	144	1	0.3	NC	NC -	NC U	38	36.8	103	73 -	142
	2015-2019	40	38.4	104	74 -	142	0	0.3	NC	NC -	NC U	40	38.1	105	75 -	143
Childhood ALL	1995-1999	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2005-2009	NS	NS	NS	NS -	NS U	0	0.2	NC	NC -	NC U	NS	NS	NS	NS -	NS U
	2010-2014	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2015-2019	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Colon/rectum	1995-1999	24	32.6	74	47 -	109	13	14.9	87	46 -	149	11	17.7	62	31 -	111 U
	2000-2004	28	31.3	89	59 -	129	13	14.8	88	47 -	150	15	16.5	91	51 -	150
	2005-2009	30	24.7	121	82 -	173	17	11.8	144	84 -	231	13	12.9	101	53 -	172
	2010-2014	16	20.0	80	46 -	130	6	9.8	61	22 -	133 U	10	10.2	98	47 -	181 U
	2015-2019	29	17.9	162 *	108 -	233	10	9.0	111	53 -	203 U	19	8.9	214 *	129 -	335
Gallbladder	1995-1999	1	0.7	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.5	NC	NC -	NC U
	2000-2004	1	0.6	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.5	NC	NC -	NC U
	2005-2009	1	0.7	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.5	NC	NC -	NC U
	2010-2014	0	0.7	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2015-2019	2	0.7	NC	NC -	NC U	1	0.2	NC	NC -	NC U	1	0.5	NC	NC -	NC U

Cancer Incidence in Great Barrington

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	1	2.0	NC	NC -	NC U	1	1.3	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2000-2004	1	2.8	NC	NC -	NC U	1	1.9	NC	NC -	NC U	0	0.8	NC	NC -	NC U
	2005-2009	5	3.8	132	42 -	307 U	3	2.8	NC	NC -	NC U	2	1.0	NC	NC -	NC U
	2010-2014	6	4.4	138	50 -	300 U	4	3.2	NC	NC -	NC U	2	1.2	NC	NC -	NC U
	2015-2019	0	5.0	NC	NC -	NC U	0	3.7	NC	NC -	NC U	0	1.4	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	9	9.5	95	43 -	180 U	5	4.6	109	35 -	255 U	4	4.9	NC	NC -	NC U
	2000-2004	9	9.9	91	41 -	172 U	5	4.9	103	33 -	239 U	4	5.1	NC	NC -	NC U
	2005-2009	7	10.2	68	27 -	141 U	5	5.4	92	30 -	216 U	2	4.8	NC	NC -	NC U
	2010-2014	7	10.1	69	28 -	143 U	3	5.2	NC	NC -	NC U	4	4.9	NC	NC -	NC U
	2015-2019	13	10.3	126	67 -	216	8	5.6	142	61 -	281 U	5	4.7	107	34 -	250 U
Prostate	1995-1999	--	--	--	--	--	36	35.4	102	71 -	141	--	--	--	--	--
	2000-2004	--	--	--	--	--	38	37.2	102	72 -	140	--	--	--	--	--
	2005-2009	--	--	--	--	--	42	36.8	114	82 -	154	--	--	--	--	--
	2010-2014	--	--	--	--	--	32	28.9	111	76 -	156	--	--	--	--	--
	2015-2019	--	--	--	--	--	34	30.8	110	77 -	154	--	--	--	--	--
Stomach	1995-1999	3	4.5	NC	NC -	NC U	3	2.5	NC	NC -	NC U	0	2.0	NC	NC -	NC U
	2000-2004	2	4.4	NC	NC -	NC U	1	2.5	NC	NC -	NC U	1	1.8	NC	NC -	NC U
	2005-2009	3	3.8	NC	NC -	NC U	2	2.3	NC	NC -	NC U	1	1.5	NC	NC -	NC U
	2010-2014	3	3.6	NC	NC -	NC U	3	2.2	NC	NC -	NC U	0	1.4	NC	NC -	NC U
	2015-2019	5	3.6	140	45 -	326 U	2	2.2	NC	NC -	NC U	3	1.4	NC	NC -	NC U
Biliary tract	2000-2009	4	1.9	NC	NC -	NC U	1	1.0	NC	NC -	NC U	3	0.9	NC	NC -	NC U
	2010-2019	1	2.2	NC	NC -	NC U	0	1.2	NC	NC -	NC U	1	1.0	NC	NC -	NC U

Cancer Incidence in Great Barrington

Childhood ALL	2000-2009	NS	NS	NS	NS -	NS U	0	0.3	NC	NC -	NC U	NS	NS	NS	NS -	NS U
	2010-2019	0	0.4	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.2	NC	NC -	NC U
Gallbladder	2000-2009	2	1.3	NC	NC -	NC U	0	0.4	NC	NC -	NC U	2	0.9	NC	NC -	NC U
	2010-2019	2	1.4	NC	NC -	NC U	1	0.4	NC	NC -	NC U	1	1.0	NC	NC -	NC U
Liver	2000-2009	6	6.6	91	33 -	197 U	4	4.7	NC	NC -	NC U	2	1.9	NC	NC -	NC U
	2010-2019	6	9.4	64	23 -	138 U	4	6.9	NC	NC -	NC U	2	2.6	NC	NC -	NC U
NHL	2000-2009	16	20.3	79	45 -	128	10	10.3	97	46 -	178 U	6	10.0	60	22 -	131 U
	2010-2019	20	20.5	98	60 -	151	11	10.9	101	50 -	181 U	9	9.6	94	43 -	178 U
Stomach	2000-2009	5	8.1	61	20 -	143 U	3	4.8	NC	NC -	NC U	2	3.3	NC	NC -	NC U
	2010-2019	8	7.2	111	48 -	218 U	5	4.5	112	36 -	262 U	3	2.8	NC	NC -	NC U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Lee

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	2	0.5	NC	NC -	NC U	2	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2000-2004	0	0.6	NC	NC -	NC U	0	0.4	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2005-2009	0	0.8	NC	NC -	NC U	0	0.4	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2010-2014	2	1.0	NC	NC -	NC U	1	0.5	NC	NC -	NC U	1	0.5	NC	NC -	NC U
	2015-2019	0	0.9	NC	NC -	NC U	0	0.5	NC	NC -	NC U	0	0.4	NC	NC -	NC U
Breast	1995-1999	31	27.3	114	77 -	161	0	0.2	NC	NC -	NC U	31	27.1	115	78 -	163
	2000-2004	24	27.8	86	55 -	128	0	0.2	NC	NC -	NC U	24	27.6	87	56 -	129
	2005-2009	26	29.1	89	58 -	131	0	0.2	NC	NC -	NC U	26	28.9	90	59 -	132
	2010-2014	26	31.1	84	55 -	122	0	0.3	NC	NC -	NC U	26	30.8	84	55 -	124
	2015-2019	35	32.9	106	74 -	148	0	0.3	NC	NC -	NC U	35	32.6	107	75 -	149
Childhood ALL	1995-1999	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2005-2009	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2014	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2015-2019	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.1	NC	NC -	NC U
Colon/rectum	1995-1999	20	22.2	90	55 -	139	6	11.4	53	19 -	114 U	14	10.8	129	71 -	217
	2000-2004	40	22.9	174 *	125 -	238	19	11.7	163	98 -	254	21	11.2	187 *	116 -	286
	2005-2009	27	19.7	137	90 -	199	11	9.7	113	56 -	202 U	16	10.0	160	92 -	260
	2010-2014	12	17.1	70	36 -	123	6	8.4	71	26 -	155 U	6	8.7	69	25 -	151 U
	2015-2019	21	15.9	132	82 -	202	9	8.0	113	52 -	215 U	12	8.0	151	78 -	263
Gallbladder	1995-1999	1	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	1	0.3	NC	NC -	NC U
	2000-2004	0	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2005-2009	0	0.5	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2010-2014	0	0.6	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2015-2019	1	0.6	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.4	NC	NC -	NC U

Cancer Incidence in Lee

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	1	1.5	NC	NC -	NC U	0	1.0	NC	NC -	NC U	1	0.4	NC	NC -	NC U
	2000-2004	3	2.2	NC	NC -	NC U	2	1.6	NC	NC -	NC U	1	0.6	NC	NC -	NC U
	2005-2009	3	3.1	NC	NC -	NC U	2	2.3	NC	NC -	NC U	1	0.8	NC	NC -	NC U
	2010-2014	3	3.7	NC	NC -	NC U	2	2.7	NC	NC -	NC U	1	1.0	NC	NC -	NC U
	2015-2019	7	4.4	159	64 -	327 U	4	3.2	NC	NC -	NC U	3	1.2	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	5	6.9	73	23 -	170 U	3	3.6	NC	NC -	NC U	2	3.3	NC	NC -	NC U
	2000-2004	9	7.5	120	55 -	227 U	4	3.9	NC	NC -	NC U	5	3.6	138	45 -	322 U
	2005-2009	10	8.3	121	58 -	223 U	4	4.5	NC	NC -	NC U	6	3.8	159	58 -	345 U
	2010-2014	5	8.6	58	19 -	136 U	2	4.5	NC	NC -	NC U	3	4.1	NC	NC -	NC U
	2015-2019	8	9.0	89	38 -	176 U	3	4.9	NC	NC -	NC U	5	4.1	123	39 -	286 U
Prostate	1995-1999	--	--	--	-- -	-- --	18	29.1	62 *	37 -	98	--	--	--	-- -	-- --
	2000-2004	--	--	--	-- -	-- --	26	30.9	84	55 -	123	--	--	--	-- -	-- --
	2005-2009	--	--	--	-- -	-- --	33	31.2	106	73 -	149	--	--	--	-- -	-- --
	2010-2014	--	--	--	-- -	-- --	21	25.1	84	52 -	128	--	--	--	-- -	-- --
	2015-2019	--	--	--	-- -	-- --	22	27.1	81	51 -	123	--	--	--	-- -	-- --
Stomach	1995-1999	2	3.1	NC	NC -	NC U	1	1.9	NC	NC -	NC U	1	1.2	NC	NC -	NC U
	2000-2004	2	3.2	NC	NC -	NC U	2	2.0	NC	NC -	NC U	0	1.2	NC	NC -	NC U
	2005-2009	4	3.0	NC	NC -	NC U	3	1.9	NC	NC -	NC U	1	1.2	NC	NC -	NC U
	2010-2014	4	3.1	NC	NC -	NC U	0	1.9	NC	NC -	NC U	4	1.2	NC	NC -	NC U
	2015-2019	2	3.2	NC	NC -	NC U	1	1.9	NC	NC -	NC U	1	1.2	NC	NC -	NC U
Biliary tract	2000-2009	0	1.4	NC	NC -	NC U	0	0.8	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2010-2019	2	1.9	NC	NC -	NC U	1	1.0	NC	NC -	NC U	1	0.9	NC	NC -	NC U

Cancer Incidence in Lee

Childhood ALL	2000-2009	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2010-2019	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.2	NC	NC -	NC U
Gallbladder	2000-2009	0	1.0	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2010-2019	1	1.2	NC	NC -	NC U	0	0.3	NC	NC -	NC U	1	0.8	NC	NC -	NC U
Liver	2000-2009	6	5.3	114	42 -	248 U	4	3.9	NC	NC -	NC U	2	1.4	NC	NC -	NC U
	2010-2019	10	8.1	123	59 -	227 U	6	5.9	101	37 -	220 U	4	2.2	NC	NC -	NC U
NHL	2000-2009	19	15.8	121	73 -	188	8	8.4	95	41 -	188 U	11	7.4	149	74 -	267 U
	2010-2019	13	17.6	74	39 -	126	5	9.4	53	17 -	124 U	8	8.2	98	42 -	192 U
Stomach	2000-2009	6	6.2	97	35 -	211 U	5	3.8	130	42 -	303 U	1	2.3	NC	NC -	NC U
	2010-2019	6	6.3	96	35 -	209 U	1	3.9	NC	NC -	NC U	5	2.4	208	67 -	486 U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Lenox

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	1	0.6	NC	NC -	NC U	0	0.3	NC	NC -	NC U	1	0.3	NC	NC -	NC U
	2000-2004	1	0.8	NC	NC -	NC U	0	0.4	NC	NC -	NC U	1	0.4	NC	NC -	NC U
	2005-2009	1	1.0	NC	NC -	NC U	1	0.5	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2010-2014	0	1.2	NC	NC -	NC U	0	0.5	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2015-2019	0	1.2	NC	NC -	NC U	0	0.5	NC	NC -	NC U	0	0.6	NC	NC -	NC U
Breast	1995-1999	31	30.4	102	69 -	145	0	0.2	NC	NC -	NC U	31	30.1	103	70 -	146
	2000-2004	27	30.2	89	59 -	130	0	0.2	NC	NC -	NC U	27	30.0	90	59 -	131
	2005-2009	38	31.7	120	85 -	165	1	0.3	NC	NC -	NC U	37	31.4	118	83 -	162
	2010-2014	37	33.3	111	78 -	153	0	0.3	NC	NC -	NC U	37	33.0	112	79 -	154
	2015-2019	33	34.5	96	66 -	134	1	0.3	NC	NC -	NC U	32	34.2	94	64 -	132
Childhood ALL	1995-1999	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2005-2009	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2014	NS	NS	NS	NS -	NS U	0	0.1	NC	NC -	NC U	NS	NS	NS	NS -	NS U
	2015-2019	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Colon/rectum	1995-1999	35	26.7	131	91 -	182	11	12.0	92	46 -	164 U	24	14.7	163 *	105 -	243
	2000-2004	29	27.6	105	70 -	151	11	12.5	88	44 -	157 U	18	15.1	119	71 -	188
	2005-2009	29	24.1	121	81 -	173	16	10.4	154	88 -	250	13	13.7	95	51 -	163
	2010-2014	30	20.4	147	99 -	210	14	8.7	161	88 -	270	16	11.7	137	78 -	222
	2015-2019	25	18.6	134	87 -	198	10	7.9	126	60 -	232 U	15	10.7	140	78 -	231
Gallbladder	1995-1999	1	0.6	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.4	NC	NC -	NC U
	2000-2004	1	0.6	NC	NC -	NC U	1	0.2	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2005-2009	0	0.7	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2010-2014	1	0.8	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.6	NC	NC -	NC U
	2015-2019	1	0.7	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.5	NC	NC -	NC U

Cancer Incidence in Lenox

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	3	1.6	NC	NC -	NC U	3	1.0	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2000-2004	1	2.3	NC	NC -	NC U	1	1.5	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2005-2009	3	3.2	NC	NC -	NC U	0	2.2	NC	NC -	NC U	3	1.0	NC	NC -	NC U
	2010-2014	2	3.7	NC	NC -	NC U	2	2.6	NC	NC -	NC U	0	1.2	NC	NC -	NC U
	2015-2019	4	4.5	NC	NC -	NC U	0	3.0	NC	NC -	NC U	4	1.5	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	11	7.5	148	74 -	264 U	5	3.5	142	46 -	330 U	6	3.9	153	56 -	333 U
	2000-2004	12	8.3	144	74 -	251	7	4.0	177	71 -	364 U	5	4.4	114	37 -	266 U
	2005-2009	5	9.2	54	17 -	126 U	3	4.6	NC	NC -	NC U	2	4.7	NC	NC -	NC U
	2010-2014	10	9.6	104	50 -	191 U	6	4.5	133	49 -	289 U	4	5.1	NC	NC -	NC U
	2015-2019	8	9.8	81	35 -	160 U	5	4.9	103	33 -	240 U	3	5.0	NC	NC -	NC U
Prostate	1995-1999	--	--	--	-- -	-- --	29	28.5	102	68 -	146	--	--	--	-- -	-- --
	2000-2004	--	--	--	-- -	-- --	21	30.8	68	42 -	104	--	--	--	-- -	-- --
	2005-2009	--	--	--	-- -	-- --	35	30.1	116	81 -	162	--	--	--	-- -	-- --
	2010-2014	--	--	--	-- -	-- --	24	23.1	104	67 -	155	--	--	--	-- -	-- --
	2015-2019	--	--	--	-- -	-- --	31	24.4	127	86 -	180	--	--	--	-- -	-- --
Stomach	1995-1999	3	3.7	NC	NC -	NC U	2	2.1	NC	NC -	NC U	1	1.6	NC	NC -	NC U
	2000-2004	2	3.9	NC	NC -	NC U	2	2.2	NC	NC -	NC U	0	1.7	NC	NC -	NC U
	2005-2009	2	3.7	NC	NC -	NC U	2	2.0	NC	NC -	NC U	0	1.6	NC	NC -	NC U
	2010-2014	0	3.6	NC	NC -	NC U	0	2.0	NC	NC -	NC U	0	1.6	NC	NC -	NC U
	2015-2019	2	3.5	NC	NC -	NC U	2	1.9	NC	NC -	NC U	0	1.6	NC	NC -	NC U
Biliary tract	2000-2009	2	1.8	NC	NC -	NC U	1	0.9	NC	NC -	NC U	1	0.9	NC	NC -	NC U
	2010-2019	0	2.4	NC	NC -	NC U	0	1.1	NC	NC -	NC U	0	1.3	NC	NC -	NC U

Cancer Incidence in Lenox

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Childhood ALL	2000-2009	0	0.3	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2019	NS	NS	NS	NS -	NS U	0	0.2	NC	NC -	NC U	NS	NS	NS	NS -	NS U
Gallbladder	2000-2009	1	1.2	NC	NC -	NC U	1	0.3	NC	NC -	NC U	0	0.9	NC	NC -	NC U
	2010-2019	2	1.5	NC	NC -	NC U	0	0.4	NC	NC -	NC U	2	1.1	NC	NC -	NC U
Liver	2000-2009	4	5.5	NC	NC -	NC U	1	3.8	NC	NC -	NC U	3	1.7	NC	NC -	NC U
	2010-2019	6	8.3	72	26 -	157 U	2	5.6	NC	NC -	NC U	4	2.7	NC	NC -	NC U
NHL	2000-2009	17	17.5	97	56 -	155	10	8.5	117	56 -	215 U	7	9.0	78	31 -	160 U
	2010-2019	18	19.5	92	55 -	146	11	9.4	117	58 -	209 U	7	10.1	69	28 -	143 U
Stomach	2000-2009	4	7.5	NC	NC -	NC U	4	4.2	NC	NC -	NC U	0	3.3	NC	NC -	NC U
	2010-2019	2	7.2	NC	NC -	NC U	2	4.0	NC	NC -	NC U	0	3.2	NC	NC -	NC U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as $((\text{Obs}/\text{Exp}) \times 100)$

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003900200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC
	2000-2004	0	0.3	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC
	2005-2009	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC
	2010-2014	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC
	2015-2019	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.2	NC	NC -	NC
Breast	1995-1999	14	13	108	59 -	181	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS
	2000-2004	10	13.1	76	36 -	140 U	0	0.1	NC	NC -	NC U	10	13	77	37 -	141 U
	2005-2009	11	12.7	87	43 -	155 U	0	0.1	NC	NC -	NC U	11	12.6	87	44 -	156 U
	2010-2014	11	12.8	86	43 -	154 U	0	0.1	NC	NC -	NC U	11	12.7	87	43 -	155 U
	2015-2019	8	12.6	64	27 -	126 U	0	0.1	NC	NC -	NC U	8	12.4	64	28 -	127 U
Childhood ALL	1995-1999	0	0.1	NC	NC -	NC U	0	0	NC	NC -	NC U	0	0	NC	NC -	NC U
	2000-2004	0	0.1	NC	NC -	NC U	0	0	NC	NC -	NC U	0	0	NC	NC -	NC U
	2005-2009	0	0.1	NC	NC -	NC U	0	0	NC	NC -	NC U	0	0	NC	NC -	NC U
	2010-2014	0	0	NC	NC -	NC U	0	0	NC	NC -	NC U	0	0	NC	NC -	NC U
	2015-2019	0	0	NC	NC -	NC U	0	0	NC	NC -	NC U	0	0	NC	NC -	NC U
Colon/rectum	1995-1999	9	11.1	81	37 -	154 U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
	2000-2004	8	11.4	70	30 -	138 U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
	2005-2009	5	8.8	57	18 -	133 U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
	2010-2014	13	6.9	187	100 -	320	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
	2015-2019	4	6	NC	NC -	NC U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
Gallbladder	1995-1999	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.2	NC	NC -	NC U
	2000-2004	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.2	NC	NC -	NC U
	2005-2009	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.2	NC	NC -	NC U
	2010-2014	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2015-2019	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003900200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	0	0.7	NC	NC -	NC U	0	0.5	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2000-2004	0	1.1	NC	NC -	NC U	0	0.8	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2005-2009	0	1.4	NC	NC -	NC U	0	1	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2010-2014	0	1.6	NC	NC -	NC U	0	1.2	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2015-2019	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.5	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	3	3.3	NC	NC -	NC U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
	2000-2004	4	3.6	NC	NC -	NC U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
	2005-2009	5	3.6	137	44 -	320 U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
	2010-2014	3	3.5	NC	NC -	NC U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
	2015-2019	7	3.5	201	80 -	414 U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
Prostate	1995-1999	--	--	--	--	--	7	14.4	49	19 -	100 U	--	--	--	--	--
	2000-2004	--	--	--	--	--	14	15.6	90	49 -	151	--	--	--	--	--
	2005-2009	--	--	--	--	--	11	14.6	76	38 -	135 U	--	--	--	--	--
	2010-2014	--	--	--	--	--	12	11	109	56 -	191	--	--	--	--	--
	2015-2019	--	--	--	--	--	9	11.1	81	37 -	153 U	--	--	--	--	--
Stomach	1995-1999	NS	NS	NS	NS -	NS U	0	1	NC	NC -	NC U	NS	NS	NS	NS -	NS U
	2000-2004	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.6	NC	NC -	NC U
	2005-2009	0	1.4	NC	NC -	NC U	0	0.9	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2010-2014	0	1.3	NC	NC -	NC U	0	0.8	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2015-2019	3	1.2	NC	NC -	NC U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
Biliary tract	2000-2009	0	0.7	NC	NC -	NC U	0	0.4	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2010-2019	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.4	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003900200

Childhood ALL	2000-2009	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0	NC	NC -	NC U
	2010-2019	0	0.1	NC	NC -	NC U	0	0	NC	NC -	NC U	0	0	NC	NC -	NC U
Gallbladder	2000-2009	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.3	NC	NC -	NC U
	2010-2019	0	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
Liver	2000-2009	0	2.5	NC	NC -	NC U	0	1.8	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2010-2019	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.9	NC	NC -	NC U
NHL	2000-2009	9	7.3	123	56 -	233 U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
	2010-2019	10	7.1	141	68 -	260 U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U
Stomach	2000-2009	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	1.1	NC	NC -	NC U
	2010-2019	3	2.5	NC	NC -	NC U	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003900200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2000-2004	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2005-2009	1	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.2	NC	NC -	NC U
	2010-2014	1	0.5	NC	NC -	NC U	1	0.2	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2015-2019	0	0.5	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
Bladder (in situ and invasive)	1995-1999	4	6.3	NC	NC -	NC U	2	4.0	NC	NC -	NC U	2	2.3	NC	NC -	NC U
	2000-2004	5	6.0	83	27 -	193 U	2	4.1	NC	NC -	NC U	3	2.0	NC	NC -	NC U
	2005-2009	12	5.7	211 *	109 -	368	7	3.8	183	73 -	376 U	5	1.9	268	86 -	625 U
	2010-2014	7	5.2	136	54 -	279 U	4	3.5	NC	NC -	NC U	3	1.7	NC	NC -	NC U
	2015-2019	5	5.1	99	32 -	230 U	1	3.4	NC	NC -	NC U	4	1.7	NC	NC -	NC U
Breast	1995-1999	13	19.2	68	36 -	116	0	0.1	NC	NC -	NC U	13	19.1	68	36 -	117
	2000-2004	13	16.6	78	42 -	134	0	0.1	NC	NC -	NC U	13	16.4	79	42 -	135
	2005-2009	20	16.1	124	76 -	192	0	0.1	NC	NC -	NC U	20	16.0	125	77 -	194
	2010-2014	19	16.2	117	71 -	183	0	0.1	NC	NC -	NC U	19	16.1	118	71 -	185
	2015-2019	16	16.9	95	54 -	154	0	0.1	NC	NC -	NC U	16	16.7	96	55 -	155
Childhood ALL	1995-1999	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2005-2009	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2014	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2015-2019	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Colon/rectum	1995-1999	22	16.1	137	86 -	207	11	6.4	172	86 -	309 U	11	9.7	113	57 -	203 U
	2000-2004	12	14.1	85	44 -	148	6	6.0	99	36 -	216 U	6	8.1	74	27 -	161 U
	2005-2009	20	11.0	182 *	111 -	281	5	4.6	108	35 -	253 U	15	6.4	236 *	132 -	389
	2010-2014	14	8.8	159	87 -	266	3	3.8	NC	NC -	NC U	11	5.0	219 *	109 -	392 U
	2015-2019	9	8.0	112	51 -	212 U	2	3.5	NC	NC -	NC U	7	4.5	155	62 -	320 U

Cancer Incidence in Pittsfield Census Tract 25003900200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Gallbladder	1995-1999	0	0.4	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2000-2004	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2005-2009	2	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	2	0.2	NC	NC -	NC U
	2010-2014	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2015-2019	1	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	1	0.2	NC	NC -	NC U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	1	0.9	NC	NC -	NC U	1	0.6	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2000-2004	2	1.2	NC	NC -	NC U	2	0.8	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2005-2009	4	1.6	NC	NC -	NC U	2	1.1	NC	NC -	NC U	2	0.5	NC	NC -	NC U
	2010-2014	4	1.8	NC	NC -	NC U	4	1.3	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2015-2019	6	2.1	289 *	106 -	629 U	6	1.4	418 *	153 -	910 U	0	0.6	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	7	4.6	151	60 -	311 U	3	2.0	NC	NC -	NC U	4	2.6	NC	NC -	NC U
	2000-2004	5	4.5	111	36 -	259 U	2	2.1	NC	NC -	NC U	3	2.4	NC	NC -	NC U
	2005-2009	5	4.5	112	36 -	261 U	2	2.2	NC	NC -	NC U	3	2.3	NC	NC -	NC U
	2010-2014	2	4.4	NC	NC -	NC U	1	2.1	NC	NC -	NC U	1	2.3	NC	NC -	NC U
	2015-2019	5	4.4	114	37 -	267 U	5	2.2	229	74 -	535 U	0	2.2	NC	NC -	NC U
Prostate	1995-1999	--	--	--	--	--	9	15.1	59	27 -	113 U	--	--	--	--	--
	2000-2004	--	--	--	--	--	15	15.2	99	55 -	163	--	--	--	--	--
	2005-2009	--	--	--	--	--	9	14.4	62	28 -	118 U	--	--	--	--	--
	2010-2014	--	--	--	--	--	8	11.3	71	31 -	140 U	--	--	--	--	--
	2015-2019	--	--	--	--	--	10	12.1	82	39 -	151 U	--	--	--	--	--
Stomach	1995-1999	5	2.1	233	75 -	545 U	3	1.1	NC	NC -	NC U	2	1.1	NC	NC -	NC U
	2000-2004	0	1.9	NC	NC -	NC U	0	1.0	NC	NC -	NC U	0	0.9	NC	NC -	NC U
	2005-2009	3	1.6	NC	NC -	NC U	3	0.9	NC	NC -	NC U	0	0.8	NC	NC -	NC U
	2010-2014	1	1.5	NC	NC -	NC U	1	0.9	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2015-2019	4	1.5	NC	NC -	NC U	4	0.8	NC	NC -	NC U	0	0.7	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003900200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	2000-2009	1	0.8	NC	NC -	NC U	0	0.4	NC	NC -	NC U	1	0.4	NC	NC -	NC U
	2010-2019	1	1.0	NC	NC -	NC U	1	0.5	NC	NC -	NC U	0	0.5	NC	NC -	NC U
Childhood ALL	2000-2009	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2019	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Gallbladder	2000-2009	2	0.6	NC	NC -	NC U	0	0.2	NC	NC -	NC U	2	0.5	NC	NC -	NC U
	2010-2019	1	0.6	NC	NC -	NC U	0	0.1	NC	NC -	NC U	1	0.5	NC	NC -	NC U
Liver	2000-2009	6	2.8	212	77 -	461 U	4	1.9	NC	NC -	NC U	2	0.9	NC	NC -	NC U
	2010-2019	10	3.9	258 *	124 -	475 U	10	2.7	370 *	177 -	680 U	0	1.2	NC	NC -	NC U
NHL	2000-2009	10	9.0	111	53 -	203 U	4	4.3	NC	NC -	NC U	6	4.8	126	46 -	275 U
	2010-2019	7	8.8	80	32 -	165 U	6	4.3	140	51 -	306 U	1	4.5	NC	NC -	NC U
Stomach	2000-2009	3	3.6	NC	NC -	NC U	3	1.9	NC	NC -	NC U	0	1.7	NC	NC -	NC U
	2010-2019	5	3.1	163	52 -	380 U	5	1.7	293	95 -	684 U	0	1.4	NC	NC -	NC U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003900200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	2	0.3	NC	NC -	NC U	1	0.1	NC	NC -	NC U	1	0.1	NC	NC -	NC U
	2000-2004	0	0.3	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2005-2009	0	0.3	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2010-2014	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2015-2019	1	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.2	NC	NC -	NC U
Bladder (in situ and invasive)	1995-1999	6	5.5	110	40 -	238 U	4	3.7	NC	NC -	NC U	2	1.7	NC	NC -	NC U
	2000-2004	7	5.1	136	55 -	280 U	6	3.6	168	61 -	365 U	1	1.6	NC	NC -	NC U
	2005-2009	4	4.8	NC	NC -	NC U	2	3.4	NC	NC -	NC U	2	1.4	NC	NC -	NC U
	2010-2014	7	4.3	164	66 -	338 U	6	3.1	193	70 -	420 U	1	1.2	NC	NC -	NC U
	2015-2019	3	4.2	NC	NC -	NC U	3	3.1	NC	NC -	NC U	0	1.1	NC	NC -	NC U
Breast	1995-1999	15	17.0	88	49 -	146	0	0.1	NC	NC -	NC U	15	16.9	89	50 -	147
	2000-2004	17	15.2	112	65 -	179	0	0.1	NC	NC -	NC U	17	15.1	112	65 -	180
	2005-2009	14	14.6	96	52 -	161	1	0.1	NC	NC -	NC U	13	14.5	90	48 -	153
	2010-2014	7	14.5	48 *	19 -	99 U	0	0.1	NC	NC -	NC U	7	14.4	49	19 -	100 U
	2015-2019	13	15.2	85	45 -	146	0	0.1	NC	NC -	NC U	13	15.1	86	46 -	147
Childhood ALL	1995-1999	NS	NS	NS	NS -	NS U	0	0.1	NC	NC -	NC U	NS	NS	NS	NS -	NS U
	2000-2004	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2005-2009	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2014	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.1	NC	NC -	NC U
	2015-2019	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Colon/rectum	1995-1999	13	13.3	98	52 -	168	6	6.0	100	36 -	217 U	7	7.2	97	39 -	199 U
	2000-2004	17	11.8	144	84 -	230	10	5.4	184	88 -	338 U	7	6.4	110	44 -	226 U
	2005-2009	11	9.0	122	61 -	218 U	6	4.3	139	51 -	302 U	5	4.7	106	34 -	248 U
	2010-2014	8	7.3	110	47 -	217 U	4	3.7	NC	NC -	NC U	4	3.6	NC	NC -	NC U
	2015-2019	9	6.7	135	62 -	257 U	5	3.5	145	47 -	338 U	4	3.2	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003900200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Gallbladder	1995-1999	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2000-2004	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2005-2009	2	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	2	0.2	NC	NC -	NC U
	2010-2014	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2015-2019	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	2	0.9	NC	NC -	NC U	1	0.6	NC	NC -	NC U	1	0.3	NC	NC -	NC U
	2000-2004	0	1.1	NC	NC -	NC U	0	0.8	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2005-2009	2	1.5	NC	NC -	NC U	2	1.1	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2010-2014	0	1.6	NC	NC -	NC U	0	1.2	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2015-2019	1	1.8	NC	NC -	NC U	1	1.4	NC	NC -	NC U	0	0.5	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	2	4.3	NC	NC -	NC U	2	2.1	NC	NC -	NC U	0	2.2	NC	NC -	NC U
	2000-2004	5	4.1	122	39 -	286 U	3	2.0	NC	NC -	NC U	2	2.1	NC	NC -	NC U
	2005-2009	0	4.0	NC	NC -	NC U	0	2.2	NC	NC -	NC U	0	1.8	NC	NC -	NC U
	2010-2014	4	3.8	NC	NC -	NC U	2	2.0	NC	NC -	NC U	2	1.8	NC	NC -	NC U
	2015-2019	7	3.8	183	73 -	378 U	3	2.1	NC	NC -	NC U	4	1.7	NC	NC -	NC U
Prostate	1995-1999	--	--	--	--	--	9	14.7	61	28 -	116 U	--	--	--	--	--
	2000-2004	--	--	--	--	--	11	13.9	79	39 -	141 U	--	--	--	--	--
	2005-2009	--	--	--	--	--	7	13.5	52	21 -	107 U	--	--	--	--	--
	2010-2014	--	--	--	--	--	5	10.7	47	15 -	109 U	--	--	--	--	--
	2015-2019	--	--	--	--	--	7	11.4	62	25 -	127 U	--	--	--	--	--
Stomach	1995-1999	4	1.8	NC	NC -	NC U	2	1.0	NC	NC -	NC U	2	0.8	NC	NC -	NC U
	2000-2004	2	1.6	NC	NC -	NC U	1	0.9	NC	NC -	NC U	1	0.7	NC	NC -	NC U
	2005-2009	1	1.3	NC	NC -	NC U	0	0.8	NC	NC -	NC U	1	0.5	NC	NC -	NC U
	2010-2014	2	1.3	NC	NC -	NC U	1	0.8	NC	NC -	NC U	1	0.5	NC	NC -	NC U
	2015-2019	1	1.3	NC	NC -	NC U	0	0.8	NC	NC -	NC U	1	0.5	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003900200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	2000-2009	0	0.7	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2010-2019	1	0.8	NC	NC -	NC U	0	0.4	NC	NC -	NC U	1	0.3	NC	NC -	NC U
Childhood ALL	2000-2009	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2010-2019	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.2	NC	NC -	NC U
Gallbladder	2000-2009	2	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	2	0.3	NC	NC -	NC U
	2010-2019	0	0.4	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
Liver	2000-2009	2	2.6	NC	NC -	NC U	2	1.9	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2010-2019	1	3.5	NC	NC -	NC U	1	2.6	NC	NC -	NC U	0	0.9	NC	NC -	NC U
NHL	2000-2009	5	8.1	61	20 -	143 U	3	4.2	NC	NC -	NC U	2	3.9	NC	NC -	NC U
	2010-2019	11	7.7	144	72 -	257 U	5	4.2	119	38 -	279 U	6	3.5	173	63 -	377 U
Stomach	2000-2009	3	3.0	NC	NC -	NC U	1	1.7	NC	NC -	NC U	2	1.3	NC	NC -	NC U
	2010-2019	3	2.6	NC	NC -	NC U	1	1.6	NC	NC -	NC U	2	1.0	NC	NC -	NC U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100)

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003900300

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	2	0.3	NC	NC -	NC U	1	0.2	NC	NC -	NC U	1	0.2	NC	NC -	NC U
	2005-2009	1	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.2	NC	NC -	NC U
	2010-2014	1	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.2	NC	NC -	NC U
	2015-2019	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
Bladder (in situ and invasive)	1995-1999	5	5.0	100	32 -	233 U	3	3.4	NC	NC -	NC U	2	1.6	NC	NC -	NC U
	2000-2004	7	5.1	138	55 -	285 U	3	3.5	NC	NC -	NC U	4	1.6	NC	NC -	NC U
	2005-2009	2	4.9	NC	NC -	NC U	2	3.4	NC	NC -	NC U	0	1.5	NC	NC -	NC U
	2010-2014	6	4.6	130	47 -	283 U	4	3.2	NC	NC -	NC U	2	1.4	NC	NC -	NC U
	2015-2019	4	4.6	NC	NC -	NC U	3	3.2	NC	NC -	NC U	1	1.4	NC	NC -	NC U
Breast	1995-1999	11	14.7	75	37 -	134 U	0	0.1	NC	NC -	NC U	11	14.6	75	38 -	135 U
	2000-2004	13	14.0	93	49 -	158	0	0.1	NC	NC -	NC U	13	13.9	93	50 -	160
	2005-2009	13	14.0	93	50 -	159	0	0.1	NC	NC -	NC U	13	13.9	94	50 -	160
	2010-2014	11	14.1	78	39 -	139 U	0	0.1	NC	NC -	NC U	11	14.0	78	39 -	140 U
	2015-2019	11	14.7	75	37 -	134 U	0	0.1	NC	NC -	NC U	11	14.5	76	38 -	135 U
Childhood ALL	1995-1999	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.0	NC	NC -	NC U
	2005-2009	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2014	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2015-2019	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Colon/rectum	1995-1999	7	12.1	58	23 -	119 U	4	5.5	NC	NC -	NC U	3	6.6	NC	NC -	NC U
	2000-2004	9	11.6	77	35 -	147 U	3	5.1	NC	NC -	NC U	6	6.5	93	34 -	201 U
	2005-2009	6	9.4	64	23 -	139 U	3	4.1	NC	NC -	NC U	3	5.3	NC	NC -	NC U
	2010-2014	6	7.7	78	28 -	169 U	2	3.5	NC	NC -	NC U	4	4.3	NC	NC -	NC U
	2015-2019	12	7.0	170	88 -	298	4	3.2	NC	NC -	NC U	8	3.8	209	90 -	412 U

Cancer Incidence in Pittsfield Census Tract 25003900300

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Gallbladder	1995-1999	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2000-2004	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2005-2009	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2010-2014	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2015-2019	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	0	0.7	NC	NC -	NC U	0	0.5	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2000-2004	0	1.0	NC	NC -	NC U	0	0.7	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2005-2009	3	1.4	NC	NC -	NC U	3	0.9	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2010-2014	2	1.5	NC	NC -	NC U	2	1.1	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2015-2019	2	1.8	NC	NC -	NC U	0	1.3	NC	NC -	NC U	2	0.5	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	2	3.6	NC	NC -	NC U	1	1.7	NC	NC -	NC U	1	1.9	NC	NC -	NC U
	2000-2004	6	3.7	162	59 -	352 U	2	1.7	NC	NC -	NC U	4	2.0	NC	NC -	NC U
	2005-2009	5	3.8	132	42 -	308 U	3	1.9	NC	NC -	NC U	2	1.9	NC	NC -	NC U
	2010-2014	2	3.8	NC	NC -	NC U	0	1.8	NC	NC -	NC U	2	2.0	NC	NC -	NC U
	2015-2019	4	3.8	NC	NC -	NC U	2	2.0	NC	NC -	NC U	2	1.8	NC	NC -	NC U
Prostate	1995-1999	--	--	--	-- -	-- --	10	12.9	78	37 -	143 U	--	--	--	-- -	-- --
	2000-2004	--	--	--	-- -	-- --	16	12.6	127	73 -	206	--	--	--	-- -	-- --
	2005-2009	--	--	--	-- -	-- --	9	12.2	74	34 -	140 U	--	--	--	-- -	-- --
	2010-2014	--	--	--	-- -	-- --	9	9.7	93	42 -	177 U	--	--	--	-- -	-- --
	2015-2019	--	--	--	-- -	-- --	14	10.4	134	73 -	225	--	--	--	-- -	-- --
Stomach	1995-1999	1	1.7	NC	NC -	NC U	1	0.9	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2000-2004	0	1.6	NC	NC -	NC U	0	0.9	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2005-2009	2	1.4	NC	NC -	NC U	2	0.8	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2010-2014	1	1.4	NC	NC -	NC U	1	0.8	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2015-2019	4	1.3	NC	NC -	NC U	1	0.8	NC	NC -	NC U	3	0.6	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003900300

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	2000-2009	3	0.7	NC	NC -	NC U	1	0.3	NC	NC -	NC U	2	0.4	NC	NC -	NC U
	2010-2019	1	0.8	NC	NC -	NC U	0	0.4	NC	NC -	NC U	1	0.4	NC	NC -	NC U
Childhood ALL	2000-2009	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2019	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Gallbladder	2000-2009	0	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2010-2019	0	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.4	NC	NC -	NC U
Liver	2000-2009	3	2.4	NC	NC -	NC U	3	1.6	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2010-2019	4	3.3	NC	NC -	NC U	2	2.3	NC	NC -	NC U	2	1.0	NC	NC -	NC U
NHL	2000-2009	11	7.5	146	73 -	261 U	5	3.7	137	44 -	319 U	6	3.9	155	56 -	336 U
	2010-2019	6	7.6	79	29 -	172 U	2	3.8	NC	NC -	NC U	4	3.8	NC	NC -	NC U
Stomach	2000-2009	2	3.0	NC	NC -	NC U	2	1.7	NC	NC -	NC U	0	1.4	NC	NC -	NC U
	2010-2019	5	2.7	186	60 -	433 U	2	1.5	NC	NC -	NC U	3	1.2	NC	NC -	NC U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003900400

			Total				Males					Females					
	Obs	Exp	SIR	* 95	%CI	U Obs	Exp	SIR	* 95	%CI	U Obs	Exp	SIR	* 95	%CI	U	
Biliary tract	1995-1999	0	0.4	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U
	2000-2004	0	0.5	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U
	2005-2009	0	0.6	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
	2010-2014	0	0.7	NC	NC	- NC	U 0	0.4	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
	2015-2019	0	0.7	NC	NC	- NC	U 0	0.4	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
Bladder (in situ and invasive)	1995-1999	1	7.6	NC	NC	- NC	U 1	5.4	NC	NC	- NC	U 0	2.2	NC	NC	- NC	U
	2000-2004	11	8.1	136	68	- 243	U 8	5.9	137	59	- 269	U 3	2.2	NC	NC	- NC	U
	2005-2009	6	8.2	73	27	- 159	U 4	6.0	NC	NC	- NC	U 2	2.2	NC	NC	- NC	U
	2010-2014	16	7.9	202	* 116	- 328	15	5.8	259	* 145	- 427	1	2.1	NC	NC	- NC	U
	2015-2019	12	8.0	149	77	- 261	7	5.9	118	47	- 243	U 5	2.1	238	77	- 557	U
Breast	1995-1999	30	22.8	132	89	- 188	0	0.2	NC	NC	- NC	U 30	22.6	133	89	- 189	
	2000-2004	14	22.4	63	34	- 105	1	0.2	NC	NC	- NC	U 13	22.2	59	31	- 100	
	2005-2009	22	22.3	99	62	- 150	0	0.2	NC	NC	- NC	U 22	22.1	100	62	- 151	
	2010-2014	24	23.2	103	66	- 154	0	0.2	NC	NC	- NC	U 24	23.0	104	67	- 155	
	2015-2019	20	24.4	82	50	- 126	0	0.2	NC	NC	- NC	U 20	24.2	83	50	- 128	
Childhood ALL	1995-1999	0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U
	2000-2004	NS	NS	NS	NS	NS	U NS	NS	NS	NS	- NS	U 0	0.1	NC	NC	- NC	U
	2005-2009	NS	NS	NS	NS	NS	U NS	NS	NS	NS	- NS	U 0	0.1	NC	NC	- NC	U
	2010-2014	0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U
	2015-2019	0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U
Colon/rectum	1995-1999	19	17.4	109	66	- 170	12	8.7	138	71	- 241	7	8.7	80	32	- 165	U
	2000-2004	26	17.4	150	98	- 219	17	8.7	195	* 114	- 312	9	8.6	104	47	- 198	U
	2005-2009	10	14.3	70	33	- 128	U 4	7.1	NC	NC	- NC	U 6	7.2	83	30	- 181	U
	2010-2014	15	12.2	123	69	- 203	3	6.2	NC	NC	- NC	U 12	6.1	198	* 102	- 346	
	2015-2019	16	11.4	141	80	- 229	5	5.9	85	28	- 199	U 11	5.5	199	99	- 357	U

Cancer Incidence in Pittsfield Census Tract 25003900400

			Total					Males					Females				
	Obs	Exp	SIR	* 95	%CI	U Obs	Exp	SIR	* 95	%CI	U Obs	Exp	SIR	* 95	%CI	U	
Gallbladder	1995-1999	1	0.4	NC	NC	- NC	U 1	0.1	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U
	2000-2004	0	0.3	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U
	2005-2009	1	0.4	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 1	0.3	NC	NC	- NC	U
	2010-2014	1	0.4	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 1	0.3	NC	NC	- NC	U
	2015-2019	1	0.4	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 1	0.3	NC	NC	- NC	U
Liver and Intrahepatic																	
Bile Duct (IBD)	1995-1999	0	1.2	NC	NC	- NC	U 0	0.8	NC	NC	- NC	U 0	0.4	NC	NC	- NC	U
	2000-2004	3	1.6	NC	NC	- NC	U 1	1.2	NC	NC	- NC	U 2	0.4	NC	NC	- NC	U
	2005-2009	3	2.3	NC	NC	- NC	U 3	1.7	NC	NC	- NC	U 0	0.6	NC	NC	- NC	U
	2010-2014	3	2.7	NC	NC	- NC	U 1	2.0	NC	NC	- NC	U 2	0.7	NC	NC	- NC	U
	2015-2019	6	3.2	187	68	- 408	U 4	2.3	NC	NC	- NC	U 2	0.9	NC	NC	- NC	U
Non-Hodgkin Lymphoma (NHL)																	
	1995-1999	6	5.5	109	40	- 237	U 3	2.8	NC	NC	- NC	U 3	2.7	NC	NC	- NC	U
	2000-2004	9	5.8	155	71	- 294	U 6	2.9	205	75	- 446	U 3	2.9	NC	NC	- NC	U
	2005-2009	4	6.2	NC	NC	- NC	U 1	3.3	NC	NC	- NC	U 3	2.8	NC	NC	- NC	U
	2010-2014	5	6.3	80	26	- 187	U 2	3.3	NC	NC	- NC	U 3	3.0	NC	NC	- NC	U
	2015-2019	9	6.5	138	63	- 262	U 4	3.6	NC	NC	- NC	U 5	2.9	171	55	- 399	U
Prostate																	
	1995-1999	--	--	--	--	--	25	22.3	112	73	- 166	--	--	--	--	--	--
	2000-2004	--	--	--	--	--	14	23.0	61	33	- 102	--	--	--	--	--	--
	2005-2009	--	--	--	--	--	17	22.5	76	44	- 121	--	--	--	--	--	--
	2010-2014	--	--	--	--	--	20	17.8	112	68	- 173	--	--	--	--	--	--
	2015-2019	--	--	--	--	--	29	19.6	148	99	- 213	--	--	--	--	--	--
Stomach																	
	1995-1999	2	2.4	NC	NC	- NC	U 1	1.4	NC	NC	- NC	U 1	0.9	NC	NC	- NC	U
	2000-2004	5	2.4	210	68	- 491	U 4	1.5	NC	NC	- NC	U 1	0.9	NC	NC	- NC	U
	2005-2009	4	2.2	NC	NC	- NC	U 0	1.4	NC	NC	- NC	U 4	0.8	NC	NC	- NC	U
	2010-2014	1	2.2	NC	NC	- NC	U 1	1.4	NC	NC	- NC	U 0	0.8	NC	NC	- NC	U
	2015-2019	0	2.3	NC	NC	- NC	U 0	1.4	NC	NC	- NC	U 0	0.8	NC	NC	- NC	U

Cancer Incidence in Pittsfield Census Tract 25003900400

			Total				Males					Females					
		Obs	Exp	SIR	* 95	%CI	U Obs	Exp	SIR	* 95	%CI	U Obs	Exp	SIR	* 95	%CI	U
Biliary tract	2000-2009	0	1.1	NC	NC	- NC	U 0	0.6	NC	NC	- NC	U 0	0.5	NC	NC	- NC	U
	2010-2019	0	1.4	NC	NC	- NC	U 0	0.8	NC	NC	- NC	U 0	0.6	NC	NC	- NC	U
Childhood ALL	2000-2009	NS	NS	NS	NS	- NS	U NS	NS	NS	NS	- NS	U 0	0.2	NC	NC	- NC	U
	2010-2019	0	0.4	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U
Gallbladder	2000-2009	1	0.7	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 1	0.5	NC	NC	- NC	U
	2010-2019	2	0.8	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U 2	0.6	NC	NC	- NC	U
Liver	2000-2009	6	3.9	152	56	- 332	U 4	2.9	NC	NC	- NC	U 2	1.1	NC	NC	- NC	U
	2010-2019	9	5.9	153	70	- 290	U 5	4.3	115	37	- 269	U 4	1.6	NC	NC	- NC	U
NHL	2000-2009	13	12.0	109	58	- 186	7	6.3	112	45	- 231	U 6	5.7	105	38	- 228	U
	2010-2019	14	12.8	109	60	- 183	6	6.9	87	32	- 189	U 8	5.9	136	58	- 267	U
Stomach	2000-2009	9	4.6	198	90	- 375	U 4	2.8	NC	NC	- NC	U 5	1.7	292	94	- 682	U
	2010-2019	1	4.5	NC	NC	- NC	U 1	2.8	NC	NC	- NC	U 0	1.7	NC	NC	- NC	U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003900500

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2000-2004	1	0.5	NC	NC -	NC U	0	0.3	NC	NC -	NC U	1	0.2	NC	NC -	NC U
	2005-2009	0	0.6	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2010-2014	0	0.7	NC	NC -	NC U	0	0.4	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2015-2019	0	0.7	NC	NC -	NC U	0	0.4	NC	NC -	NC U	0	0.3	NC	NC -	NC U
Bladder (in situ and invasive)	1995-1999	6	7.2	83	30 -	181 U	4	5.2	NC	NC -	NC U	2	2.1	NC	NC -	NC U
	2000-2004	10	8.5	118	56 -	217 U	9	6.1	147	67 -	280 U	1	2.4	NC	NC -	NC U
	2005-2009	7	8.7	81	32 -	167 U	7	6.3	111	44 -	228 U	0	2.3	NC	NC -	NC U
	2010-2014	11	8.4	131	65 -	235 U	8	6.1	131	56 -	257 U	3	2.3	NC	NC -	NC U
	2015-2019	12	8.7	138	71 -	241	8	6.4	126	54 -	248 U	4	2.3	NC	NC -	NC U
Breast	1995-1999	23	18.4	125	79 -	187	0	0.1	NC	NC -	NC U	23	18.3	126	80 -	189
	2000-2004	28	19.6	143	95 -	206	0	0.2	NC	NC -	NC U	28	19.5	144	96 -	208
	2005-2009	25	19.9	126	81 -	186	0	0.2	NC	NC -	NC U	25	19.7	127	82 -	187
	2010-2014	19	21.0	90	54 -	141	0	0.2	NC	NC -	NC U	19	20.8	91	55 -	143
	2015-2019	14	22.9	61	33 -	103	0	0.2	NC	NC -	NC U	14	22.7	62	34 -	104
Childhood ALL	1995-1999	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0	NC	NC -	NC U
	2005-2009	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0	NC	NC -	NC U
	2010-2014	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0	NC	NC -	NC U
	2015-2019	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0	NC	NC -	NC U
Colon/rectum	1995-1999	11	16.9	65	32 -	116 U	8	8.3	97	42 -	191 U	3	8.7	NC	NC -	NC U
	2000-2004	18	18.6	97	57 -	153	8	8.8	91	39 -	179 U	10	9.8	102	49 -	188 U
	2005-2009	10	15.0	67	32 -	123 U	8	7.2	112	48 -	220 U	2	7.8	NC	NC -	NC U
	2010-2014	12	12.4	97	50 -	169	7	6.1	115	46 -	237 U	5	6.3	79	25 -	184 U
	2015-2019	12	11.7	103	53 -	180	6	5.8	104	38 -	226 U	6	5.9	102	37 -	222 U

Cancer Incidence in Pittsfield Census Tract 25003900500

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Gallbladder	1995-1999	0	0.4	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2000-2004	0	0.4	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2005-2009	0	0.4	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2010-2014	0	0.4	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2015-2019	0	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	1	1.0	NC	NC -	NC U	1	0.7	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2000-2004	1	1.5	NC	NC -	NC U	1	1.1	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2005-2009	2	2.2	NC	NC -	NC U	2	1.6	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2010-2014	1	2.6	NC	NC -	NC U	0	1.9	NC	NC -	NC U	1	0.7	NC	NC -	NC U
	2015-2019	5	3.2	157	51 -	367 U	4	2.3	NC	NC -	NC U	1	0.9	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	3	4.8	NC	NC -	NC U	2	2.4	NC	NC -	NC U	1	2.4	NC	NC -	NC U
	2000-2004	7	5.6	125	50 -	257 U	5	2.8	182	59 -	424 U	2	2.9	NC	NC -	NC U
	2005-2009	7	6.0	117	47 -	241 U	5	3.2	158	51 -	368 U	2	2.8	NC	NC -	NC U
	2010-2014	9	6.1	147	67 -	280 U	5	3.2	158	51 -	369 U	4	2.9	NC	NC -	NC U
	2015-2019	10	6.6	153	73 -	281 U	6	3.6	168	61 -	366 U	4	3.0	NC	NC -	NC U
Prostate	1995-1999	--	--	--	--	--	20	19.8	101	62 -	156	--	--	--	--	--
	2000-2004	--	--	--	--	--	25	21.4	117	75 -	172	--	--	--	--	--
	2005-2009	--	--	--	--	--	23	21.0	110	69 -	164	--	--	--	--	--
	2010-2014	--	--	--	--	--	22	16.6	133	83 -	201	--	--	--	--	--
	2015-2019	--	--	--	--	--	19	18.7	101	61 -	158	--	--	--	--	--
Stomach	1995-1999	0	2.3	NC	NC -	NC U	0	1.4	NC	NC -	NC U	0	0.9	NC	NC -	NC U
	2000-2004	0	2.6	NC	NC -	NC U	0	1.5	NC	NC -	NC U	0	1.1	NC	NC -	NC U
	2005-2009	0	2.3	NC	NC -	NC U	0	1.4	NC	NC -	NC U	0	0.9	NC	NC -	NC U
	2010-2014	1	2.3	NC	NC -	NC U	1	1.4	NC	NC -	NC U	0	0.9	NC	NC -	NC U
	2015-2019	1	2.3	NC	NC -	NC U	1	1.4	NC	NC -	NC U	0	0.9	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003900500

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	2000-2009	1	1.2	NC	NC -	NC U	0	0.6	NC	NC -	NC U	1	0.5	NC	NC -	NC U
	2010-2019	0	1.5	NC	NC -	NC U	0	0.8	NC	NC -	NC U	0	0.7	NC	NC -	NC U
Childhood ALL	2000-2009	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.1	NC	NC -	NC U
	2010-2019	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Gallbladder	2000-2009	0	0.8	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2010-2019	0	0.9	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.6	NC	NC -	NC U
Liver	2000-2009	3	3.7	NC	NC -	NC U	3	2.6	NC	NC -	NC U	0	1.1	NC	NC -	NC U
	2010-2019	6	5.7	105	38 -	228 U	4	4.1	NC	NC -	NC U	2	1.6	NC	NC -	NC U
NHL	2000-2009	14	11.6	120	66 -	202	10	5.9	169	81 -	310 U	4	5.7	NC	NC -	NC U
	2010-2019	19	12.7	150	90 -	234	11	6.7	163	81 -	292 U	8	5.9	135	58 -	266 U
Stomach	2000-2009	0	4.9	NC	NC -	NC U	0	2.9	NC	NC -	NC U	0	2.0	NC	NC -	NC U
	2010-2019	2	4.6	NC	NC -	NC U	2	2.8	NC	NC -	NC U	0	1.8	NC	NC -	NC U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003900600

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.3	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2005-2009	1	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.2	NC	NC -	NC U
	2010-2014	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2015-2019	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
Bladder (in situ and invasive)	1995-1999	5	5.2	95	31 -	223 U	3	3.7	NC	NC -	NC U	2	1.5	NC	NC -	NC U
	2000-2004	8	5.2	154	66 -	304 U	6	3.8	160	58 -	347 U	2	1.4	NC	NC -	NC U
	2005-2009	6	5.0	119	44 -	260 U	5	3.6	137	44 -	320 U	1	1.4	NC	NC -	NC U
	2010-2014	3	4.7	NC	NC -	NC U	2	3.5	NC	NC -	NC U	1	1.3	NC	NC -	NC U
	2015-2019	4	4.8	NC	NC -	NC U	3	3.5	NC	NC -	NC U	1	1.3	NC	NC -	NC U
Breast	1995-1999	16	15.2	106	60 -	171	0	0.1	NC	NC -	NC U	16	15.1	106	61 -	173
	2000-2004	12	14.0	86	44 -	150	0	0.1	NC	NC -	NC U	12	13.9	87	45 -	151
	2005-2009	14	14.1	99	54 -	167	0	0.1	NC	NC -	NC U	14	14.0	100	55 -	168
	2010-2014	11	14.8	74	37 -	133 U	0	0.1	NC	NC -	NC U	11	14.7	75	37 -	134 U
	2015-2019	17	16.0	107	62 -	171	0	0.1	NC	NC -	NC U	17	15.8	108	63 -	172
Childhood ALL	1995-1999	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2005-2009	NS	NS	NS	NS	NS U	0	0.1	NC	NC -	NC U	NS	NS	NS	NS -	NS U
	2010-2014	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2015-2019	0	0.3	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Colon/rectum	1995-1999	13	12.2	107	57 -	183	7	6.0	117	47 -	241 U	6	6.2	97	36 -	212 U
	2000-2004	16	11.3	141	81 -	230	11	5.6	197	98 -	352 U	5	5.7	87	28 -	204 U
	2005-2009	15	9.2	164	91 -	270	5	4.5	112	36 -	261 U	10	4.7	213 *	102 -	392 U
	2010-2014	9	7.8	116	53 -	220 U	6	3.9	156	57 -	339 U	3	3.9	NC	NC -	NC U
	2015-2019	11	7.4	149	74 -	267 U	6	3.7	161	59 -	350 U	5	3.6	137	44 -	320 U

Cancer Incidence in Pittsfield Census Tract 25003900600

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Gallbladder	1995-1999	1	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	1	0.2	NC	NC -	NC U
	2000-2004	2	0.2	NC	NC -	NC U	2	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2005-2009	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2010-2014	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2015-2019	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	0	0.8	NC	NC -	NC U	0	0.5	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2000-2004	3	1.0	NC	NC -	NC U	1	0.8	NC	NC -	NC U	2	0.3	NC	NC -	NC U
	2005-2009	2	1.4	NC	NC -	NC U	2	1.1	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2010-2014	2	1.6	NC	NC -	NC U	2	1.2	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2015-2019	6	1.9	308 *	113 -	671 U	4	1.4	NC	NC -	NC U	2	0.5	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	2	3.8	NC	NC -	NC U	1	2.0	NC	NC -	NC U	1	1.9	NC	NC -	NC U
	2000-2004	5	3.8	132	42 -	307 U	1	1.9	NC	NC -	NC U	4	1.9	NC	NC -	NC U
	2005-2009	1	3.9	NC	NC -	NC U	0	2.1	NC	NC -	NC U	1	1.8	NC	NC -	NC U
	2010-2014	8	4.0	201	87 -	397 U	6	2.1	286 *	104 -	623 U	2	1.9	NC	NC -	NC U
	2015-2019	2	4.2	NC	NC -	NC U	2	2.3	NC	NC -	NC U	0	1.9	NC	NC -	NC U
Prostate	1995-1999	--	--	--	--	--	14	14.8	95	52 -	159	--	--	--	--	--
	2000-2004	--	--	--	--	--	10	14.0	72	34 -	132 U	--	--	--	--	--
	2005-2009	--	--	--	--	--	6	13.3	45 *	16 -	98 U	--	--	--	--	--
	2010-2014	--	--	--	--	--	9	10.5	85	39 -	162 U	--	--	--	--	--
	2015-2019	--	--	--	--	--	11	11.6	95	47 -	169 U	--	--	--	--	--
Stomach	1995-1999	1	1.7	NC	NC -	NC U	0	1.0	NC	NC -	NC U	1	0.7	NC	NC -	NC U
	2000-2004	0	1.6	NC	NC -	NC U	0	1.0	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2005-2009	1	1.4	NC	NC -	NC U	1	0.8	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2010-2014	1	1.4	NC	NC -	NC U	0	0.8	NC	NC -	NC U	1	0.5	NC	NC -	NC U
	2015-2019	4	1.4	NC	NC -	NC U	3	0.9	NC	NC -	NC U	1	0.6	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003900600

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	2000-2009	1	0.7	NC	NC -	NC U	0	0.4	NC	NC -	NC U	1	0.3	NC	NC -	NC U
	2010-2019	0	0.8	NC	NC -	NC U	0	0.4	NC	NC -	NC U	0	0.4	NC	NC -	NC U
Childhood ALL	2000-2009	NS	NS	NS	NS -	NS U	0	0.2	NC	NC -	NC U	NS	NS	NS	NS -	NS U
	2010-2019	0	0.5	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.2	NC	NC -	NC U
Gallbladder	2000-2009	2	0.5	NC	NC -	NC U	2	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2010-2019	0	0.5	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.4	NC	NC -	NC U
Liver	2000-2009	5	2.5	201	65 -	469 U	3	1.8	NC	NC -	NC U	2	0.7	NC	NC -	NC U
	2010-2019	8	3.6	223	96 -	439 U	6	2.6	227	83 -	494 U	2	0.9	NC	NC -	NC U
NHL	2000-2009	6	7.8	77	28 -	168 U	1	4.1	NC	NC -	NC U	5	3.7	137	44 -	319 U
	2010-2019	10	8.1	123	59 -	226 U	8	4.4	181	78 -	357 U	2	3.7	NC	NC -	NC U
Stomach	2000-2009	1	3.0	NC	NC -	NC U	1	1.8	NC	NC -	NC U	0	1.2	NC	NC -	NC U
	2010-2019	5	2.8	179	58 -	417 U	3	1.7	NC	NC -	NC U	2	1.1	NC	NC -	NC U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003900700

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2000-2004	1	0.4	NC	NC -	NC U	1	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2005-2009	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2010-2014	0	0.5	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2015-2019	1	0.5	NC	NC -	NC U	0	0.3	NC	NC -	NC U	1	0.2	NC	NC -	NC U
Bladder (in situ and invasive)	1995-1999	6	5.5	108	39 -	235 U	4	3.7	NC	NC -	NC U	2	1.8	NC	NC -	NC U
	2000-2004	6	6.1	98	36 -	213 U	5	4.2	118	38 -	276 U	1	1.9	NC	NC -	NC U
	2005-2009	5	6.0	83	27 -	195 U	4	4.3	NC	NC -	NC U	1	1.7	NC	NC -	NC U
	2010-2014	4	5.7	NC	NC -	NC U	3	4.2	NC	NC -	NC U	1	1.5	NC	NC -	NC U
	2015-2019	8	5.8	138	60 -	273 U	6	4.3	138	50 -	301 U	2	1.4	NC	NC -	NC U
Breast	1995-1999	19	15.9	120	72 -	187	0	0.1	NC	NC -	NC U	19	15.8	121	73 -	188
	2000-2004	7	15.7	45 *	18 -	92 U	0	0.1	NC	NC -	NC U	7	15.6	45 *	18 -	92 U
	2005-2009	12	14.7	82	42 -	143	0	0.1	NC	NC -	NC U	12	14.6	82	42 -	144
	2010-2014	12	14.2	85	44 -	148	0	0.1	NC	NC -	NC U	12	14.1	85	44 -	149
	2015-2019	13	14.3	91	48 -	155	1	0.2	NC	NC -	NC U	12	14.1	85	44 -	148
Childhood ALL	1995-1999	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2005-2009	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2014	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.0	NC	NC -	NC U
	2015-2019	0	0.1	NC	NC -	NC U	0	0.0	NC	NC -	NC U	0	0.0	NC	NC -	NC U
Colon/rectum	1995-1999	3	13.8	NC	NC -	NC U	1	6.0	NC	NC -	NC U	2	7.8	NC	NC -	NC U
	2000-2004	17	14.3	119	69 -	191	10	6.2	161	77 -	297 U	7	8.1	87	35 -	178 U
	2005-2009	15	11.1	135	76 -	223	7	5.1	136	55 -	281 U	8	6.0	134	58 -	264 U
	2010-2014	7	8.9	79	32 -	163 U	2	4.5	NC	NC -	NC U	5	4.4	113	36 -	264 U
	2015-2019	8	8.1	99	43 -	195 U	7	4.3	164	66 -	338 U	1	3.8	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003900700

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Gallbladder	1995-1999	1	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	1	0.2	NC	NC -	NC U
	2000-2004	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2005-2009	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2010-2014	1	0.3	NC	NC -	NC U	1	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2015-2019	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.2	NC	NC -	NC U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	0	0.8	NC	NC -	NC U	0	0.5	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2000-2004	1	1.2	NC	NC -	NC U	1	0.8	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2005-2009	1	1.6	NC	NC -	NC U	0	1.2	NC	NC -	NC U	1	0.4	NC	NC -	NC U
	2010-2014	5	1.8	271	87 -	632 U	4	1.4	NC	NC -	NC U	1	0.5	NC	NC -	NC U
	2015-2019	1	2.2	NC	NC -	NC U	1	1.7	NC	NC -	NC U	0	0.5	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	1	3.9	NC	NC -	NC U	1	1.9	NC	NC -	NC U	0	2.1	NC	NC -	NC U
	2000-2004	1	4.4	NC	NC -	NC U	0	2.0	NC	NC -	NC U	1	2.3	NC	NC -	NC U
	2005-2009	7	4.4	159	64 -	327 U	4	2.3	NC	NC -	NC U	3	2.1	NC	NC -	NC U
	2010-2014	6	4.3	139	51 -	303 U	1	2.3	NC	NC -	NC U	5	2.0	251	81 -	585 U
	2015-2019	1	4.4	NC	NC -	NC U	0	2.6	NC	NC -	NC U	1	1.9	NC	NC -	NC U
Prostate	1995-1999	--	--	--	--	--	8	14.4	56	24 -	110 U	--	--	--	--	--
	2000-2004	--	--	--	--	--	7	15.4	46 *	18 -	94 U	--	--	--	--	--
	2005-2009	--	--	--	--	--	10	15.1	66	32 -	122 U	--	--	--	--	--
	2010-2014	--	--	--	--	--	12	12.1	99	51 -	173	--	--	--	--	--
	2015-2019	--	--	--	--	--	10	13.8	73	35 -	134 U	--	--	--	--	--
Stomach	1995-1999	1	1.9	NC	NC -	NC U	1	1.0	NC	NC -	NC U	0	0.9	NC	NC -	NC U
	2000-2004	0	2.0	NC	NC -	NC U	0	1.1	NC	NC -	NC U	0	0.9	NC	NC -	NC U
	2005-2009	0	1.7	NC	NC -	NC U	0	1.0	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2010-2014	2	1.6	NC	NC -	NC U	2	1.0	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2015-2019	1	1.6	NC	NC -	NC U	1	1.0	NC	NC -	NC U	0	0.6	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003900700

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	2000-2009	1	0.9	NC	NC -	NC U	1	0.4	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2010-2019	1	1.0	NC	NC -	NC U	0	0.5	NC	NC -	NC U	1	0.5	NC	NC -	NC U
Childhood ALL	2000-2009	0	0.3	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2019	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Gallbladder	2000-2009	0	0.6	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2010-2019	1	0.6	NC	NC -	NC U	1	0.2	NC	NC -	NC U	0	0.4	NC	NC -	NC U
Liver	2000-2009	2	2.8	NC	NC -	NC U	1	2.0	NC	NC -	NC U	1	0.9	NC	NC -	NC U
	2010-2019	6	4.1	148	54 -	321 U	5	3.0	164	53 -	383 U	1	1.0	NC	NC -	NC U
NHL	2000-2009	8	8.8	91	39 -	178 U	4	4.4	NC	NC -	NC U	4	4.5	NC	NC -	NC U
	2010-2019	7	8.8	80	32 -	165 U	1	4.9	NC	NC -	NC U	6	3.9	155	57 -	338 U
Stomach	2000-2009	0	3.7	NC	NC -	NC U	0	2.1	NC	NC -	NC U	0	1.7	NC	NC -	NC U
	2010-2019	3	3.2	NC	NC -	NC U	3	2.0	NC	NC -	NC U	0	1.2	NC	NC -	NC U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003900900

				Total				Males				Females					
		Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U
Biliary tract	1995-1999	0	0.5	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U
	2000-2004	1	0.7	NC	NC	- NC	U 1	0.4	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
	2005-2009	0	0.8	NC	NC	- NC	U 0	0.5	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
	2010-2014	0	0.9	NC	NC	- NC	U 0	0.5	NC	NC	- NC	U 0	0.4	NC	NC	- NC	U
	2015-2019	1	0.9	NC	NC	- NC	U 1	0.5	NC	NC	- NC	U 0	0.4	NC	NC	- NC	U
Bladder (in situ and invasive)	1995-1999	11	10.5	105	52	- 188	U 8	7.8	102	44	- 201	U 3	2.6	NC	NC	- NC	U
	2000-2004	8	11.4	70	30	- 138	U 6	8.6	69	25	- 151	U 2	2.8	NC	NC	- NC	U
	2005-2009	13	11.6	112	60	- 192	10	8.8	114	54	- 209	U 3	2.8	NC	NC	- NC	U
	2010-2014	11	11.1	99	50	- 178	U 9	8.4	107	49	- 204	U 2	2.7	NC	NC	- NC	U
	2015-2019	12	11.1	108	56	- 189	9	8.4	107	49	- 203	U 3	2.7	NC	NC	- NC	U
Breast	1995-1999	22	27.5	80	50	- 121	0	0.2	NC	NC	- NC	U 22	27.3	81	51	- 122	
	2000-2004	27	27.1	100	66	- 145	1	0.2	NC	NC	- NC	U 26	26.8	97	63	- 142	
	2005-2009	34	26.7	127	88	- 178	0	0.3	NC	NC	- NC	U 34	26.4	129	89	- 180	
	2010-2014	33	27.4	120	83	- 169	0	0.3	NC	NC	- NC	U 33	27.2	121	84	- 171	
	2015-2019	30	28.3	106	72	- 151	0	0.3	NC	NC	- NC	U 30	28.0	107	72	- 153	
Childhood ALL	1995-1999	NS	NS	NS	NS	- NS	U 0	0.1	NC	NC	- NC	U NS	NS	NS	NS	- NS	U
	2000-2004	0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U
	2005-2009	NS	NS	NS	NS	- NS	U NS	NS	NS	NS	- NS	U 0	0.1	NC	NC	- NC	U
	2010-2014	0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U
	2015-2019	0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U
Colon/rectum	1995-1999	13	23.1	56	* 30	- 96	5	12.6	40	* 13	- 93	U 8	10.5	76	33	- 150	U
	2000-2004	29	23.4	124	83	- 178	16	12.7	126	72	- 205	13	10.7	121	64	- 207	
	2005-2009	20	19.1	105	64	- 162	11	10.1	109	54	- 196	U 9	9.0	100	45	- 189	U
	2010-2014	18	15.9	113	67	- 179	9	8.3	108	49	- 205	U 9	7.5	119	54	- 226	U
	2015-2019	25	14.5	173	* 112	- 255	9	7.6	118	54	- 223	U 16	6.8	234	* 134	- 380	

Cancer Incidence in Pittsfield Census Tract 25003900900

				Total				Males				Females					
		Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U
Gallbladder	1995-1999	1	0.5	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 1	0.3	NC	NC	- NC	U
	2000-2004	0	0.5	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
	2005-2009	1	0.5	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 1	0.3	NC	NC	- NC	U
	2010-2014	0	0.6	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 0	0.4	NC	NC	- NC	U
	2015-2019	0	0.5	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
Liver and Intrahepatic																	
Bile Duct (IBD)	1995-1999	1	1.5	NC	NC	- NC	U 0	1.1	NC	NC	- NC	U 1	0.4	NC	NC	- NC	U
	2000-2004	2	2.2	NC	NC	- NC	U 1	1.6	NC	NC	- NC	U 1	0.6	NC	NC	- NC	U
	2005-2009	2	3.0	NC	NC	- NC	U 1	2.3	NC	NC	- NC	U 1	0.7	NC	NC	- NC	U
	2010-2014	1	3.4	NC	NC	- NC	U 1	2.6	NC	NC	- NC	U 0	0.9	NC	NC	- NC	U
	2015-2019	3	4.0	NC	NC	- NC	U 2	3.0	NC	NC	- NC	U 1	1.0	NC	NC	- NC	U
Non-Hodgkin Lymphoma (NHL)																	
	1995-1999	4	7.0	NC	NC	- NC	U 1	3.7	NC	NC	- NC	U 3	3.2	NC	NC	- NC	U
	2000-2004	9	7.5	120	55	- 227	U 8	4.0	198	85	- 390	U 1	3.5	NC	NC	- NC	U
	2005-2009	9	8.0	113	51	- 214	U 7	4.5	155	62	- 320	U 2	3.5	NC	NC	- NC	U
	2010-2014	9	8.0	112	51	- 213	U 5	4.4	114	37	- 266	U 4	3.6	NC	NC	- NC	U
	2015-2019	12	8.2	146	75	- 255	8	4.7	170	73	- 335	U 4	3.5	NC	NC	- NC	U
Prostate																	
	1995-1999	--	--	--	--	--	20	32.1	62	* 38	- 96	--	--	--	--	--	--
	2000-2004	--	--	--	--	--	32	33.1	97	66	- 137	--	--	--	--	--	--
	2005-2009	--	--	--	--	--	38	30.8	123	87	- 169	--	--	--	--	--	--
	2010-2014	--	--	--	--	--	20	23.0	87	53	- 134	--	--	--	--	--	--
	2015-2019	--	--	--	--	--	29	24.1	120	80	- 173	--	--	--	--	--	--
Stomach																	
	1995-1999	0	3.2	NC	NC	- NC	U 0	2.1	NC	NC	- NC	U 0	1.1	NC	NC	- NC	U
	2000-2004	0	3.3	NC	NC	- NC	U 0	2.2	NC	NC	- NC	U 0	1.1	NC	NC	- NC	U
	2005-2009	1	3.0	NC	NC	- NC	U 0	2.0	NC	NC	- NC	U 1	1.0	NC	NC	- NC	U
	2010-2014	4	2.9	NC	NC	- NC	U 2	1.9	NC	NC	- NC	U 2	1.0	NC	NC	- NC	U
	2015-2019	2	2.9	NC	NC	- NC	U 2	1.9	NC	NC	- NC	U 0	1.1	NC	NC	- NC	U

Cancer Incidence in Pittsfield Census Tract 25003900900

			Total			Males											Females				
		Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U				
Biliary tract	2000-2009	1	1.4	NC	NC	- NC	U 1	0.9	NC	NC	- NC	U 0	0.6	NC	NC	- NC	U				
	2010-2019	1	1.8	NC	NC	- NC	U 1	1.0	NC	NC	- NC	U 0	0.8	NC	NC	- NC	U				
Childhood ALL	2000-2009	NS	NS	NS	NS	- NS	U NS	NS	NS	NS	- NS	U 0	0.2	NC	NC	- NC	U				
	2010-2019	0	0.3	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U				
Gallbladder	2000-2009	1	0.9	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U 1	0.6	NC	NC	- NC	U				
	2010-2019	0	1.1	NC	NC	- NC	U 0	0.4	NC	NC	- NC	U 0	0.7	NC	NC	- NC	U				
Liver	2000-2009	4	5.2	NC	NC	- NC	U 2	3.9	NC	NC	- NC	U 2	1.3	NC	NC	- NC	U				
	2010-2019	4	7.5	NC	NC	- NC	U 3	5.6	NC	NC	- NC	U 1	1.9	NC	NC	- NC	U				
NHL	2000-2009	18	15.5	116	69	- 183	15	8.6	175	98	- 289	3	7.0	NC	NC	- NC	U				
	2010-2019	21	16.3	129	80	- 197	13	9.2	142	76	- 243	8	7.2	112	48	- 220	U				
Stomach	2000-2009	1	6.2	NC	NC	- NC	U 0	4.1	NC	NC	- NC	U 1	2.1	NC	NC	- NC	U				
	2010-2019	6	5.9	102	37	- 221	U 4	3.8	NC	NC	- NC	U 2	2.1	NC	NC	- NC	U				

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003900900

				Total				Males				Females					
		Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U
Biliary tract	1995-1999	0	0.4	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U
	2000-2004	1	0.5	NC	NC	- NC	U 1	0.3	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U
	2005-2009	1	0.5	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U 1	0.3	NC	NC	- NC	U
	2010-2014	0	0.6	NC	NC	- NC	U 0	0.4	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
	2015-2019	0	0.6	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
Bladder (in situ and invasive)	1995-1999	7	7.7	91	36	- 187	U 4	5.3	NC	NC	- NC	U 3	2.4	NC	NC	- NC	U
	2000-2004	12	7.9	152	78	- 265	10	5.6	177	85	- 326	U 2	2.3	NC	NC	- NC	U
	2005-2009	8	7.6	105	45	- 207	U 7	5.5	127	51	- 261	U 1	2.1	NC	NC	- NC	U
	2010-2014	6	7.2	84	31	- 183	U 6	5.2	115	42	- 250	U 0	1.9	NC	NC	- NC	U
	2015-2019	13	7.2	181	96	- 309	9	5.3	170	78	- 323	U 4	1.9	NC	NC	- NC	U
Breast	1995-1999	25	24.2	103	67	- 153	1	0.2	NC	NC	- NC	U 24	24.0	100	64	- 149	
	2000-2004	34	22.9	149	* 103	- 208	1	0.2	NC	NC	- NC	U 33	22.7	145	* 100	- 204	
	2005-2009	23	22.4	103	65	- 154	0	0.2	NC	NC	- NC	U 23	22.2	103	66	- 155	
	2010-2014	20	23.1	87	53	- 134	0	0.2	NC	NC	- NC	U 20	22.9	87	53	- 135	
	2015-2019	19	24.3	78	47	- 122	0	0.2	NC	NC	- NC	U 19	24.1	79	47	- 123	
Childhood ALL	1995-1999	0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U
	2000-2004	0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U
	2005-2009	0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U
	2010-2014	NS	NS	NS	NS	- NS	U NS	NS	NS	NS	- NS	U 0	0.1	NC	NC	- NC	U
	2015-2019	0	0.2	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U
Colon/rectum	1995-1999	21	18.3	115	71	- 175	10	8.6	117	56	- 215	U 11	9.8	113	56	- 202	U
	2000-2004	14	17.5	80	44	- 134	8	8.5	94	41	- 186	U 6	9.0	67	24	- 145	U
	2005-2009	19	13.8	138	83	- 215	7	6.8	103	41	- 212	U 12	7.0	171	88	- 300	
	2010-2014	21	11.5	183	* 113	- 280	11	5.8	189	94	- 339	U 10	5.7	177	85	- 325	U
	2015-2019	16	10.7	150	86	- 244	12	5.5	218	* 112	- 381	4	5.1	NC	NC	- NC	U

Cancer Incidence in Pittsfield Census Tract 25003900900

				Total				Males					Females				
		Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U
Gallbladder	1995-1999	0	0.4	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
	2000-2004	0	0.3	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U
	2005-2009	1	0.4	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 1	0.2	NC	NC	- NC	U
	2010-2014	1	0.4	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 1	0.3	NC	NC	- NC	U
	2015-2019	0	0.4	NC	NC	- NC	U 0	0.1	NC	NC	- NC	U 0	0.3	NC	NC	- NC	U
Liver and Intrahepatic																	
Bile Duct (IBD)	1995-1999	0	1.2	NC	NC	- NC	U 0	0.8	NC	NC	- NC	U 0	0.4	NC	NC	- NC	U
	2000-2004	1	1.6	NC	NC	- NC	U 0	1.2	NC	NC	- NC	U 1	0.5	NC	NC	- NC	U
	2005-2009	2	2.3	NC	NC	- NC	U 2	1.7	NC	NC	- NC	U 0	0.6	NC	NC	- NC	U
	2010-2014	2	2.6	NC	NC	- NC	U 1	1.9	NC	NC	- NC	U 1	0.7	NC	NC	- NC	U
	2015-2019	2	3.0	NC	NC	- NC	U 1	2.2	NC	NC	- NC	U 1	0.8	NC	NC	- NC	U
Non-Hodgkin Lymphoma (NHL)																	
	1995-1999	4	5.8	NC	NC	- NC	U 2	2.8	NC	NC	- NC	U 2	2.9	NC	NC	- NC	U
	2000-2004	3	5.9	NC	NC	- NC	U 2	2.9	NC	NC	- NC	U 1	2.9	NC	NC	- NC	U
	2005-2009	9	6.0	151	69	- 286	U 5	3.2	156	50	- 363	U 4	2.8	NC	NC	- NC	U
	2010-2014	7	5.9	118	47	- 243	U 2	3.1	NC	NC	- NC	U 5	2.8	178	57	- 414	U
	2015-2019	4	6.1	NC	NC	- NC	U 2	3.4	NC	NC	- NC	U 2	2.8	NC	NC	- NC	U
Prostate																	
	1995-1999	--	--	--	--	--	20	21.9	91	56	- 141	--	--	--	--	--	--
	2000-2004	--	--	--	--	--	19	22.9	83	50	- 130	--	--	--	--	--	--
	2005-2009	--	--	--	--	--	26	22.2	117	76	- 171	--	--	--	--	--	--
	2010-2014	--	--	--	--	--	19	17.7	107	64	- 167	--	--	--	--	--	--
	2015-2019	--	--	--	--	--	22	19.1	115	72	- 174	--	--	--	--	--	--
Stomach																	
	1995-1999	1	2.5	NC	NC	- NC	U 1	1.4	NC	NC	- NC	U 0	1.1	NC	NC	- NC	U
	2000-2004	1	2.4	NC	NC	- NC	U 0	1.4	NC	NC	- NC	U 1	1.0	NC	NC	- NC	U
	2005-2009	2	2.1	NC	NC	- NC	U 1	1.3	NC	NC	- NC	U 1	0.8	NC	NC	- NC	U
	2010-2014	3	2.1	NC	NC	- NC	U 1	1.3	NC	NC	- NC	U 2	0.8	NC	NC	- NC	U
	2015-2019	4	2.1	NC	NC	- NC	U 2	1.3	NC	NC	- NC	U 2	0.8	NC	NC	- NC	U

Cancer Incidence in Pittsfield Census Tract 25003900900

			Total			Males												Females				
		Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U Obs	Exp	SIR	* 95	% CI	U					
Biliary tract	2000-2009	2	1.0	NC	NC	- NC	U 1	0.6	NC	NC	- NC	U 1	0.5	NC	NC	- NC	U					
	2010-2019	0	1.2	NC	NC	- NC	U 0	0.7	NC	NC	- NC	U 0	0.5	NC	NC	- NC	U					
Childhood ALL	2000-2009	0	0.4	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U					
	2010-2019	NS	NS	NS	NS	- NS	U NS	NS	NS	NS	- NS	U 0	0.2	NC	NC	- NC	U					
Gallbladder	2000-2009	1	0.7	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 1	0.5	NC	NC	- NC	U					
	2010-2019	1	0.7	NC	NC	- NC	U 0	0.2	NC	NC	- NC	U 1	0.5	NC	NC	- NC	U					
Liver	2000-2009	3	3.9	NC	NC	- NC	U 2	2.9	NC	NC	- NC	U 1	1.1	NC	NC	- NC	U					
	2010-2019	4	5.7	NC	NC	- NC	U 2	4.2	NC	NC	- NC	U 2	1.5	NC	NC	- NC	U					
NHL	2000-2009	12	11.9	101	52	- 176	7	6.2	114	45	- 234	U 5	5.7	87	28	- 204	U					
	2010-2019	11	12.1	91	45	- 163	U 4	6.5	NC	NC	- NC	U 7	5.6	125	50	- 258	U					
Stomach	2000-2009	3	4.5	NC	NC	- NC	U 1	2.7	NC	NC	- NC	U 2	1.8	NC	NC	- NC	U					
	2010-2019	7	4.2	168	67	- 345	U 3	2.6	NC	NC	- NC	U 4	1.6	NC	NC	- NC	U					

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003901100

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	0	0.5	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2000-2004	0	0.6	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2005-2009	2	0.7	NC	NC -	NC U	2	0.3	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2010-2014	1	0.8	NC	NC -	NC U	0	0.4	NC	NC -	NC U	1	0.4	NC	NC -	NC U
	2015-2019	0	0.7	NC	NC -	NC U	0	0.4	NC	NC -	NC U	0	0.3	NC	NC -	NC U
Bladder (in situ and invasive)	1995-1999	12	9.8	122	63 -	213	9	7.0	128	59 -	244 U	3	2.8	NC	NC -	NC U
	2000-2004	9	10.1	89	41 -	169 U	7	7.3	96	39 -	198 U	2	2.8	NC	NC -	NC U
	2005-2009	11	9.4	117	58 -	209 U	8	6.8	118	51 -	233 U	3	2.7	NC	NC -	NC U
	2010-2014	13	8.5	154	82 -	263	10	6.0	167	80 -	307 U	3	2.5	NC	NC -	NC U
	2015-2019	6	8.2	73	27 -	159 U	4	5.8	NC	NC -	NC U	2	2.4	NC	NC -	NC U
Breast	1995-1999	24	24.6	97	62 -	145	0	0.2	NC	NC -	NC U	24	24.4	98	63 -	146
	2000-2004	22	22.9	96	60 -	145	0	0.2	NC	NC -	NC U	22	22.7	97	61 -	147
	2005-2009	21	22.1	95	59 -	145	0	0.2	NC	NC -	NC U	21	21.9	96	59 -	147
	2010-2014	16	22.4	71	41 -	116	0	0.2	NC	NC -	NC U	16	22.2	72	41 -	117
	2015-2019	19	23.6	81	48 -	126	0	0.2	NC	NC -	NC U	19	23.4	81	49 -	127
Childhood ALL	1995-1999	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.0	NC	NC -	NC U
	2005-2009	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.0	NC	NC -	NC U
	2010-2014	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.0	NC	NC -	NC U
	2015-2019	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.0	NC	NC -	NC U
Colon/rectum	1995-1999	17	23.0	74	43 -	118	10	11.2	89	43 -	164 U	7	11.8	59	24 -	122 U
	2000-2004	18	21.7	83	49 -	131	13	10.4	125	67 -	214	5	11.3	44	14 -	103 U
	2005-2009	29	16.4	177 *	118 -	254	17	7.6	223 *	130 -	357	12	8.8	136	70 -	238
	2010-2014	15	12.9	116	65 -	191	8	6.1	131	57 -	259 U	7	6.9	102	41 -	210 U
	2015-2019	12	11.9	101	52 -	176	7	5.8	121	48 -	248 U	5	6.1	82	26 -	191 U

Cancer Incidence in Pittsfield Census Tract 25003901100

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Gallbladder	1995-1999	1	0.5	NC	NC -	NC U	0	0.2	NC	NC -	NC U	1	0.3	NC	NC -	NC U
	2000-2004	0	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2005-2009	1	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	1	0.3	NC	NC -	NC U
	2010-2014	0	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.4	NC	NC -	NC U
	2015-2019	0	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
Liver and Intrahepatic Bile Duct (IBD)																
	1995-1999	1	1.4	NC	NC -	NC U	1	0.9	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2000-2004	4	1.8	NC	NC -	NC U	2	1.2	NC	NC -	NC U	2	0.6	NC	NC -	NC U
	2005-2009	1	2.3	NC	NC -	NC U	1	1.6	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2010-2014	0	2.6	NC	NC -	NC U	0	1.8	NC	NC -	NC U	0	0.7	NC	NC -	NC U
	2015-2019	5	3.1	160	52 -	374 U	5	2.2	228	73 -	531 U	0	0.9	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)																
	1995-1999	1	6.4	NC	NC -	NC U	0	3.1	NC	NC -	NC U	1	3.3	NC	NC -	NC U
	2000-2004	6	6.6	90	33 -	197 U	4	3.2	NC	NC -	NC U	2	3.4	NC	NC -	NC U
	2005-2009	6	6.6	91	33 -	198 U	3	3.4	NC	NC -	NC U	3	3.2	NC	NC -	NC U
	2010-2014	1	6.4	NC	NC -	NC U	1	3.3	NC	NC -	NC U	0	3.2	NC	NC -	NC U
	2015-2019	5	6.7	75	24 -	175 U	4	3.6	NC	NC -	NC U	1	3.1	NC	NC -	NC U
Prostate																
	1995-1999	--	--	--	--	--	17	27.3	62 *	36 -	100	--	--	--	--	--
	2000-2004	--	--	--	--	--	21	25.5	82	51 -	126	--	--	--	--	--
	2005-2009	--	--	--	--	--	27	22.2	121	80 -	177	--	--	--	--	--
	2010-2014	--	--	--	--	--	11	16.3	68	34 -	121 U	--	--	--	--	--
	2015-2019	--	--	--	--	--	19	17.7	107	64 -	167	--	--	--	--	--
Stomach																
	1995-1999	1	3.1	NC	NC -	NC U	1	1.9	NC	NC -	NC U	0	1.3	NC	NC -	NC U
	2000-2004	1	3.0	NC	NC -	NC U	1	1.8	NC	NC -	NC U	0	1.2	NC	NC -	NC U
	2005-2009	0	2.5	NC	NC -	NC U	0	1.5	NC	NC -	NC U	0	1.0	NC	NC -	NC U
	2010-2014	1	2.3	NC	NC -	NC U	0	1.4	NC	NC -	NC U	1	0.9	NC	NC -	NC U
	2015-2019	1	2.3	NC	NC -	NC U	1	1.4	NC	NC -	NC U	0	0.9	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003901100

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	2000-2009	2	1.3	NC	NC -	NC U	2	0.7	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2010-2019	1	1.5	NC	NC -	NC U	0	0.8	NC	NC -	NC U	1	0.7	NC	NC -	NC U
Childhood ALL	2000-2009	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2019	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
Gallbladder	2000-2009	1	0.9	NC	NC -	NC U	0	0.3	NC	NC -	NC U	1	0.6	NC	NC -	NC U
	2010-2019	0	0.9	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.7	NC	NC -	NC U
Liver	2000-2009	5	4.2	120	39 -	281 U	3	2.9	NC	NC -	NC U	2	1.3	NC	NC -	NC U
	2010-2019	5	5.7	87	28 -	203 U	5	4.1	123	40 -	287 U	0	1.7	NC	NC -	NC U
NHL	2000-2009	12	13.3	90	46 -	157	7	6.7	105	42 -	216 U	5	6.6	75	24 -	176 U
	2010-2019	6	13.1	46 *	17 -	99 U	5	6.8	73	24 -	171 U	1	6.3	NC	NC -	NC U
Stomach	2000-2009	1	5.6	NC	NC -	NC U	1	3.3	NC	NC -	NC U	0	2.3	NC	NC -	NC U
	2010-2019	2	4.7	NC	NC -	NC U	1	2.8	NC	NC -	NC U	1	1.9	NC	NC -	NC U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Pittsfield Census Tract 25003935200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	1995-1999	1	0.4	NC	NC -	NC U	1	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2000-2004	0	0.6	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2005-2009	2	0.7	NC	NC -	NC U	0	0.4	NC	NC -	NC U	2	0.3	NC	NC -	NC U
	2010-2014	2	0.8	NC	NC -	NC U	1	0.4	NC	NC -	NC U	1	0.4	NC	NC -	NC U
	2015-2019	1	0.8	NC	NC -	NC U	1	0.4	NC	NC -	NC U	0	0.3	NC	NC -	NC U
Bladder (in situ and invasive)	1995-1999	10	9.4	107	51 -	196 U	8	6.7	119	51 -	235 U	2	2.7	NC	NC -	NC U
	2000-2004	11	9.9	111	56 -	200 U	9	7.2	125	57 -	237 U	2	2.7	NC	NC -	NC U
	2005-2009	11	9.8	112	56 -	201 U	6	7.2	83	30 -	180 U	5	2.6	194	62 -	452 U
	2010-2014	6	9.3	65	24 -	141 U	2	6.8	NC	NC -	NC U	4	2.4	NC	NC -	NC U
	2015-2019	13	9.2	141	75 -	241	8	6.8	117	50 -	230 U	5	2.4	209	67 -	487 U
Breast	1995-1999	34	26.7	127	88 -	178	0	0.2	NC	NC -	NC U	34	26.5	128	89 -	179
	2000-2004	32	25.4	126	86 -	178	0	0.2	NC	NC -	NC U	32	25.2	127	87 -	179
	2005-2009	24	25.0	96	62 -	143	0	0.2	NC	NC -	NC U	24	24.8	97	62 -	144
	2010-2014	17	25.6	66	39 -	106	0	0.2	NC	NC -	NC U	17	25.4	67	39 -	107
	2015-2019	23	26.6	86	55 -	130	0	0.3	NC	NC -	NC U	23	26.4	87	55 -	131
Childhood ALL	1995-1999	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.1	NC	NC -	NC U
	2000-2004	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2005-2009	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2010-2014	0	0.2	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.1	NC	NC -	NC U
	2015-2019	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.1	NC	NC -	NC U
Colon/rectum	1995-1999	22	21.5	102	64 -	155	10	10.8	93	44 -	171 U	12	10.8	111	57 -	195
	2000-2004	23	21.0	110	69 -	164	13	10.6	122	65 -	209	10	10.4	96	46 -	177 U
	2005-2009	17	16.9	100	58 -	161	11	8.5	130	65 -	233 U	6	8.5	71	26 -	154 U
	2010-2014	16	14.1	113	65 -	184	7	7.1	98	39 -	203 U	9	7.0	129	59 -	245 U
	2015-2019	12	12.9	93	48 -	162	5	6.7	75	24 -	175 U	7	6.3	112	45 -	230 U

Cancer Incidence in Pittsfield Census Tract 25003935200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Gallbladder	1995-1999	0	0.4	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2000-2004	0	0.4	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2005-2009	0	0.4	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2010-2014	0	0.5	NC	NC -	NC U	0	0.1	NC	NC -	NC U	0	0.3	NC	NC -	NC U
	2015-2019	0	0.5	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.3	NC	NC -	NC U
Liver and Intrahepatic Bile Duct (IBD)	1995-1999	1	1.4	NC	NC -	NC U	0	1.0	NC	NC -	NC U	1	0.4	NC	NC -	NC U
	2000-2004	1	1.9	NC	NC -	NC U	1	1.4	NC	NC -	NC U	0	0.5	NC	NC -	NC U
	2005-2009	3	2.6	NC	NC -	NC U	0	1.9	NC	NC -	NC U	3	0.7	NC	NC -	NC U
	2010-2014	4	3.0	NC	NC -	NC U	3	2.2	NC	NC -	NC U	1	0.8	NC	NC -	NC U
	2015-2019	3	3.6	NC	NC -	NC U	3	2.6	NC	NC -	NC U	0	1.0	NC	NC -	NC U
Non-Hodgkin Lymphoma (NHL)	1995-1999	4	6.6	NC	NC -	NC U	3	3.3	NC	NC -	NC U	1	3.3	NC	NC -	NC U
	2000-2004	8	6.8	117	50 -	230 U	4	3.5	NC	NC -	NC U	4	3.4	NC	NC -	NC U
	2005-2009	9	7.1	126	57 -	239 U	4	3.9	NC	NC -	NC U	5	3.3	154	50 -	359 U
	2010-2014	4	7.1	NC	NC -	NC U	4	3.8	NC	NC -	NC U	0	3.3	NC	NC -	NC U
	2015-2019	8	7.4	109	47 -	214 U	5	4.1	121	39 -	283 U	3	3.3	NC	NC -	NC U
Prostate	1995-1999	--	--	--	--	--	21	27.1	77	48 -	118	--	--	--	--	--
	2000-2004	--	--	--	--	--	25	27.2	92	59 -	136	--	--	--	--	--
	2005-2009	--	--	--	--	--	31	25.9	120	81 -	170	--	--	--	--	--
	2010-2014	--	--	--	--	--	21	20.0	105	65 -	161	--	--	--	--	--
	2015-2019	--	--	--	--	--	24	21.8	110	71 -	164	--	--	--	--	--
Stomach	1995-1999	2	2.9	NC	NC -	NC U	0	1.8	NC	NC -	NC U	2	1.1	NC	NC -	NC U
	2000-2004	3	2.9	NC	NC -	NC U	1	1.8	NC	NC -	NC U	2	1.1	NC	NC -	NC U
	2005-2009	2	2.6	NC	NC -	NC U	2	1.6	NC	NC -	NC U	0	1.0	NC	NC -	NC U
	2010-2014	1	2.6	NC	NC -	NC U	1	1.6	NC	NC -	NC U	0	0.9	NC	NC -	NC U
	2015-2019	0	2.6	NC	NC -	NC U	0	1.6	NC	NC -	NC U	0	1.0	NC	NC -	NC U

Cancer Incidence in Pittsfield Census Tract 25003935200

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Biliary tract	2000-2009	2	1.3	NC	NC -	NC U	0	0.7	NC	NC -	NC U	2	0.6	NC	NC -	NC U
	2010-2019	3	1.6	NC	NC -	NC U	2	0.9	NC	NC -	NC U	1	0.7	NC	NC -	NC U
Childhood ALL	2000-2009	0	0.4	NC	NC -	NC U	0	0.2	NC	NC -	NC U	0	0.2	NC	NC -	NC U
	2010-2019	NS	NS	NS	NS -	NS U	NS	NS	NS	NS -	NS U	0	0.2	NC	NC -	NC U
Gallbladder	2000-2009	0	0.9	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.6	NC	NC -	NC U
	2010-2019	0	1.0	NC	NC -	NC U	0	0.3	NC	NC -	NC U	0	0.7	NC	NC -	NC U
Liver	2000-2009	4	4.6	NC	NC -	NC U	1	3.4	NC	NC -	NC U	3	1.2	NC	NC -	NC U
	2010-2019	7	6.6	106	42 -	217 U	6	4.9	123	45 -	267 U	1	1.7	NC	NC -	NC U
NHL	2000-2009	17	14.0	121	70 -	194	8	7.4	108	46 -	213 U	9	6.6	136	62 -	258 U
	2010-2019	12	14.6	82	43 -	144	9	7.9	113	52 -	215 U	3	6.6	NC	NC -	NC U
Stomach	2000-2009	5	5.5	91	29 -	212 U	3	3.5	NC	NC -	NC U	2	2.1	NC	NC -	NC U
	2010-2019	1	5.2	NC	NC -	NC U	1	3.2	NC	NC -	NC U	0	1.9	NC	NC -	NC U

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as ((Obs/Exp) x 100))

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.

Cancer Incidence in Lung and Bronchus

		Total					Males					Females				
		Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U	Obs	Exp	SIR *	95 %	CI U
Great Barrington	1995-1999	28	35.2	80	53 -	115	15	18.4	82	46 -	135	13	16.8	77	41 -	132
	2000-2004	31	36.3	86	58 -	121	15	17.6	85	48 -	141	16	18.5	86	49 -	140
	2005-2009	43	36.7	117	85 -	158	22	17.5	125	79 -	190	21	19.2	110	68 -	167
	2010-2014	40	34.8	115	82 -	156	17	16.6	102	60 -	164	23	18.2	126	80 -	189
	2015-2019	34	35.9	95	66 -	132	19	16.5	115	69 -	180	15	19.5	77	43 -	127
Lee	1995-1999	28	26.2	107	71 -	154	18	14.7	123	73 -	194	10	11.6	86	41 -	159 U
	2000-2004	32	27.7	115	79 -	163	15	14.2	105	59 -	174	17	13.6	125	73 -	201
	2005-2009	39	29.9	130	93 -	178	20	14.7	136	83 -	210	19	15.2	125	75 -	195
	2010-2014	38	29.8	128	90 -	175	19	14.3	133	80 -	208	19	15.4	123	74 -	192
	2015-2019	33	31.3	105	73 -	148	9	14.4	63	29 -	119 U	24	16.8	142	91 -	212
Lenox	1995-1999	21	27.9	75	47 -	115	11	14.6	75	38 -	135 U	10	13.4	75	36 -	138 U
	2000-2004	24	30.8	78	50 -	116	13	14.8	88	47 -	150	11	15.9	69	35 -	124 U
	2005-2009	21	33.8	62 *	38 -	95	10	15.4	65	31 -	119 U	11	18.2	61	30 -	108 U
	2010-2014	30	34.1	88	59 -	126	12	14.8	81	42 -	141	18	18.8	96	57 -	151
	2015-2019	31	35.8	87	59 -	123	15	14.8	102	57 -	168	16	20.6	78	44 -	126
Pittsfield	1995-1999	181	212.7	85 *	73 -	98	95	113.0	84	68 -	103	86	99.6	86	69 -	107
	2000-2004	233	216.6	108	94 -	122	110	106.3	112	95 -	125	123	109.8	112	93 -	134
	2005-2009	260	217.2	120 *	106 -	153	121	104.2	116	96 -	139	139	112.9	123 *	103 -	145
	2010-2014	251	203.7	123 *	108 -	139	102	97.2	105	86 -	127	149	106.7	140 *	118 -	164
	2015-2019	295	206.9	143 *	127 -	160	158	96.7	163 *	139 -	191	137	110.4	124 *	104 -	147
Stockbridge	1995-1999	4	12.9	NC	NC -	NC U	NS	NS	NS	NS -	NS	NS	NS	NS	NS -	NS
	2000-2004	11	13.9	79	40 -	142 U	NS	NS	NS	NS -	NS	NS	NS	NS	NS -	NS
	2005-2009	12	13.9	86	45 -	151	NS	NS	NS	NS -	NS	NS	NS	NS	NS -	NS
	2010-2014	2	12.9	NC	NC -	NC U	NS	NS	NS	NS -	NS	NS	NS	NS	NS -	NS
	2015-2019	11	12.9	85	42 -	152 U	NS	NS	NS	NS -	NS	NS	NS	NS	NS -	NS

Cancer Incidence in Lung and Bronchus

Obs = Observed number of diagnoses

Exp = Expected number of diagnoses

SIR = Standardized Incidence Ratio (SIR), calculated as $((\text{Obs}/\text{Exp}) \times 100)$

95% CI = 95% Confidence Interval, a measure of statistical significance

U = Unstable, indicates that a rate is unstable because it has a relative standard error > 30% and should be interpreted with caution

* and shading = Statistical significance at the 95% level of probability

NC = Not Calculated. SIRs and 95% CI are not calculated when number of observed diagnoses = 0.

NS = Not Shown. Obs, Exp, SIR, and 95% CI are not shown when number of diagnoses is between 1-5 and population of the geographical area is less than 1200.

Data Source: DPH Office of Population Health, Massachusetts Cancer Registry.