

INDEX

By section number

A

- Abandoned structures, 125.1
- Accepted engineering practice, 109.2
- Accessory buildings, 303.3
- Access panels, 858.0
- Access to roof, 617.0
- Adjoining property
 - Chimneys, 1006.3
 - Examination of, 1306.11
 - Excavation, 1306.13
 - Excavation below established grade, 1306.2
 - Existing buildings, protection, 1304.1, 1311.0
 - Fences, 1308.0
 - Grade control, 1307.1
 - Temporary encroachments, 1301.3
- Administration, 100.0
- Administrative procedures, 108.16
- Affidavits, 113.51, 128.3
- Air conditioning (see article 18)
- Air ducts, 1117.0
- Air filters, 1117.8
- Airplane hangars
 - Area limitations, Table 2-6
 - Roof storage, 413.14
- Aisles
 - Assembly buildings, 417.2
 - Church side aisles, 610.3
 - Number of seats between, 416.32
 - Other use groups, 610.3
 - Theaters, 416.4
- Alarm systems
 - Institutional, 1218.212
 - Interior fire alarm--where required, 1218.2
 - Locations, 1218.211
 - Nursery, day care, 1218.213
- Alcoves--light and ventilation, 504.21
- Alloys and special steels, 722.0, 833.0, 834.0
- Alterations
 - Application for permit, 113.1
 - Area and height limitations, 306.2
 - Certificate of occupancy, 120.2
 - Dwellings, 306.11
 - Existing buildings, 306.0, 406.0
 - Occupancy change, 105.0
 - Signs, 1402.3
 - To existing excessive area, 306.3

- To existing projections, 306.13
- To exit facilities, 605.31
- To light and ventilation, 506.2
- Amendments to code, 109.3
- Amendments to plans, 113.8
- Amusement parks, 418.0
 - Devices, temporary, 418.1
- Anchorage
 - Of intersecting masonry walls, 836.3
 - Of panel wall, 866.4
 - Of projecting stone, 839.3
 - Of steel stacks, 1009.2
- Apartment buildings (see key to principal regulations--use group L-2), 210.2
- Appeal
 - Board of, 126.0
 - From decision of building official, 126.1
- Appliances
 - Chimneys required, 1005.0
 - Venting required, 1011.1
- Application for permit, 113.0
 - For demolition of buildings, 116.0
 - For signs, 1402.0
 - Records to be kept, 108.17
- Appointment
 - Of building official, 107.2
- Approval--materials, appliances or methods of construction, 805.0, 108.13, 127.0
 - Of plans, 114.5
- Arc cutting and welding, 827.4
- Area
 - Court, 512.2
 - Method of figuring for exits, 606.0
- Area of building
 - Exceptions, 308.0
 - Increase for sprinklers, 308.2
 - Limitation, 307.0
 - Unlimited, 309.0
- Armories, 208.3
- Asbestos
 - As a roofing material, 928.2
 - For exterior weather boarding and veneers, 853.5
 - For high temperature ducts, 1019.41
 - For proscenium curtains, 416.67
 - For warm air ducts, 1117.3
- Ash pits--construction, 1114.0
- Asphalt
 - In roof coverings, 928.0
 - Paper in exterior walls, 821.4
- Assembly, places of (also see key to principal regulations--use groups F-1, F-2, F-3 and F-4), 208.0
 - Prohibited with high hazard use, 416.11
 - Special requirements for, 416.0, 417.0

Asylums (also see key to principal regulations--use group H-1), 209.1

Attic

Firestopping of, 316.0

Ventilation of, 504.22

Auditoriums (see assembly)

Roof trusses for, 915.0

Authority to enter buildings, etc., 112.0

Automatic fire alarm systems, 1218.0

In existing buildings, 1205.3

Inspections and tests, 1203.3

Automatic fire doors and dampers for

Heating and air-conditioning systems, 514.4, 1810.0

Automatic sprinklers

Length of exitway travel increased, 607.3

Location of exterior hose connection, 1212.8

Requirements for, 1212.0

Automobile parking lots

Parking structures, 905.2

Roofs over, 303.9

Automobile salesrooms (see garages), 413.13

Awnings

Clearances, 315.0

Over public property, 315.21

Permit for, 315.1

B

Balcony

Emergency exits from, 416.24

Over public property, 312.6

Steps, 416.44

Barricades

Around building operations, 1305.1

Around excavations, 1306.1

Basement

Assembly uses, 905.74

Definition, 201.0

Dry cleaning plants, 411.2

Enclosure of stairways, 616.92

Exits, 609.0

Garages, 413.12

Motor fuel service stations, 414.12

Recreation rooms, 609.2

Sprinklers required, 1212.1

Ventilation of garages, 413.21

Waterproofing, 871.3

Bathrooms

Artificial lighting, 507.4

Natural lighting, 503.0

Ventilation, 509.2

Bay windows--construction of, 926.5

Projection of, 312.5

Beams

- Concrete reinforced, 842.0
- Fireproofing of, 913.0
- Laminated wood, 855.0
- Steel, formed, 828.0
- Steel, structural, 827.0
- Wood, 853.0
- Wood, heavy timber, 852.5

Bearing on hollow masonry units, 840.0

Bearing partitions (see walls)

Bearing plates

- Wood beams and girders, 852.5

Bearing value of soils, 723.0

Bleachers (see reviewing stands)

Blocks--concrete (see concrete blocks)

- Identification, 806.0
- Tests, 803.0

Board of appeals, 126.0

Board of survey, 124.0

Boat houses, fire districts, 304.3

Boiler

- Construction of rooms, 1113.0
- General requirements, 1100.0
- Required separation for, 1113.1
- Smoke pipes, 1010.0
- Stacks, 1009.0

Boiler rooms--hazardous locations, 400.6

- Special occupancies, 1113.2

Bonding, masonry units, 835.0, 836.0

- Allowable stresses, concrete, 841.1
- Allowable stresses, reinforced brickwork, 849.0
- Faced walls and veneers, 860.1
- Hollow units, 810.2
- Walls, 836.0

Borings and tests of soils, 724.0

Bowling alleys, 208.3

Bracing

- Masonry bearing walls, 837.0
- Stud walls and partitions, 853.13

Brick units, 807.0

Brickwork, reinforced, 849.0

Builders' shanties, 303.5

Building

- Alterations, 113.1
- Alterations of existing buildings, 106.0
- Certificate of use and occupancy, 120.2
- Change in use, 105.2
- Classified by type of construction, 214.0
- Classified by use or occupancy, 202.0
- Demolition of, 116.0
- Existing, 120.3
- Location in more than one fire district, 302.2
- Regulated by fire districts, 300.0
- Temporary, 317.0

- Unsafe, 124.0
- Building code
 - Appointment of other employees, 107.3
 - Code remedial, 100.3
 - Enforcement, 108.1, 108.2
 - Matters covered, 101.0
 - Matters not covered, 101.2
 - Modifications, 110.0, 126.0
 - Scope of, 100.0
 - Variations, 126.0
- Building commissioner, 107.1
 - Duties and powers, 108.1
- Building components, article 19
 - Code compliance, 1906.0
- Building official
 - Appointment of, 107.2
 - Appointment of other personnel, 107.3
 - Certification, 107.6
 - Duties and powers of, 108.0
 - Issues permits, 114.0
 - May require tests, 803.0, 108.13
 - May stop work, 123.0
 - Restrictions on employees, 107.8
 - Right of entry, 112.0
 - Shall issue certificate of occupancy, 120.0
 - Training, 107.7
- Building official's authorization required
 - Before changing plans, 113.8
 - For changes in use or occupancy, 121.4
 - For structural alterations, 106.0
- Building paper, 821.4
- Building permit
 - Application for, 113.0
 - Expiration, 114.2
 - Issuance of, 114.1
 - Posting of, 114.8
 - When required, 113.1
- Bus and passenger terminals--fire district, 303.9
- Business buildings (also see key to principal regulations)
 - Area exceptions, 308.0
 - Area limitations, 307.1
 - Height exceptions, 310.0
 - Height limitations, 307.2
- Business occupancies--with residential
 - Professional offices, 213.2
 - Service shops, 213.2

C

- Caissons, drilled, 742.0
- Canopies
 - Fire, 906.2

- Over public property, 315.3
- Canvas tents and tarpaulins test, 420.0
- Cast-in-place concrete piles, 740.0
- Cast iron construction, 832.0
- Cast steel construction, 831.0
- Cast stone, 815.0
- Ceiling protection, 913.11
- Cement mortar, 816.0
- Certificate of use and occupancy, 120.0
- Certificate of specified use groups, 108.15, Table 1-1
- Certification
 - Of manufactured buildings, mobile homes, 1902.0
 - Of building official, 107.6
- Change in use and occupancy, 105.2
- Changes in fire districts, 302.1
- Changes in plans, 113.8
- Changes in plot plans, 115.4
- Charitable homes for the aged, 426.0
- Chases, wall, 838.0
- Chimneys (also see flues), 1004.0
 - Alternate types of, definitions, 1001.0
 - Classifications, 1004.0
 - Connectors, 1010.0
 - Cupola, 1013.0
 - Factory-built, 1007.0
 - Height of, 1008.61, 1009.6
 - High temperature, 1008.5
 - Low temperature, 1008.3
 - Masonry, 1008.0
 - Medium temperature, 1008.4
 - Metal, 1009.0
 - Raising existing chimneys, 1006.1
 - Tests, 1003.0
 - Wood framing around, 1008.64
- Churches (see key to principal regulations--use group F-4)
- Chute, fire escapes, 623.0
 - Refuse or rubbish, 1136.0
- Cinder concrete, 843.0
- Classifications of buildings
 - By fire district, 301.0
 - By occupancy, 202.0
 - By type of construction, 214.0
- Clay tile, structural
 - In foundation walls, 868.22
 - In walls, 808.1
- Cleanout, chimney, 1006.5, 1011.35
- Clearances
 - Around air ducts, 1117.6
 - Around fireplaces, 1012.4
 - Around smoke pipes, 1010.6
 - Around stoves and heaters, 1112.0
 - Around warm air furnaces, 1118.41
 - Cupola, 1013.2
 - Heating appliances, 111.0
 - Exceptions, 1112.0

- Incinerator smokepipes, 1130.5
- Metal chimneys, 1009.2
- Metal ducts, 1017.33
- Of wood framing from chimneys, 1008.64
- Steam and hot water pipes, 115.0
- Under first floor joists, 508.3
- Coal pockets, 411.4
- Code, scope of, 100.0
- Columns
 - Cast iron construction, 832.41
 - Concrete filled pipe, 845.0
 - In fireproof construction, 914.0
 - Live load reduction, 720.0
 - Protection of, 914.0
 - Reinforcement, 830.0
 - Working stresses--cast iron and steel, 830.3
- Combustible dusts, grain processing and storage, 409.0
- Combustible fibers, 408.0
- Combustible materials
 - Decorative material restrictions, 925.0
 - Flameresistance tests, 903.6
 - In floor construction, 924.0
 - Insulation, 907.7
 - Interior finish, 904.1
 - Interior finish, wood frame construction, 853.9
 - Interior trim restrictions, 924.0
 - Prohibited in type 1 buildings, 215.0
 - Prohibited in type 2 buildings, 216.0
- Compliance with code, 115.1
- Compliance with permit, 115.2
- Composite piles, 744.0
- Concrete
 - Aggregates, 817.0
 - Blocks, hollow, 810.0
 - Chimneys, 1004.0, 1008.32
 - Filled-pipe columns, 845.0
 - Footings, 731.0, 733.0
 - Foundation walls, 868.22
 - Minimum dimensions, 847.0
 - Plain mix of, 841.0
 - Pneumatic, 846.0
 - Ready-mix, 818.0
 - Reinforced, 842.0
 - Reinforced, fireresistance, 900.3
 - Reinforced gypsum, 848.0
 - Shafts in caissons, 742.3
 - Structural cinder, 843.0
 - Units, 810.0
- Condensation and weather resistance, 853.8
- Conditions of permit, 115.0
- Connector, chimneys, 1010.0
- Construction
 - Approval of materials, equipment, etc., 805.0
 - Controlled, 128.0

- Covered by code, 101.0
- Prefabricated, article 19
- Protection during, 1305.0
- Requirements for, types of, 214.0
- Restrictions in fire limits, 303.0, 304.0
- Safeguards, 1300.0
- Construction Industry Safety Board, 127.0, 800.41
- Construction requirements, general, 800.0
- Construction, types of requirements for, 214.0 - 218.0
- Controlled construction, 128.0, 721.1
- Convalescent homes (see key to principal regulations--
use group H-2)
- Conveyor openings, 1619.2
- Cooling towers, 927.8
- Coping on masonry walls, 867.4
 - Retaining walls, 869.3
- Corbeling
 - Chimneys, 1008.63
 - Foundation walls, 868.4
 - Masonry bearing walls, 839.0
- Cornices
 - Construction of, 926.2
 - Molded, 839.3
 - Projection of, 312.1
- Corridors
 - Natural lighting, 503.43
 - Passageways and corridors, 612.0
 - Ventilation, 509.4
- Corrosion protection, 736.0
- Covered malls, 425.0
- Coverings
 - Roofs, 928.0
 - Warm air ducts, 1117.1
- Crawl spaces
 - Venting of, 504.23
- Cupolas, 927.9
 - Chimneys, 1013.0
- Curtain, theater, 416.67
- Curtain wall (see walls-nonbearing)
 - Masonry, construction of, 909.0

D

- Dampproofing of foundation walls, 871.3
- Dance halls (see assembly buildings), 208.0
- Dangerous structures, 124.0, 125.0
- Day care centers, 427.0
- Decision of board of appeals, 126.4, 126.88
- Decorative features--may project, 312.0
- Decorative material restrictions, 925.0
 - Trim restrictions, 924.0, 926.0
- Definitions (see 201.0, 401.0, 501.0, 601.0, 701.0,

- 801.0, 901.0, 1001.0, 1101.0, 1201.0, 1401.0, 1801.0, 1901.0 and 2001.0)
 - General, 201.0
 - Types of construction, 214.0
 - Use groups, 202.0 - 213.0
- Deflections, allowable live load, 804.2
- Demolition (also see wrecking)
 - Of buildings, 116.0
 - Permits for, 113.1
- Depth of footings, 727.0
 - Foundations--soil conditions, 723.0
- Design
 - Cast-in-place concrete piles, 742.11
 - Composite piles, 744.1
 - Dead load, 705.0
 - Flues--solid and liquid fuels, 1008.34
 - Formed steel construction, 828.1
 - Foundation piers, 747.0
 - Foundation walls, 868.1
 - Live load, 704.0
 - Lumber and timber construction, 851.1
 - Masonry wall construction, 835.1
 - Plain concrete, 841.1
 - Precast concrete piles, 739.2
 - Reinforced brickwork, 849.1
 - Reinforced concrete, 842.1
 - Reinforced hollow block construction, 852.1
 - Retaining walls, 869.1
 - Safe load, 702.0
 - Special steels, 833.2
 - Steel joist construction, 829.1
 - Steel pipe and tapered tubular piles, 741.3
- Devices for window cleaning, 516.0
- Display of permit, 114.8
- Doors (also see fire doors)
 - Exit, 614.0
 - Fire-door assemblies, 917.1
 - Fireresistive classification, 917.2
 - For enclosure of vertical openings, 917.21
 - For existing hotels and multi-family dwellings, 606.32
 - For horizontal exits, 614.1
 - Required to open out, 612.0
 - Revolving, 613.0
 - Smokeproof towers, 618.0
- Doorways
 - Exit, 612.0
 - Location of, 607.1
 - Width of, 608.1
- Dormers, 927.6
 - For dwellings, 927.6
- Drawings (see plans)
- Dressing rooms
 - Construction of, 416.71
 - Exits from 416.74

Dry cleaning establishments--general, 411.0
 Non-flammable solvents, 411.23
Dry wall construction, 824.5
Drying rooms, 1128.0
Ducts
 Air-conditioning and ventilating, 1812.0
 Hot and cold air, 1117.0
 Location of, 1812.3
 Metal, 1017.0
 Pipe shafts, 1016.0
Dust, combustible, 409.0
Duties
 Of board of survey, 124.3
 Of building official, 108.0
 Of state inspector, 108.2
Dwellings (also see key to principal regulations)
 Chimneys, 1008.32
 Exits, existing, 605.0
 Location on lot, 305.1
Dwellings, basements of
 Ceiling height, 201.0
 Foundations, 868.0

E

Earthquake load, 719.0
Earthquake signs, 1408.12
Eaves, projecting, 312.1
 Construction, 926.0
Egress, means of (see key to principal regulations
 for each use group), 600.0
 Existing buildings, 605.0
Elevators, 1600.0
 Temporary platform hoists, 1316.0
Emergency exits from theaters, 416.23
Employees, restrictions on, 107.8
Enameling shops, 203.1
Enclosures
 Combustible construction allowed, 616.92
 For interior stairs, 616.92
 For motion picture projection rooms, 407.31
 Of exterior stairways, 619.1
 Of moving stairways, 620.0
 Vertical shafts and hoistways, 911.0
Enclosure walls
 Fireresistive, 906.0
 General, 856.0
 Required, 856.0
Encroachments
 Awnings and canopies, 315.0
 Existing, 311.5
 General, 311.0, 312.0

- Special and temporary, 314.0
- Street, 311.0
- Yard and court, 313.0
- Enforcement of code, 108.1, 108.2
- Engineering practice, 800.1, 109.2
- Entry, right of, 112.0
- Erection of steel, 1314.3
- Escalators, 620.0
- Excavations, 1306.0
 - Protection of adjoining property, 1306.11
- Exhaust systems
 - Ducts for, 1134.0
 - Location of openings, 1811.0
- Existing buildings (also see key to principal regulations for all use groups)
 - Alterations, 106.0
 - Certificate of occupancy required, 120.3
 - Change in existing use, 105.0
 - Change of occupancy, 105.2
 - Chimneys, 1006.1
 - Maintenance, 104.0
 - Matters not covered, 101.22
- Existing signs, 1406.0
- Exit doors, 612.0
- Exit facilities
 - Existing buildings, 605.0
 - General, 600.0
- Exit hallways, 610.0
- Exit openings in exterior walls, 612.0
- Exit signs, 626.0
- Exits, horizontal--requirements for, 614.0
- Exitways (see key to principal regulations of all use groups)
 - Access to roofs, 617.0
 - Arrangements of, 617.1
 - Basement recreation rooms, 609.2
 - Boiler rooms, 1113.3
 - Capacity of, 608.0
 - Elevators used as, 621.0
 - From places of assembly, 419.1
 - Length of travel to, (see Table 6-2), 607.3
 - Location, type and, 607.0
 - Minimum number, 609.1
 - Moving stairways, 620.0
 - Number of, 609.0
 - Ramp, 615.0
 - Remote location, 609.11
 - Slidescapes, 623.0
- Expired permits, 114.2
- Exterior stairways, 619.0
- Extinguishing equipment, fire, 1200.0

F

Facing stone, attachment of, 860.0
Factories (industrial), 206.0
Feed mills, 411.0
Fees, 118.0
Fences
 Building operations, 1305.1
 Fire districts, 303.1
 General requirements, 1308.0
Fiber boards, 824.0
Filing of plans, 113.5
Films--flammable, 407.0
Finish, interior
 In fireproof construction, 924.0
 In noncombustible construction, 924.0
 In wood frame construction, 853.9
Fire alarm systems
 In existing buildings, 1205.3
 Inspection and test, 1204.0
 Interior systems, 1218.0
Fire appliances during construction, 1319.0
Fire doors, 917.0
 Closing devices, 917.5
 On openings in exterior walls, 916.0
 On openings in fire walls, 908.3
 On openings in proscenium walls, 416.66
 On openings in stage enclosures, 416.61
 Types, 917.2
Fire escapes
 As exits, 621.0
 Fire extinguishing and alarm systems, 1200.0
 For high hazard buildings, 400.7
 In existing buildings, 605.33, 1205.0
 On new buildings (exterior stairways), 619.1
 Permissible yard and court encroachments, 313.3
Fire grading of use groups, 903.0, Table 9-1
Fire limits, construction requirements within
 Alterations--existing buildings, 306.1
 Boat houses, 304.3
 Building partly within, 302.2
 General construction restrictions, 302.0
 Moving buildings in, 302.5
 Restrictions against moving buildings, 302.5
 Restrictions on cooling towers, 927.81
 Restrictions on roof structures, 303.7
 Roof coverings, 928.2
Fire limits--location
 District no. 1, 301.1
 District no. 2, 301.2
 Outside of, 301.3
Fire limits, modifications permitted outside
 Area and height limitations, 305.0, 307.0

- Roof coverings, 305.2, 928.3
- Fire partitions
 - Chases and recesses, 838.3
 - Construction of, 909.0
 - Fireresistive, 910.0
 - Openings in, 909.4
- Fireplaces, 1012.0
- Fireproof construction
 - General construction requirements, 214.0 and Table 2-5
 - Type designated, 215.0
- Fireproofing during construction, 1300.0
- Fireresistance tests, 903.0
- Fireretardant treated wood, 903.7
 - Tests for, 903.72
- Fire shutters, 918.0
- Firestopping, 874.0, 921.0
 - Ceiling spaces, 913.3
 - Cornices of wood or having wood framing, 874.6
 - Paneling, 874.7
 - Where required, 921.1
 - Wood joist construction, 913.4
- Fire tower, 618.0
- Fire ventilation, 514.0, 515.0
- Fire walls (also see walls), 907.0
 - Continuity of, 907.8
- Fire windows, 918.0
 - Stage enclosure walls (theaters), 416.61
- Flag poles, 927.0
- Flameresistance tests, 904.0
- Flammable liquids, 403.0
- Flammable vapor systems, ducts, 1120.0
- Flashings, 853.8
- Flooring, 924.0
- Floor loads
 - Allowable live loads, 707.0
 - Posting of, 706.4
- Floors
 - Garages, 413.15
 - Theater stages, 416.62
- Flue linings (see flues)
- Flues (see chimneys)
 - Alternate, 1004.0
 - Area, 1008.65
 - Connections required, 1010.0
 - For gas appliances, 1011.0
 - Linings
 - Low temperature, 1008.34
 - Medium temperature, 1008.43
 - High temperature, 1009.5
- Footings
 - Depth, 727.0
 - Design, 728.0
 - Loads, 720.0
 - Of masonry, 732.0

- Of reinforced concrete, 733.0
- Of steel grillages, 730.0
- Of unreinforced concrete, 731.0
- On public property, 311.1
- Timber, 729.0
- Formed steel construction, 828.0
- Foundations
 - Allowable loads, 724.0, 725.0
 - For neighboring building, 1308.2
 - Minimum depth, 727.0
 - Minimum thickness, 871.2
 - Piles, 735.0
- Foundation walls, 871.0
- Frame buildings in fire district no. 1, 303.0
 - In fire district no. 2, 304.0
- Frame construction, wood
 - General requirements, 853.0
 - Restrictions within fire limits, 302.5
- Furnaces
 - Floor, 1122.0
 - Industrial and power boiler, 1123.0
 - Warm air furnaces, 118.4

G

Garages

- Basements under, 413.12
- Construction of public garages, 413.1
- Foundations for private garages, 727.2
- On lot line (private), 305.1
- Private, general requirements, 412.0
- Public, general requirements, 413.0
- Within fire limits no. 2, 304.1

Gas

- Appliances, flues and vents for, 1000.11
- Size of vent, 1011.41
- Vents, 1011.4
- Vent termination, 1011.42

Gasoline service station

- Defined as motor fuel service station, 401.0

Girders, fireproofing of, 913.0

Glass

- Area required, 503.2
- Blocks, 812.0, 869.0
- Design wind loads, 714.4, Table 8-1
- Human impact loads, 856.37
- In fire doors, 919.4
- In walls, 856.31
- Jalousies, 856.36
- Minimum thickness, 856.34
- Strength test, 803.11
- Supports, 856.32

- Veneering, 861.0
- Wired, 919.0
- Glazed masonry units, 809.0
- Glazing, plastics, 2003.0
- Glued laminated lumber construction, 855.0
- Glues for wood, 819.0
- Grade, defined, 201.0
 - Control, 1307.1
 - Of lumber, 851.0
 - Passageways and lobbies, 613.0
- Grading of lot, 1307.1
- Grain processing and storage, 409.0
- Grandstands, 419.0
- Greenhouses, 303.32
- Ground
 - Clearance of wood framework above, 504.23
- Grounding
 - Metal roofs, 928.6, 928.61
 - Metal siding, 863.4
 - Metal veneer, 863.4
- Group residences, 424.0
- Gutters, 926.1
- Gymnasiums, protection of roof trusses, 915.2
- Gypsum concrete, reinforced, 850.0
- Gypsum mortar, mix of, 816.5
- Gypsum units, 811.0

H

- Habitable room
 - Minimum height, 501.0
 - Minimum size, 501.0
- Hallways, exits, 614.0
- Hand fire extinguishers, 1217.0
- Handrails, stair--requirements for, 616.5
- Hardware on exit doors, 612.4
- Hazardous equipment rooms, 400.6
- Hazardous occupancies
 - High hazard, 203.1
 - Low hazard, 204.2
 - Moderate hazard, 204.1
- Headers--in frame construction, 855.16
- Headroom
 - In dwellings, 501.0
 - In stairways, 616.22
- Heating appliances and systems
 - Central recirculating, 1119.0
 - Foundation mountings, 1106.0
 - Garages, 413.5
 - Industrial, 1105.0
 - In fireplaces, 1012.5
 - Installation of, 1100.0

- Panels, 1116.0
- Unit type, 1121.0
- Warm air, 1118.0
- Heating units, thermal energy, 1123.4
- Heavy timber construction, 854.0
- Height of chimney, 1008.61
- Height limitations
 - Alterations, 306.1
 - Exceptions, 310.0
 - For awnings, 312.7
 - For marquees above sidewalks, 312.72
 - For veneers, 855.33
 - Limitations, 307.0
- High hazard (also see key to principal regulations), 203.0
 - Prohibited with assembly use, 416.11
 - Restrictions in fire district no. 1, 302.3
 - Restrictions on location, 400.9
 - Storage segregation, 400.8
 - Use group, 203.0
- Hoists for construction operations, 1316.0
- Hollow masonry units, 810.2
 - Bearing on, 840.0
- Homes for aged (see key to principal regulations--use group H-2), 209.2
- Horizontal exits, 614.0
 - Fire wall openings in, 908.4
- Hose--for standpipes, 1206.6
- Hospitals (see key to principal regulations--use group H-2), 209.2
- Hot water supply heaters, 1128.0
- House heating appliance mounting, 1108.0
- House moving, 302.5, 117.0
- Hydrants, fire-yard systems, 1216.7

I

- Identification for concrete blocks, 806.1
- Identification for plastics, 2000.2
- Identification for signs, 1407.0
- Illegal signs, 1404.21
- Illumination, signs, 1408.2
- Incinerators
 - Chimneys, commercial and industrial, 1014.0
 - Chimneys, domestic, 1015.0
 - Commercial and industrial, 1130.0
 - Domestic type, 1131.0
 - Flue fed, 1129.0
- Industrial heating appliances, classification, 1105.0
- Industrial use groups (see key to principal regulations), 206.0
- Infirmaries (see key to principal regulations--use group H-2), 209.2
- Inspections, 111.0

- By building official, 108.14, 108.15, 111.21
- By state inspector, 108.2
- Changes of occupants, 111.42, 111.43
- For posting, 121.4
- Of amusement devices, 418.0
- Of automatic fire alarm systems, 1204.0
- Of existing buildings, 111.4
- Of heating systems, 1100.11
- Of manufactured buildings, 111.3, 1904.0
- Of mobile homes, 1904.0
- Of new buildings, 111.2
- Of sprinkler systems, 1204.0
- Of unsafe buildings, 124.0
- Periodic, 111.41
- Services by others, 111.6
- Signs, 1405.3
- Inspector
 - State, 108.2
 - Local, 107.11
 - Alternate, 107.12
- Inspector of buildings, 107.1
 - Duties and powers, 108.1
- Institutions (see key to principal regulations--use groups H-1 and H-2), 209.1, 209.2
- Interior finish and trim
 - Application of, 923.0
 - Classification of, 922.2, 904.1
 - Decorative material restrictions, 925.0
 - Finish restrictions, 922.0
 - Flameresistance requirements, Table 9-3
 - In exitways, 922.0
 - Materials, tests, 904.1
 - Restrictions in types 1 and 2 buildings, 924.0
- Interior stairways, 616.0

J

- Joists
 - Steel, 829.0

L

- Landings, stair, 616.3
- Lateral bracing of bearing walls, 837.0
- Lath
 - As plaster bases, 823.0
- Lathing
 - Exterior, 821.0
 - Interior, 820.0
- Lavatories, 1701.0
- Libraries (see key to principal regulations--use group F-3), 208.3

Licenses

Fees for, 118.0

For building contractors, 128.8

For concrete testing, 127.31

For sign erectors, 1408.0

For test laboratories and personnel, 127.2

Light and ventilation (also see key to principal regulations), article 5

Light diffusing systems, 2007.0

Light gauge steel structural members, 828.0

Lighting

Existing buildings, 506.0

For exit signs, 624.0

For stairways and exitways, 624.1

Standards for artificial, 507.0

Standards for natural, 503.0

Theaters, 416.8

Theater exit lights, 416.28

Limitations, building, 300.0

Lintels, wall, fire protection, 912.1

Over openings, frame construction 855.16

Liquefied petroleum gases, 405.0

Load

Concentrated, 708.0

Deflections allowable, 804.2

For roofs, 711.0

Foundation, 724.0, 725.0, 726.0

Impact, 709.0

Live load, concentrated, 708.0

On piles, 737.0

Reduction allowed, 720.0

Safe, on soils, 723.0

Snow, 712.0

Uniform, 707.1

Wind, 713.0

Loading and shipping rooms, 905.5

Lobbies, grade passageways and, 611.0

Local inspector, 107.11

Location and exposure, Table 2-5

Location of exit doorways, 612.3

Lot

Line fences, 1308.0

Partly in fire limits, 302.2

Plot required, 113.6

Regulations for, 1307.0

Lumber, grade of, 851.0

Luminous ceilings and walls, 2004.0, 2005.0

M

- Main exits from theaters, 416.2
- Maintenance (also see existing buildings)
 - Of buildings and structures--covered by code, 104.0
 - Of signs, 1405.1
 - Of standpipes, 1204.2
- Mall, covered, 425.0
- Mansard roofs, 927.5
- Manual fire alarm systems, 1218.0
- Manual fire extinguishing system, 1217.0
- Manufactured buildings, building components, mobile homes,
article 19
 - Division of Inspection, 1900.1
 - Testing, 1900.11
 - Compliance assurance, 1900.12
 - Code compliance, 1906.0
 - Inspection of, 111.3, 1904.0
- Manufacturing buildings (see industrial buildings)
- Marquees, 312.72
 - Signs, 1413.0
- Masonry
 - Bonding of, 836.0
 - Chimneys, 1008.0
 - Corbeled and projecting, 839.0
 - Cornices, 839.3
 - Footings, 732.0
 - Foundation walls, 868.22
 - Hollow, definition of, 801.0
 - Mortar for, 816.0
 - Piers, 747.0
 - Solid, definition of, 801.0
 - Veneers, 860.0
- Materials
 - Approvals, 805.0
 - Brick units, 807.0
 - Cast stone, 815.0
 - Concrete aggregates, 817.0
 - Concrete units, 810.0
 - Glazed masonry units, 809.0
 - Gypsum units, 811.0
 - Mortar, 816.0
 - Natural stone, 814.0
 - Plastics, approved, 2000.1
 - Plywood, 825.0
 - Structural clay tile units, 808.0
 - Structural glass block units, 812.0
 - Structural wood glues, 819.0
 - Terra cotta, 813.0
 - Tests, general, 800.0
 - Wallboards and sheathing, 826.0
- Means of egress (see exitways)
- Mechanical ventilation, 1800.0
 - Standards of, 508.0

Mercantile use group (also see key to principal regulations), 205.0
Metal alloys, lightweight, 834.0
Metal buildings--type 2-C, Table 2-5
 Limitations in fire districts, 302.4
Metal lath, 821.2, 823.4
Metal roofs
 Grounding of, 928.6, 928.61
Metal siding, 853.52
 Corrosion protection, 853.52
 Grounding, 863.4
 Thickness, 853.3
Metal smokestacks, 1009.0
Metal veneers, 853.32, 863.0
 Grounding, 863.4
 Thickness, 853.3, 860.2
Mezzanine (definition), 201.0
Mill construction, 217.1
Minor repairs, 102.0
Miscellaneous use group, 211.0
Mixed occupancies (also see key to principal regulations for each use group), 213.0
Mobile homes, article 19
 Standard, 1905.0
Modification of code provisions, 110.0
 By board of appeals, 126.0
 Of area, 308.0
 Of height, 310.0
Mortar, 816.0
 Cement, 816.3
 Cement-lime, 816.3
 For glass blocks, 859.2
 Gypsum, 816.5
 Special, 816.4
Motion picture projection rooms, 407.3
Motion picture studios, 407.7
Motion picture theaters, requirements, 416.0
Motor boat houses (see garages)
Motor fuel service stations, 414.0
Motor vehicle repair shops, 415.0
 Roof storage of, 413.14
Moving stairways, 620.0
 Enclosure of, 616.92
Multiple dwellings (also see key to principal regulations-- use groups L-1 and L-2), 210.0

N

Nailing schedule (see reference standards for article 8)
Natural stone, 814.0
Neighboring buildings, protection of, 1306.13
New buildings

- Area limitations, 307.1
- Height limitations, 307.2
- New materials and methods of construction, 108.13, article 8
- Nitro-cellulose products, 203.0
- Nonbearing partitions, support of, 853.12
- Nonbearing wall (also see wall)
 - Solid masonry, 835.0
- Noncombustible construction, 216.0
- Noncombustible materials, 903.61
- Notices
 - Moving of buildings, 117.1, 1304.0
 - Of inspections, 111.21
 - Of start of work, 114.9
 - Of violations, 122.1
 - Service of, 122.12
 - Stop work order, 123.0
- Number of exits
 - Existing buildings, 605.0
 - General, 609.0
- Number of occupants--based on exits, 606.0
- Nursing homes, 426.0

0

- Occupancies requiring sprinklers, 1212.1
- Occupancy
 - Certificate of, 120.0
 - Change of, 105.2
 - Classification of, 202.0
 - Covered by code, 100.1
 - Doubtful classification, 212.0
 - Mixed, 213.0
- Occupants, number of--based on exits, 606.0
- Office buildings (also see key to principal regulations--
use group E), 207.0
- Oil burners, 1127.0
- Open air parking decks, 905.2
- Open shelter sheds, 303.4
- Openings
 - In fire partitions, 909.4
 - In shaft enclosure walls, 911.7
 - On or near exterior stairways, 621.3
 - Unprotected, plastic, 2003.0
- Open-web steel joist construction, 829.0
- Orders of building official
 - Service of, 122.12
 - Stop work, 123.0
 - Unsafe building, 124.0
- Ordinary repairs, 102.0
- Orphanages (see institutions)
- Owners responsibility
 - For exits, 605.1

P

Painting

Of formed steel, 828.5

Of structural steel and cast iron, 827.5

Paint spraying, 410.0

Panel walls, thickness of, 866.0

Panels, fire access, 858.0

Panels, stress skin, 854.0

Panic hardware, on exit doors, 612.42

Parapets

Construction of, 870.0

Fireresistance, 906.3

Parking decks, 905.2

Partitions (also see Table 2-5)

Fire, 909.0

Fireresistive, 910.0

Plastic, 2008.0

Party walls (definition), 910.0

Affected by excavations, 1308.0

Construction of, 907.0

Maintenance, 1304.1

Parapets required, 867.0

Size and construction of openings, 908.0

Passenger and bus terminals, 303.9

Passageways

Corridors, and, 610.0

Grade, and lobbies, 611.0

Penalties--violations, 122.3

Penthouses

General requirements for, 927.3

Permits

Action on applications, 114.1

Amendments to, 113.8

Application for, 113.0

Awnings, 312.7

Charges for, 118.0

Expiration, 114.2

Heating appliances, 1102.2

Manufactured buildings, 1902.1

Posting, 114.8

Previous approvals, 114.3

Records to be kept, 108.17

Revoked, 112.0

Signs, 1402.2

Temporary, 317.0, 114.7

To demolish buildings, 116.0

To move buildings, 117.0

When required, 113.1

Piers, masonry, 747.0

Isolated, 870.0

Piles

- Cast-in-place concrete, 740.0
- Composite, 744.0
- Corrosion-protected, 736.0
- Foundations, 735.0
- Lateral support, 746.0
- Loads allowable, 737.0
- Precast, concrete, 739.0
- Special, 745.0
- Steel pipe and tubular, 741.0
- Structural steel, 743.0
- Timber, 738.0
- Pipe columns, 845.0
- Pipe piles, steel--concrete filled, 741.0
- Pipes, steam and hot water, 1117.0
- Pits in garages, 413.23
- Places of assembly (also see key to principal regulations)
 - Number of exits required from, 417.1
 - Special requirements for, 416.2
 - Sprinklers required, 416.91
- Planking
 - For combustible construction, 1314.2
- Plans and specifications, 113.5
 - Chimneys, flues, vent pipes, 1002.0
 - Heating appliances, 1102.0
- Plastering
 - Fireresistive requirements, 920.0
 - Interior lathing, 820.0
 - Materials, 822.0
- Plaster bases, 823.0
- Plaster, fireresistive requirements, 920.0
- Plastic construction, 2000.0
 - Approved materials, 2000.1
 - Approved plastic, 2001.0
 - Exterior wall panels, 2004.0
 - Design and installation, 2002.0
 - Light diffusing systems, 2007.0
 - Of signs, 1408.52
 - Partitions, 2008.0
 - Skylight assemblies, 2006.0
 - Thermoplastics, 2001.0
 - Thermosetting plastics, 2001.0
 - Unprotected openings, 2003.0
- Plot plan required, 113.6
 - Changes in, 115.4
 - Compliance with, 115.3
 - Requirements, 113.6
- Plywood, 825.0
- Pneumatic concrete, 846.0
- Portable incinerators, 1131.2
- Posting
 - Certificate of use and occupancy, 121.0
 - Live loads, 707.0
 - Notice of unsafe building, 124.1
 - Permit, 114.8

- Stop-work order, 123.11
- Powers and duties of building officials, 108.0
 - Remove abandoned buildings, 125.0
 - Stop work, 123.0
 - To demand soil tests, 725.0
- Powers of board of appeals, 126.0
- Prisons (see key to principal regulations--use group H-1), 209.1
- Procedure before excavating, 1306.0
- Professional offices in dwellings, 213.2
- Prohibited, high hazard dry cleaning, 413.11
- Projecting signs, 1412.0
- Projection rooms, motion picture, 407.3, 407.5
- Projections from buildings, 311.0, 312.0
 - Awnings, 312.7
 - Bays, 312.5
 - Balconies and stairs, 312.6
 - Below sidewalk, 311.1
 - Belt courses, 312.2
 - Signs, 1412.0
 - Special and temporary, 314.0
- Protection against corrosion
 - Formed steel, 828.5
 - Structural steel, 827.5
- Protection against dampness
 - Of crawl spaces, 504.23
 - Of foundation walls, 871.3
- Protection during construction, 1311.0
 - During wrecking, 1305.0
 - Of adjoining property, 1311.0
- Protection of exterior openings, 916.0
 - Of fire wall openings, 908.0
- Public assembly (see key to principal regulations--use groups F-1 through F-5), 208.0
- Public garages, 413.0
 - Roof storage, 413.14
- Public parking deck, 905.2
- Purpose of code, 100.3
- Pyroxylin plastics, 406.0

Q

- Qualifications of building official, 107.4, 107.5

R

- Radio towers, 421.0
- Rag shops and storage, 203.1
- Railings
 - Balcony, theater, 416.45

- Guard--during construction, 1314.4
- Requirements for handrails, 616.5
- Ramps, 615.0
- Ratproofing, 875.0
 - Of existing buildings, 875.0
- Recesses, in walls, 838.0
- Reciprocity, 1903.0
- Records
 - Of department, 108.17
- Recreation buildings (see key to principal regulations--use group F-3), 208.3
- Recreation rooms, basement, 609.2
- Reduction of live loads, 720.0
- Reformatories (see key to principal regulations--use group H-1)
- Refrigeration, 1800.0
- Refuse chutes, 1132.0
- Refuse vaults, 1133.0
- Reinforced
 - Concrete chimneys, 1008.32
 - Concrete, fireresistance, 900.3
 - Concrete, footings, 733.0
 - Foundation walls, concrete, 868.21
 - Gypsum concrete, 848.0
 - Masonry--foundation walls, 868.22
 - Pile caps, 735.22
 - Walls, 865.0
- Removal of buildings and structures, 117.0, 124.0
 - Of waste during construction, 1310.0
- Repair pits in garages, 413.23
- Repair shops, motor vehicle, 415.0
- Repairs, 106.0
 - Of signs, 1406.2
 - To roofs of existing buildings, 928.1
 - Without a permit, 102.0
- Reports
 - Building commissioner or inspector of buildings, 108.18
 - State inspector, 108.23
 - To assessors, 108.18
 - By engineer, 128.5
- Requirements for types of construction, 202.0
- Residential buildings (see key to principal regulations--use groups L-1, L-2 and L-3)
- Responsibility--for protection of adjoining property, 1306.13
- Rest homes, 426.0
- Restaurants (see key to principal regulations--use group F-3), 208.3
 - Cooking appliances, 1125.0
 - Mounting exceptions for appliances, 1109.0
 - Protection of kitchens, 417.4
- Restrictions
 - Area, 307.1
 - Height, 307.2

- On employees, 107.7
- Special occupancy, 400.0
- Within fire limits, 303.0, 304.0
- Retail stores (see mercantile buildings--use group C)
- Retaining walls, 869.0
- Reviewing stands, 419.0, 303.5
- Revocation of permit, 114.6
- Revolving doors, 613.0
- Right of entry, 112.0
- Risers and treads, stair
 - Construction of, 616.4
 - Size of (dimensions), 616.41
- Roller coasters, 420.0
- Roof anchorage, lumber and timber construction, 851.31
- Roof covering, classification, 903.4
- Roofing
 - General requirements, 928.0
 - Repairs to--on existing buildings, 928.1
- Roof loads, 711.0
- Roof structures, 927.0
- Roofs
 - Construction of units of plastics, 2005.0
 - Design for wind pressure, 715.0
 - Design loads, 711.0
 - Drainage, 853.8
 - Fire and party walls to extend to or above, 907.8
 - Mansard or ordinary construction, 927.5
 - Signs, 1410.0
- Rooms, habitable, 501.0
- Rooming houses (see key to principal regulations--use group L-1), 210.1
- Rubbish chutes, 1138.0
- Rubble stone foundation walls, 871.24
- Rule-making authority, 109.1
- Rules and regulations, 109.0
 - Building components, 1900.1
 - Manufactured buildings, 1900.1
 - Mobile homes, 1900.1
 - Licensing of construction supervisors, 109.11
 - Licensing of laboratories and test personnel, 109.12, 127.1
- Rust protection
 - For formed steel, 828.5
 - For metal in footings, 736.0
 - For structural steel, 827.5

S

- Safeguards during construction, 1300.0
- Safe load on soil, 723.2
- Safety devices for window cleaning, 516.0

Sanitariums (see key to principal regulations--use
 group H-2), 209.2
 Scaffolds, 1312.0
 Scale of plans, 113.5
 Schools (see key to principal regulations--use group
 F-6), 208.6
 Scope of code, 100.0
 Screens for skylights, 927.23
 Scuttle--size and construction, 927.1
 Seating arrangements--in places of assembly, 416.3
 Separation--mixed use and occupancy, 213.0 and Table 9-1
 Service connections
 Building demolitions, 116.1
 Service equipment, 103.0
 Service shop, 213.2
 Shafts
 Enclosures, 911.0
 Ventilation of, 510.0
 Sheathing, 821.4, 826.1
 As plaster base, 823.1, 824.2
 Plywood roof, 825.3
 Sheds, 211.0
 Sheet piling for excavations, 1308.1
 Shingles, wood, 853.72
 Shoe repair shops, 213.2
 Shut-off for gas mains, 1129.0
 Shutters on exterior wall openings, 918.0
 Siamese connections for standpipes, 1206.7
 Signs, article 14
 Alterations to, 1402.3
 Banner and cloth, 1415.2
 Exemptions, 1403.0
 Extended over curb--prohibited, 1412.0
 Flat (see wall sign)
 For exits, 623.0
 General requirements, 1408.0
 Ground, 1409.0
 Ground--projecting, 1412.0
 Identification, 1407.0
 Illuminated, 1415.0
 Inspection of, 1405.3
 Maintenance, 1405.1
 Marquee, 1413.0
 Miscellaneous, 1414.0
 Permits for, 1402.2
 Plans and specifications, 1402.1
 Plastic, 1408.52
 Projecting, 1412.0
 Roof, 1410.0
 Roof--projecting, 1412.0
 Temporary, 1403.3, 1414.0
 Unsafe, unlawful, 1404.0
 Use of combustibles, 1408.5

- Wall, 1411.0
- Wind loads, 1408.11
- Sills in wood frame construction, 853.0
- Skylights
 - Over shaft enclosures, 911.42
 - Over shafts and stairways, 514.12
 - Plastic, 2006.0
 - Screens, 927.23
- Slidescapes, 622.0
- Slow-burning materials, 904.2
- Smoke abatement, 1104.0
- Smokepipes and connections, 1010.0
- Smokestacks, 1009.0
- Snow loads, 712.0
- Soil
 - Bearing value, 723.0
 - Test procedure, 725.0
 - Tests, 724.0
- Solid masonry walls, 865.0
- Space heating rooms, 1113.0
- Spark arrestors, 1018.0
- Special high hazards, 400.2
- Special industrial buildings, 400.0
- Specialized codes, 100.4
- Spiral slide fire escapes, 622.2
- Spray booths, 412.22
- Sprinklers
 - Area increase allowed, 308.2
 - Building requiring, 1212.1
 - General requirements for, 1200.0
 - In existing buildings, requirements for, 1205.0
 - Length of exitway travel increased, 607.3
 - Location of main control valve, 1212.9
- Stacks, metal, 1009.0
- Stadiums, 419.0
- Stages--theater, 416.6
 - Dressing and appurtenant rooms, 416.7
 - For other places of assembly, 417.0
- Stairways
 - Enclosures, exterior, 619.1
 - Enclosures, interior, 616.92
 - Exterior, 619.0
 - Handrails, 616.5
 - Interior, 616.0
 - Landings, width, 616.31
 - Light and ventilation, 503.4
 - Moving, 620.0
 - Railings, 616.5
 - Rise between landings, 616.32
 - Treads and risers, 616.4
 - Width, 616.21
 - Winders, 616.42
- Standing in aisles prohibited, 416.5

Standpipes

Dry standpipe fire lines, 1208.0

During construction, 1314.1

Existing buildings, 1205.0

Water supplies, 1207.0

Wet standpipe requirements, 1206.0

Starting work--notice to building official, 114.9

Steam and hot water pipes, 1115.0

Steel

Buildings in fire limits, 302.4

Cast construction, 831.0

Fire escapes, 621.2

Grillages--in footings, 730.0

Joists, 829.0

Painting, 828.5

Reinforcing, 830.0

Special, 833.0

Structural, 827.0

Steel pipes

Concrete-filled, 741.1

Structural rolled, 743.0

Stone

Cast, 815.0

Facing, attachment of, 860.0

Foundation walls, 868.24

Natural stones, 814.0

Stop work orders, 123.0

Storage buildings (also see key to principal regulations), 204.0

Stores (use group C), 205.0

And residential buildings, 905.6

Stoves--mounting exceptions, 1110.0

Clearance exceptions, 1112.0

Clearances, 1111.0

Street encroachments, 311.0

Street line--projections beyond, 312.0

Stress--skin panels, 854.0

Stresses--allowable working, 721.0

Structural clay tile, 808.0

Structural glass block, 812.0, 859.0

Structural requirements for plastic, 2002.1

Structural steel, 827.0

Structural steel piles, 743.0

Stucco, exterior lathing and, 821.0

Studs, spacing of, 853.1

Survey of land, 113.6

Suspended ceilings--firestopping, 913.4

Swimming pools, 422.0

T

Tanks

Water, 927.7

Technical Code Council, 100.5

Temporary

Boilers, 1319.2

Buildings, 317.0

Occupancy, 120.4

Permits, 317.0

Signs, 1403.3, 1414.0

Stairs, 1313.0

Structures (also see key to principal regulations--
use group M), 211.0

Structures in fire limits, 303.3

Tents, 420.0

Termination of approval--temporary buildings, 317.0

Termite protection, 873.0

Terra cotta, 813.0

Testing and evaluation group, 127.2, 800.42

Tests

Fireresistance, 903.0

Fireretardant treated wood, 903.72

Flameresistance, 904.0

New materials, 108.13, 803.0

Of automatic fire alarm systems, 1204.0

Of chimneys, 1003.0

Of construction equipment, 1302.0

Of sprinkler equipment, 1204.5

Of standpipe installations, 1204.4

Pile capacity, 737.0

Procedures for soil, 725.0

Quality of material, 803.0

Soil bearing values, 724.0

Structural steel unit, 828.6

Working stresses, 721.0

Theaters (also see key to principal regulations--
use group F-1), 208.1

Aisles, 416.4

Dressing and appurtenant rooms, 416.7

Existing, 404.0

Exits, 416.2

Fire protection, 416.9

Foyer, 416.5

Interior wall and ceiling finish, 923.0

Lighting, 416.8

Restrictions, 416.1

Seating, 416.3

Special requirements for, 416.0

Sprinklers required, 416.91

Stage construction, 416.6

Thermal energy utilization units, 1123.4

Thermal insulation, 875.0

Thermoplastics (see plastic construction)
Thermosetting plastics (see plastic construction)
Thickness of walls (see walls)
Tile--structural clay units, 808.0
Timber
 Capping of piles, 738.4
 Construction, heavy mill type, 852.0
 In masonry walls, 835.4
 Piles, 738.0
 Structural members, 851.0
Top finish of chimney, 1008.62
Towers, cooling, 927.8
 Miscellaneous, 927.9
 Radio and television, 427.0
Trailer camps (see mobile dwelling units)
Travel, length of, to exits, 607.3
Treads, stair
 Size and construction of, 616.4
Trim, exterior, 926.0
Trim, interior, 922.0
 Application, 923.0
 In exitways, 922.0
 Restrictions in buildings, 922.0
Trusses, 915.0
 Individual encasement, 915.1
 Roof slabs and arches, 915.5
 Roofs twenty (20) feet or higher, 915.4
Tunnel flame spread test, 904.0
Types of construction, 214.0
 Type 1, fireproof, 215.0
 Type 2, noncombustible, 216.0
 Type 3, fireresistive exterior wall, 217.0
 Type 4, combustible, 218.0
Types of flues--gas fuels, 1011.0

U

Underpinning, 1304.3, 1306.2
Unfired pressure vessels, 1124.0
Unit heaters, 1121.0
Unlawful signs, 1404.21
Unlimited area buildings, 309.0
Unpierced enclosure walled building, 511.0
Unsafe buildings, 124.0
Unsafe signs, 1404.0, 1406.2
Use
 And exitways, 603.0
 Certificate of occupancy for, 120.0
 Classification doubtful, 212.0
 Group classification, 202.0

- Group, fire grading, 903.0
- Parking lot offices, 303.31
- Part change in, 105.3
- Utilities, public, discontinuance of, 1307.2, 116.1
- Utility connections
 - Building demolitions, 116.1

V

Vacating

- Unsafe buildings, 125.1

Validity of code, provision, 129.0

Variances from code, 110.0

Vaults

- Refuse, 1135.0

Veneers

- Attachment of, 853.3

- For frame construction, 853.3

- Height of, for frame buildings, 853.33

- Metal, 863.0

- Plastic, 864.0

- Stone and tile, 862.0

- Structural glass, 861.0

- Wall facings and, 860.0

Vent shafts, 911.0

Vent systems, 1011.0

Vented appliances, 1011.1

Ventilating skylights, 503.42

Ventilating systems

- Fire emergency, 514.0

Ventilation (also see key to principal regulations, article 5)

- Crawl spaces, 504.23

- Dry cleaning plants, 411.4

- Ducts, linings and coverings, 1812.0

- Ducts through fire walls, 1810.0

- Existing buildings, 506.0

- Garages, 415.2

- General, 500.0

- Hoods, 1125.1

- Institutional--forced detention, 505.0

- Location of exhaust openings, 1811.2

- Mechanical--general, 1800.0, 508.0

- Motion picture projection rooms, 407.33

- Rates, Figure 5-1, 508.2

- Shafts, 510.0

- Standards for mechanical, 508.0

- Standards for natural, 504.0

- Systems, inlets and outlets, 1811.0

Ventilators over stages, 416.68

Venting equipment and ducts, 1000.0

Vents

- Gas, 1011.4
- Gas appliances, 1000.11
- Metal, construction of, 1017.0

Vertical openings

- Enclosures, 911.0
- Shafts, 510.0

Violations

- Abatements, 122.4
- Notice of, 122.1
- Penalties, 122.3
- Stop-work, 123.0
- Unsafe building, 124.0
- Volatile--flammables, 403.0

W

Wall and ceiling finish--special occupancies, 913.2

Wall boards and sheathing, 826.0

- For frame construction, 853.2

Wall openings--in fire and party walls, 908.0

Wall signs, 1411.0

Walls

- Bearing, chases and recesses in, 838.0
- Bearing, lateral bracing of, 837.0
- Bearing, wood frame construction, 853.11
- Bonding of, 836.0
- Concrete masonry units, 810.0
- Corbeled and projecting masonry, 839.0
- Design for wind on vertical surfaces, 714.0
- Ducts in fire walls, 1810.1
- Enclosure for theater stages, 416.61
- Enclosure walls required, 856.0
- Faced walls, 860.0
- Facings and veneers, 860.0
- Fire wall openings, 908.0
- Fire walls, 907.0
- Foundation walls, 870.0
- Glass block, 812.0, 859.0
- Gypsum, 811.0
- Hollow, 839.2
- Hollow panels, thickness of, 866.2
- Lateral support of bearing, 837.0
- Lintels--protection, 912.0
- Masonry wall construction, 835.0
- Panel, 866.0
 - Plastic, 2004.0
- Parapet, 867.0
- Party, 907.0
- Penthouses, 927.3
- Plain concrete, 841.0

Proscenium, 416.66
 Protection of exterior openings in, 916.0
 Protection of openings in, 857.0
 Reinforced concrete, 842.0
 Reinforced concrete walls, 865.0
 Retaining, 869.0
 Roof structure, 927.0
 Shaft enclosure, 911.0
 Solid masonry, 865.0
 Stone, foundation, 868.24
 Thickness of panel, 866.0
 Thickness of parapet, 867.1
 Thickness of solid, 865.0
 Veneered, 860.0
 Warehouses (see key to principal regulations--
 use group B), 204.0
 Warm air heating systems, 1118.0
 Waste chutes, 1132.0
 Waste to be removed, 1310.0
 Watchman on building operations, 1305.4
 Water closets, 1701.0
 Waterproofing of foundation walls, 874.3
 Water tanks, 927.7
 For sprinklers, 1213.0
 For standpipes, 1207.0
 Welding, 827.4
 Width of stairs, 616.21
 Winders, 616.42
 Window cleaner's safeguards, 516.0
 Window openings--arches and lintels over, 912.0
 Window protectives, 918.0
 Windows
 Bay, 926.5
 Dormer, 927.6
 Fire, 918.0
 Glass area required, 503.2
 In rooms, 503.2
 In stairways and passageways, 503.4
 Required for light, 503.1
 Required for ventilation, 504.1
 Vertical separation of, 918.5
 Wind loads--general requirements, 713.0, 717.0
 Glass, 856.33
 Signs, 1408.11
 Wired glass, 919.0
 Wood
 Buildings in fire districts, 303.0, 304.0
 Buildings outside fire districts, 305.0
 Cornices, 926.2
 Creosote treatment of footings, 738.5
 Fireretardant treated, 903.7
 Footings, 729.0
 Framing around fireplaces, 1012.4

- Framing around flues and chimneys, 874.3, 1008.64
- Piles, 738.0
- Structural members, 851.0
- Wood frame construction
 - Bridging, 853.61
 - Foundations, general, 868.0
 - General construction requirements, 853.0
 - Restrictions on, within fire limits, 302.5
 - Type designated, 218.0
- Wood framing
 - Around chimneys, 875.3, 1008.64
 - Around fireplaces, 1012.4
- Work
 - Emergency on unsafe buildings, 125.0
 - Stop--in violation of code, 123.0
- Working stresses, 721.0
- Wrecking (also see demolition)
 - Permits, 113.1
 - Protection during, 1300.0

Y

- Yard system fire mains, 1216.7
- Yards
 - Obstruction of, 513.0
 - Permissible encroachment, 313.0

Z

- Zoning
 - And signs, 1400.1
 - Restriction, 101.4