



Commonwealth of Massachusetts
Executive Office of Energy & Environmental Affairs

Department of Environmental Protection

Southeast Regional Office • 20 Riverside Drive, Lakeville MA 02347 • 508-946-2700

Charles D. Baker
Governor

Karyn E. Polito
Lieutenant Governor

Matthew A. Beaton
Secretary

Martin Suuberg
Commissioner

COMMONWEALTH OF MASSACHUSETTS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF AIR AND WASTE

Southeast Regional Office
20 Riverside Drive
Lakeville, MA 02347

Notice of Public Hearing / Public Comment

Notice is hereby given that the Department of Environmental Protection (“MassDEP”), acting in accordance with the provisions of Massachusetts General Laws, Chapter 111 Sections 142A through 142O and 310 CMR 7.00: Appendix C offers for public comment the issuance of the following Draft Phase II Acid Rain Permit. This action is required by the United States Environmental Protection Agency as stated in its final rule adopting the Phase II Acid Rain Program promulgated at 40 CFR Part 72.

The Draft Phase II Acid Rain Permit is being issued in accordance with 310 CMR 7.00: Appendix C(3)(n). The Phase II Acid Rain requirements will be incorporated into the affected source’s Operating Permit, and renewed with that Operating Permit. The purpose of the Draft Phase II Acid Rain Permit is to detail the allocation of sulfur dioxide emission allowances per affected unit at the following affected source:

Affected Source: NRG Canal 3 Development LLC
 9 Freezer Road
 Sandwich, MA 02563

Designated Representative: Jeffrey Araujo

MassDEP has determined that Unit 3 at the Canal Station facility is the affected unit subject to the Phase II Acid Rain Program.

This information is available in alternate format. Contact Michelle Waters-Ekanem, Director of Diversity/Civil Rights at 617-292-5751.
TTY# MassRelay Service 1-800-439-2370
MassDEP Website: www.mass.gov/dep

Printed on Recycled Paper

The public comment period will extend until 5:00PM, Thursday, January 18, 2018. Under the provisions of M.G.L. Chapter 30A and 310 CMR 7.00: Appendix C(6)(f), a public hearing may be requested by any person by submitting a written request to the Southeast Regional Office, stating the nature of the issues to be raise at a public hearing. Based on the written request, MassDEP will determine if a public hearing will be held and a 30 day written notice will be given. The duration of the public comment period shall automatically extend to the close of the public hearing as provided for at 310 CMR 7.00: Appendix C(6)(g). Written testimony shall be submitted to:

MassDEP Southeast Regional Office
20 Riverside Drive, Lakeville, MA 02347
Attn: Thomas Cushing

Comments may be submitted electronically via e-mail to: thomas.cushing@state.ma.us

Copies of the Draft Phase II Acid Rain permit and the application will be available for inspection at MassDEP's Southeast Regional Office located at 20 Riverside Drive, Lakeville, MA 02347 commencing on the date of this Notice during normal business hours of 8:45AM to 5:00PM by calling (508) 946-2714. A copy of the Draft Phase II Acid Rain Permit can also be viewed on MassDEP's website at: <http://www.mass.gov/eea/agencies/massdep/news/comment/nrg-canal.html>

By order of the Department

Martin Suuberg
Commissioner